ISO/TR 52016-2:2017-06 (E)

Energy performance of buildings - Energy needs for heating and cooling, internal temperatures and sensible and latent heat loads - Part 2: Explanation and justification of ISO 52016-1 and ISO 52017-1

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Symbols, subscripts and abbreviations 2
4.1 Symbols 2
4.2 Subscripts 2
4.3 Abbreviations 3

5 Brief description of the method(s) and routing 3
5.1 Output of the method 3
5.1.1 Reference hourly method in ISO 520171 3
5.1.2 Hourly method in ISO 520161 3
5.1.3 Monthly method in ISO 520161 3
5.1.4 Overall and partial energy performance 4
5.2 General description of the methods in ISO 52016-1 and ISO 52017-1 4
5.2.1 Hourly calculation procedures in ISO 520161 and ISO 520171 4
5.2.2 The hourly method in ISO 520171 4
5.2.3 The hourly method in ISO 520161 5
5.2.4 Monthly calculation procedures in ISO 520161 7
5.2.5 Other differences between ISO 52016-1 and ISO 13790:2008 which it supersedes 7
5.2.6 Input data and assumptions for hourly and monthly method in ISO 520161 8
5.2.7 Choices between methods in ISO 52016-1 8

6 Calculation method in ISO 52016-1 8
6.1 Output data 8
6.1.1 General data on the assessed object and application 8
6.1.2 Calculated data 9
6.2 Calculation time intervals and calculation period 9
6.3 Input data 9
6.3.1 Source of data - General 9
6.3.2 Deviating subscripts 9
6.3.3 General data on the assessed object and application 9
6.3.4 Geometrical characteristics 10
6.3.5 Thermophysical parameters of the building and building elements 10
6.3.6 Loops between input and output variables 11
6.3.7 Operating and boundary conditions 11
6.3.8 Constants and physical data 12
6.3.9 Input data from Annex A (Annex B) 12
6.4 Zoning of the assessed object 12
6.4.1 General 12
6.4.2 Thermal zoning procedures 12
6.4.3 Size of the thermal zones 13

6.4.4 Heat exchange between thermal zones and service areas 13
6.4.5 Adjacent thermally unconditioned zones 14
6.4.6 Residential buildings or building units, adjustment for spatial average temperature 15
6.4.7 Thermally coupled or uncoupled zones 18
6.5 Hourly calculation procedures 19
6.5.1 Principle 19
6.5.2 Applicable time interval and calculation period 19
6.5.3 Assumptions and specific conditions 19
6.5.4 Calculation procedure 19
6.5.5 Calculation of (sensible) heating and cooling loads and temperatures 20
6.5.6 Overall energy balance of a thermal zone 21
6.5.7 Type of construction dependent properties of the nodes 25
6.5.8 Thermal transmission properties 25
6.5.9 Temperature of adjacent thermally unconditioned zone 28
6.5.10 Ventilation heat transfer coefficient, supply temperature and moisture content 28 6.5.11 Thermal capacity of the internal environment of the thermal zone 29
6.5.12 Internal heat gains 29
6.5.13 Solar gains 29
6.5.14 Moisture content and latent heat load 29
6.5.15 Calculation of key monthly data from hourly output 30
6.6 Monthly calculation procedures 30
6.6.1 Principle 30
6.6.2 Applicable time interval and calculation period 30
6.6.3 Assumptions 31
6.6.4 Energy need for space heating and cooling 31
6.6.5 Heat transfer by transmission 32
6.6.6 Heat transfer by ventilation 35
6.6.7 Internal heat gains 35
6.6.8 Solar heat gains 35
6.6.9 Internal effective heat capacity of a zone 35
6.6.10 Utilization factors 36
6.6.11 Calculation temperature and intermittency modes 37
6.6.12 Corrections for intermittency 38
6.6.13 Overheating indicator 46
6.6.14 Length of the heating and cooling season for operation of season-length- dependent provisions 47
6.6.15 Humidification and dehumidification 47

7 Quality control in ISO 52016-1 48
7.1 Calculation report 48
7.2 Hourly method: verification cases 48
7.2.1 Choice for BESTEST cases 48
7.2.2 Description of the verification test cases 49
7.2.3 Results of the verification test cases 49
7.2.4 Comparison with available BESTEST results of other programs 49
7.2.5 Limited scope 49
7.2.6 Specific deviations allowed 49
7.2.7 Availability of the data file with hourly values 50
7.2.8 More details on description of the verification test cases 50
7.2.9 Results of comparison with "reference" programs 50
7.2.10 Peak hourly loads 51
7.3 Hourly method: validation in case of specific alternative calculation procedures 52
7.4 Specific validation cases 52
7.4.1 Heat transfer through ground floor 52
7.4.2 Solar shading 52

8 Compliance check in ISO 52016-1 52

9 Worked out examples on ISO 52016-1 53
9.1 Example 1 53
9.1.1 Description 53

9.1.2 Description of construction elements of envelope 53
9.1.3 Calculation details 59
9.1.4 Remarks and comments 59
9.2 Example 2 59
9.2.1 Description 59
9.2.2 Description of construction elements of envelope 60
9.2.3 Other data 62
9.2.4 Calculation details 62
9.2.5 Remarks and comments 62

10 Validation of the calculation procedures 62

Annex A (informative) ISO 52016-1: Input and method selection data sheet -- Template 63

Annex B (informative) ISO 52016-1: Input and method selection data sheet -- Default choices 64

Annex C (informative) ISO 52016-1: Regional references in line with ISO Global relevance policy 67
Annex D (informative) ISO 52016-1: Multi-zone calculation with thermal coupling between zones 68

Annex E (informative) ISO 52016-1: Heat transfer and solar heat gains of windows and special elements 69

Annex F (informative) ISO 52016-1: Calculation of solar shading reduction factors 78

Annex G (informative) ISO 52016-1: Dynamic transparent building elements 89

Annex H (informative) Rationale behind reorganization of suite of standards 90

Annex I (informative) Discussion on the hourly versus the monthly calculation methods in ISO 52016-1 95

Annex J (informative) Accuracy of the methods in ISO 52016-1 104

Annex K (informative) Explanation and derivation of monthly utilization factors 110

Annex L (informative) Calculation examples 120

Bibliography 126