

ISO 19101-2:2018 (E)

Geographic information — Reference model — Part 2: Imagery

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Abbreviated terms and symbols
4.1	Abbreviated terms
4.2	Symbols
5	Conformance
5.1	General
5.2	Enterprise conformance
5.3	Sensor conformance
5.4	Imagery data conformance
5.5	Imagery services conformance
5.6	Image processing system conformance
6	Notation
7	Enterprise viewpoint – Community objectives and policies
7.1	General
7.2	Geographic imagery community objective
7.3	Geographic imagery scenario
7.4	Geographic imagery policies
7.4.1	Introduction to policies
7.4.2	Policy development guidelines
7.4.3	Policies
7.4.3.1	Imagery acquisition policies
7.4.3.2	Imagery distribution policies
7.4.3.3	Enterprise development policies
8	Information Viewpoint — Knowledge-based decisions
8.1	Introduction to Information Viewpoint
8.1.1	Introduction to types of geographic imagery
8.1.2	Creating knowledge from imagery
8.1.3	General Feature Model
8.1.4	Topics relevant across data, information, and knowledge
8.1.4.1	Resolution
8.1.4.2	Uncertainty in imagery
8.1.4.3	Imagery fusion
8.2	Sensor data package
8.2.1	General
8.2.2	Sensors and platforms
8.2.3	Optical sensing
8.2.3.1	General description
8.2.3.2	Measurements
8.2.3.3	Derivable information
8.2.4	Microwave sensing
8.2.4.1	Passive microwave

- 8.2.4.1.1 General description
- 8.2.4.1.2 Measurements
- 8.2.4.1.3 Derivable information
- 8.2.4.2 Radar
 - 8.2.4.2.1 General description
 - 8.2.4.2.2 Measurements
 - 8.2.4.2.3 Derivable information
- 8.2.5 LIDAR sensor
 - 8.2.5.1 General description
 - 8.2.5.2 Measurement techniques
 - 8.2.5.3 Target scanning techniques
 - 8.2.5.4 Sensed phenomena
 - 8.2.5.5 Typical areas of applications
- 8.2.6 Sonar sensor
 - 8.2.6.1 Sonar measurements
 - 8.2.6.2 Derivable information
- 8.2.7 Digital images from film
- 8.2.8 Scanned maps
- 8.2.9 Calibration, validation and metrology
- 8.2.10 Position and attitude determination
- 8.2.11 Image acquisition request
- 8.3 Geographic imagery information — Processed, located, gridded
 - 8.3.1 General
 - 8.3.2 IG_Scene
 - 8.3.2.1 Introduction to IG_Scene
 - 8.3.2.2 Domain of IG_GridScene
 - 8.3.2.3 Range of IG_GridScene
 - 8.3.2.4 IG_PhysicalQuantity
 - 8.3.2.5 IG_GridScene operations
 - 8.3.3 Derived imagery
 - 8.3.3.1 General
 - 8.3.3.2 IG_DerivedScene
 - 8.3.3.3 Derived geophysical values: IG_DerivedScene
 - 8.3.3.4 Atmospheric correction
 - 8.3.3.5 Atmospheric sounding
 - 8.3.3.6 Pixel fusion
 - 8.3.4 Imagery metadata
 - 8.3.5 Encoding rules for imagery
 - 8.3.5.1 General
 - 8.3.5.2 Basic Image Interchange Format (BIIF)
 - 8.3.5.3 Hierarchical Data Format (HDF)
 - 8.3.5.4 GeoTIFF
 - 8.3.5.5 GMLJP2
 - 8.3.6 Imagery compression
- 8.4 Geographic imagery knowledge — Inference and interpretation
 - 8.4.1 General
 - 8.4.2 Knowledge from imagery
 - 8.4.3 Image understanding and classification
 - 8.4.4 IG_KnowledgeBase
 - 8.4.4.1 General
 - 8.4.4.2 Physical modelling
 - 8.4.4.3 Data mining
 - 8.4.4.4 Feature fusion
- 8.5 Geographic imagery decision support — Context-specific applications
 - 8.5.1 General
 - 8.5.2 Decision support services
 - 8.5.3 Geographic portrayal
 - 8.5.3.1 Images of geographic information
 - 8.5.3.1.1 General
 - 8.5.3.1.2 Portrayals
 - 8.5.3.1.3 Colour systems
 - 8.5.3.1.4 Attribute colour portrayal
 - 8.5.3.2 Human observers
 - 8.5.4 Fitness for use context

8.5.5	Decision fusion
9	Computational viewpoint — Services for imagery
9.1	Task-oriented computation
9.2	Computational patterns
9.3	Geographic imagery services
9.4	Service chaining for imagery
9.5	Service metadata
10	Engineering Viewpoint — Deployment approaches
10.1	General
10.2	Distributed system for geographic imagery
10.3	Imagery Collection Node
10.4	Sensor Processing Node
10.5	Imagery Archive Node
10.6	Value Added Processing Node
10.7	Decision Support Node
10.8	Channels: networks and DCPs
10.8.1	Imagery considerations for channels
10.8.2	Space to ground communications
Annex A	(normative) Abstract test suite
A.1	Test module for policies
A.2	Test module for sensor and associated characteristics
A.3	Test module for imagery data characteristics
A.4	Test module for imagery services
A.5	Test module for image processing system design
Annex B	(informative) ISO Reference Model for Open Distributed Processing (RM-ODP)
Annex C	(informative) Imagery use cases
C.1	Agricultural irrigation use case
C.2	Vehicle traffic use case
C.3	Natural resources use case
C.4	Hurricane evacuation use case
Annex D	(informative) Changes from ISO/TS 19101-2:2008

Page count: 74