

ISO/TS 19139-1:2019 (E)

Geographic information — XML schema implementation — Part 1: Encoding rules

Contents

| | |
|---------|---|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Symbols and abbreviated terms |
| 4.1 | Abbreviated terms |
| 4.2 | Namespace abbreviations |
| 4.3 | UML model stereotypes |
| 4.3.1 | Overview of UML model stereotypes |
| 4.3.2 | Stereotypes of classes |
| 4.3.3 | Stereotypes of attributes |
| 4.3.4 | Stereotypes of links |
| 4.3.5 | Stereotypes of packages |
| 5 | Conformance |
| 6 | Requirements for encoding |
| 6.1 | Overview of requirements |
| 6.2 | Rule-based |
| 6.3 | Quality |
| 6.4 | Web implementations |
| 6.5 | Use of external XML implementations |
| 6.6 | Polymorphism |
| 7 | Encoding rules |
| 7.1 | Overview of encoding rules |
| 7.2 | Default encoding |
| 7.2.1 | XML class type (XCT) |
| 7.2.1.1 | Overview of XML class type (XCT) |
| 7.2.1.2 | XCT rule |
| 7.2.1.3 | XCT rule example |
| 7.2.2 | XML Class Global Element (XCGE) |
| 7.2.2.1 | Overview of the XML Class Global Element (XCGE) |
| 7.2.2.2 | XCGE rule |
| 7.2.2.3 | XCGE example |
| 7.2.3 | The XML Class Property Type (XCPT) |
| 7.2.3.1 | Overview of the XML Class Property Type (XCPT) |
| 7.2.3.2 | XCPT rule |
| 7.2.3.3 | XCPT example |
| 7.3 | Special case encodings |
| 7.3.1 | Overview of special case encodings |
| 7.3.2 | Abstract classes |
| 7.3.2.1 | Overview of abstract class |
| 7.3.2.2 | Abstract class rule |
| 7.3.2.3 | Abstract class example |
| 7.3.3 | Inheritance and sub-class encodings |
| 7.3.3.1 | Overview of inheritance and sub-class encoding |

| | |
|-------------|---|
| 7.3.3.2 | Inheritance and sub-class rule |
| 7.3.3.3 | Inheritance and sub-class example |
| 7.3.4 | Enumeration encodings |
| 7.3.4.1 | Overview of enumeration encodings |
| 7.3.4.2 | Enumeration rule |
| 7.3.4.3 | Enumeration example |
| 7.3.5 | CodeList encoding |
| 7.3.5.1 | Overview and building blocks of the CodeList encoding |
| 7.3.5.2 | CodeList encoding rule |
| 7.3.5.3 | Details of the CodeList encoding |
| 7.3.6 | Union encoding |
| 7.3.6.1 | Overview of the Union encoding rule |
| 7.3.6.2 | Union encoding rule |
| 7.3.6.3 | Union encoding example |
| 7.3.7 | Encoding of MetaClasses |
| 7.3.8 | Encoding of externally identified implementations |
| 7.3.8.1 | Overview of externally identified implementations |
| 7.3.8.2 | Encoding options |
| 7.3.8.2.1 | Encoding through XCPT |
| 7.3.8.2.2 | Encoding through XCGE |
| 7.3.8.2.3 | Encoding through XCT |
| 7.3.8.2.3.1 | General |
| 7.3.8.2.3.2 | The xs:simpleType stereotype |
| 7.3.8.2.3.3 | The xs:simpleContent stereotype |
| 7.3.8.2.3.4 | The xs:complexType stereotype |
| 7.3.8.2.3.5 | The xs:union stereotype |
| 7.3.8.2.4 | Creating the XCGE when encoding through the XCT |
| 7.3.8.2.5 | Creating the XCPT |
| 7.4 | XML Namespace package encoding |
| 7.5 | XML schema package encoding |
| 8 | Additional encodings |
| 9 | Encoding for modularity and reuse |
| 9.1 | UML packages and XML namespaces |
| 9.2 | UML model for XML implementation |
| 9.3 | Implementation Approach for Decoupling XML Packages |
| 9.3.1 | Overview |
| 9.3.2 | Implementation Approach Rules |
| 9.3.2.1 | Abstract Common Classes Namespace |
| 9.3.2.2 | Schema for namespace 1 (ns1) |
| 9.3.2.3 | Schema for namespace 2 (ns2) |
| 9.3.3 | Example of Decoupling |
| Annex A | (normative) Abstract test suite |
| Annex B | (informative) Backward compatibility |
| B.1 | Overview |