# ISO 22111:2019 (E)

# Bases for design of structures — General requirements

# Contents

Foreword

## Introduction

- 1 Scope
- 2 Normative references
- 3 Terms and definitions
  - 3.1 General terms
  - 3.2 Terms related to design and assessment
  - 3.3 Terms related to actions and resistances
- 4 Symbols and abbreviated terms
  - 4.1 General
  - 4.2 Latin characters
  - 4.3 Greek characters
  - 4.4 Subscripts

### 5 Fundamental requirements for structural performance

- 5.1 General
- 5.2 Design situations
- 5.3 Limit states
- 5.4 Considerations for actions, environmental influences and action combinations
- 5.5 Considerations for resistance
- 5.6 Considerations for design verification

## 6 Classification for establishing reliability

- 6.1 Safety consideration
- 6.2 Serviceability consideration
- 6.3 Reliability classes
- 7 Principles of limit states design
  - 7.1 General
  - 7.2 Verification of ultimate limit states
  - 7.3 Verification of serviceability limit states

#### 8 Actions

- 8.1 General
- 8.2 Permanent actions
- 8.3 Variable actions
- 8.4 Accidental actions
- 8.5 Evaluation of actions and their effects
- 8.6 Design values of actions
- 8.7 Characteristic values of actions
- 9 Combinations of actions
  - 9.1 General
  - 9.2 Design scenarios
  - 9.3 Additional considerations for serviceability limit state
  - 9.4 Design values of combinations of action effects
- 10 Resistance
  - 10.1 General

- 10.2 Material properties
- 10.3 Geometrical data
- 10.4 Characteristic values of resistance parameters
- 10.5 Design value of resistance

#### 11 Analysis and testing

- 11.1 Analysis
- 11.2 Testing

#### 12 Demonstrating conformance with requirements

- 12.1 General
  - 12.2 Ultimate limit state
  - 12.2.1 Resistance
  - 12.2.2 Static equilibrium
- 12.2.3 Accidental design situation
- 12.2.4 Seismic design situation
- 12.3 Serviceability
- 12.4 Robustness
- 12.4.1 General
- 12.4.2 Design strategies
- 12.4.3 Prescriptive verification measures
- 12.4.4 Collapse scenarios
- 12.5 Durability

#### Annex A (informative) Guidance for the adoption of this document

- A.1 General
- A.2 Process for adoption
- A.2.1 Guidance/explanations on Clause 1
- A.2.2 Guidance/explanations on Clause 2
- A.2.3 Guidance/explanations on Clause 3
- A.2.4 Guidance/explanations on Clause 4
- A.2.5 Guidance/explanations on Clause 5
- A.2.5.1 General
- A.2.5.2 Design situations
- A.2.5.3 Limit states
- A.2.5.4 Actions
- A.2.5.5 Resistance
- A.2.5.6 Design verification
- A.2.5.7 Quality assurance
- A.2.6 Guidance/explanations on Clause 6
- A.2.7 Guidance/explanations on Clause 7
- A.2.8 Guidance/explanations on Clause 8
- A.2.9 Guidance/explanations on Clause 9
- A.2.10 Guidance/explanations on Clause 10
- A.2.11 Guidance/explanations on Clause 11
- A.2.12 Guidance/explanations on Clause 12
- A.2.12.1 Resistance
- A.2.12.2 Static equilibrium
- A.2.12.3 Serviceability
- A.2.12.4 Robustness
- A.2.12.5 Durability

Annex B (informative) Formats for presentation of design values for combinations of actions

- B.1 Design format
- B.2 Format A: Partial factor design format
- B.3 Format B: Load and resistance factor design format
- B.4 Format C: Annual probability of exceedance based design format
- B.5 Reliability targeted action format
- B.6 Examples of design format

#### Annex C (informative) Target reliability differentiation in existing standard practice

- C.1 General Objectives, basis and scope of this annex
- C.2 Reliability target
- C.3 Classification and categories

C.4 Design values according to FORM

# Annex D (informative) Design procedure

- D.1 General
- D.2
- D.3
- Ultimate limit state Serviceability limit state Fatigue strength and non-static loading D.4

Page count: 42