DIN EN 15512:2021-06 (E)

Steel static storage systems - Adjustable pallet racking systems - Principles for structural design

Contents

Page

European foreword ... 10

0 Introduction ... 11
0.1 Racking ... 11
0.2 Requirement for EN Standards for racking in addition to the Eurocodes ... 11
0.3 Liaison ... 11
0.4 Racking and Work Equipment regulations ... 11
0.5 Additional information specific to EN 15512 ... 11

1 Scope ... 13

2 Normative references ... 13

3 Terms and definitions ... 14

4 Symbols ... 19

5 Assumptions and conventions ... 22
5.1 General ... 22
5.2 Verticality ... 22
5.3 Conventions for member axis ... 22

6 Basis of design ... 22
6.1 Requirements ... 22
6.1.1 Basic requirements ... 22
6.1.2 Design working life ... 22
6.1.3 Requirements for pallet racking ... 23
6.2 Principles of limit state design ... 23
6.2.1 General ... 23
6.2.2 Ultimate limit state ... 23
6.2.3 Serviceability limit state ... 23
6.3 Actions ... 23
6.3.1 General ... 23
6.3.2 Permanent actions ... 23
6.3.3 Variable actions ... 24
6.3.4 Accidental actions ... 31
6.4 Combination of actions ... 32
6.4.1 General ... 32
6.4.2 Ultimate limit state ... 32
6.4.3 Serviceability limit states ... 33
6.5 Partial factors ... 33
6.5.1 Load factors ... 33
6.5.2 Material factors ... 34

7 Materials ... 35
7.1 Steel ... 35
7.1.1 General ... 35
7.1.2 Material properties ... 35
7.1.3 Steels with no guaranteed mechanical properties ... 36
7.1.4 Untested steels ... 36
7.1.5 Average yield strength of sections ... 36

7.1.6 Special selection of production material 36
7.1.7 Fracture toughness 37
7.1.8 Dimensional tolerances 37
7.2 Floor materials 38
7.2.1 Concrete floors 38
7.2.2 Bituminous floors 38
7.2.3 Other floor materials 38

8 Durability 38

9 Structural analysis 39
9.1 Structural modelling for analysis 39
9.1.1 Structural modelling for analysis and basic assumption 39
9.1.2 Joint modelling 39
9.1.3 Ground-structure interaction 42
9.1.4 Racks braced against the building structure 45
9.2 Global analysis 45
9.2.1 Effects of deformed geometry of the structure 45
9.2.2 Method of analysis 46
9.2.3 Structural stability of frames 47
9.3 Imperfections 53
9.3.1 General 53
9.3.2 Global imperfections 53
9.3.3 Local bracing imperfections 55
9.3.4 Member imperfections 56

10 Ultimate limit states 57
10.1 Resistance of cross-sections and members 57
10.1.1 General 57
10.1.2 Section properties 57
10.1.3 Compression members 58
10.1.4 Bending members 60
10.1.5 Tension members 60
10.2 Design of beams 62
10.2.1 General 62
10.2.2 Effects of interaction between unit load and beam 62
10.2.3 Correction for looseness 63
10.2.4 Plastic design resistance 63
10.2.5 Buckling length of beams in braced pallet racks 63
10.2.6 Beams subject to bending and torsion 64
10.2.7 Beams affected by distortion 65
10.3 Design of uprights 65
10.3.1 General 65
10.3.2 Buckling curves 65
10.3.3 Flexural buckling length 66
10.3.4 Torsional buckling length 69
10.4 Design of frame bracing 71
10.4.1 General 71
10.4.2 Robustness 71
10.4.3 Buckling length of frame bracing 72
10.5 Design of run spacers 73

11 Serviceability limit states 74
11.1 General 74
11.2 Beams 74

11.3 Beams in walkways or rack supported floors **74**

12 Design of joints **74**
12.1 General **74**
12.2 Design of beam end connectors **74**
12.2.1 Design resistance of moment and shear **74**
12.2.2 Combination of moment and shear **74**
12.2.3 Reversed moment **74**
12.3 Design of beam connector locks **75**
12.4 Design of splices **75**
12.5 Design of base plates **75**
12.5.1 General **75**
12.5.2 Compression **76**
12.5.3 Tension **77**
12.6 Design of anchorages **77**
12.6.1 General **77**
12.6.2 Robustness **77**

13 Design assisted by testing **77**
13.1 General **77**
13.2 Requirements for tests **78**
13.2.1 Equipment **78**
13.2.2 Support conditions **78**
13.2.3 Application of the load **78**
13.2.4 Increments of the test load **79**
13.2.5 Test materials **79**
13.2.6 Assembly of test specimens **79**
13.2.7 Test reports **79**
13.3 Interpretation of test results **80**
13.3.1 Definition of failure load **80**
13.3.2 Adjustment of test results **80**
13.3.3 Derivation of characteristic values **82**
13.3.4 Characteristic values for a family of tests **83**
13.3.5 Interpolation between test results **84**

14 Marking and labelling – Identification of performance of rack installations **84**

Annex A (normative) **Testing** **85**

A.1 Materials tests **85**

A.1.1 Tensile test **85**

A.1.1.1 General **85**

A.1.1.2 Tensile test from beam end connector **85**

A.1.2 Bend tests **85**

A.2 Tests on components **86**

A.2.1 Stub column compression test **86**

A.2.1.1 Purpose of the test **86**

A.2.1.2 Test arrangement and method **86**

A.2.1.3 Corrections to the observations **87**

A.2.1.4 Derivation of the results **88**

A.2.2 Compression tests on uprights – Checks for the effects of distortional buckling 88
A.2.2.1 Purpose of the test 88
A.2.2.2 Test arrangement and method 89
A.2.2.3 Corrections to the observations 89
A.2.2.4 Derivation of the test results 89
A.2.3 Compression tests on uprights – Determination of buckling curves 91
A.2.3.1 Purpose of the test 91
A.2.3.2 Test arrangement 91
A.2.3.3 Test method 93
A.2.3.4 Corrections to the observations 93
A.2.3.5 Derivation of the column curve 93
A.2.4 Frame shear stiffness tests 95
A.2.4.1 Purpose of the tests 95
A.2.4.2 Method A, loading the frame in the longitudinal direction 95
A.2.4.2.1 Test arrangement 95
A.2.4.2.2 Test method 97
A.2.4.2.3 Corrections to the observations 97
A.2.4.2.4 Derivation of results 97
A.2.4.3 Alternative method B using a cross-aisle reversible shear load on a frame 98
A.2.4.3.1 General 98
A.2.4.3.2 Test arrangement 98
A.2.4.3.3 Test method 100
A.2.4.3.4 Corrections to the observations 100
A.2.4.3.5 Derivation of results 100
A.2.5 Bending tests on upright sections 101
A.2.5.1 Purpose of the test 101
A.2.5.2 Test arrangement 101
A.2.5.3 Test method 103
A.2.5.4 Corrections to the observations 103
A.2.5.5 Derivation of results 103
A.2.6 Bending tests on beams 103
A.2.6.1 Purpose of the test 103
A.2.6.2 Test arrangement 103
A.2.6.3 Test method 105
A.2.6.4 Corrections to the observations 105
A.2.6.5 Derivation of the results 105

A.3 Tests on connections 106
A.3.1 Bending tests on beam end connectors 106
A.3.1.1 Purpose of the test 106
A.3.1.2 Test arrangements 106
A.3.1.3 Test procedure 108
A.3.1.4 Corrections to the observations 108
A.3.1.5 Derivation of the results and procedure to define curves 109
A.3.1.5.1 Procedure 1: 109
A.3.1.5.2 Procedure 2: 109
A.3.1.5.3 General 109
A.3.1.5.4 Procedure to derive a bi-linear curve 110
A.3.1.5.5 Procedure to derive a multilinear curve 110
A.3.2 Looseness tests on beam end connectors 112
A.3.2.1 Purpose of the test 112
A.3.2.2 Alternative 'A' Test arrangement using a double acting jack 112
A.3.2.2.1 General 112
A.3.2.2.2 Test Method 112
A.3.2.2.3 Corrections to the observations 113
A.3.2.2.4 Derivation of results 113
A.3.2.3 Alternative 'B' using two cantilever beams and a central upright 113
A.3.2.3.1 Test arrangement 113
A.3.2.3.2 Test Method 115
A.3.2.3.3 Corrections to the observations 115
A.3.2.3.4 Derivation of results 115
A.3.3 Shear tests on beam end connectors and connector locks 115
A.3.3.1 Purpose of the test 115
A.3.3.2 Test arrangement 115
A.3.3.3 Test method 117
A.3.3.4 Corrections to the observations 117
A.3.3.5 Derivation of results 117
A.3.4 Moment-shear interaction test of beam end connectors 117
A.3.4.1 Purpose of the test 117
A.3.4.2 Test arrangement 117
A.3.4.3 Test procedure 117
A.3.4.4 Corrections to the observations 117
A.3.4.5 Derivation of the bending and shear resistance 117

A.3.4.6 Derivation of the moment-shear interaction curve **118**
A.3.4.7 Generalized moment-shear relationship **118**
A.3.5 Floor connections test **118**
A.3.5.1 Purpose of the test **118**
A.3.5.2 Reuse of concrete blocks **119**
A.3.5.3 Alternative 'A' using two lengths of upright with a central concrete block **119**
A.3.5.3.1 Test arrangement **119**
A.3.5.3.2 Test method **121**
A.3.5.4 Alternative 'B' using a single length of upright with an end concrete block **122**
A.3.5.4.1 Test arrangement **122**
A.3.5.4.2 Test Method **124**
A.3.5.5 Corrections to the observations **124**
A.3.5.6 Derivation of the Results **124**
A.3.6 Upright splices test **125**
A.3.6.1 Purpose of the test **125**
A.3.6.2 Test arrangement **125**
A.3.6.3 Test method **126**
A.3.6.4 Corrections to observations **126**
A.3.6.5 Derivation of results **126**
Annex B (informative) **Approximate method** **127**
B.1 General **127**
B.2 Approximate down-aisle stability analysis – Amplified sway method **127**
B.2.1 General **127**
B.2.2 Amplification factor **129**
B.2.3 Linear elastic analysis **129**
B.2.4 Elastic critical value **129**
B.3 Approximate down-aisle analysis of a regular storage rack **129**
B.3.1 Approximate equation for regular construction **129**
B.3.2 Additional bending moments due to pattern loading **132**
B.3.3 Design Moments **132**
B.3.4 Design loads in outer columns **134**
B.4 Approximate cross-aisle stability analysis **134**
B.4.1 General **134**
B.4.2 Global buckling of upright frames **134**
B.4.3 Shear stiffness of upright frame **135**
B.4.4 Amplification factor β **135**

B.5 Approximate design for symmetrically loaded beams **139**
B.5.1 Mid-span bending moment **139**
B.5.2 Deflection **140**
B.5.3 Shear force **140**
B.5.4 Beam end connector **141**
B.5.5 Equivalent beam loads **141**
Annex C (informative) **Correction of beam moments and deflection due to looseness** **143**
Annex D (informative) **Frame looseness** **145**
D.1 General **145**
D.2 Frame bracing types **145**
D.3 Looseness **146**
Annex E (normative) **Resistance of compression member according to EN 1993-1-1 and –3** **148**
E.1 Cross-sectional verification **148**
E.2 Design strength with respect to flexural buckling **148**
E.2.1 General **148**
E.2.2 Buckling curves **149**
E.3 Design strength with respect to torsional and torsional-flexural buckling **150**
E.4 Combined bending and axial loading **152**
E.4.1 General **152**
E.4.2 Bending and axial compression – resistance of cross-section **152**
E.4.3 Bending and axial compression – buckling resistance of member **153**
E.4.4 Bending and tension **156**
Annex F (informative) **Guidance to the determination of the critical length for the distortional buckling test** **157**
F.1 Introduction **157**
F.2 Length in relation to the end conditions in the test set-up **157**
F.3 Method for the determination of the critical distortional buckling length **158**
F.3.1 Step 1 ..... **158**
F.3.2 Step 2 ..... **158**
F.3.3 Step 3 ..... **160**
F.3.4 Step 4 ..... **160**
F.3.5 Step 5 ..... **160**
F.3.6 Step 6 ..... **161**
Annex G (informative) **Equivalent section properties** **162**
Annex H (informative) **Guidance to modelling spine bracing in braced pallet racking** **165**
Annex I (informative) **Cold-reduced steel** **173**
Annex J (informative) **Systems with random storage** **174**

Annex K (informative) **Position inaccuracies** **175**
Annex L (informative) **Beam stability – comprising interlocking 'C' sections** **176**
L.1 General **176**
L.2 Approximate limit values **176**
Annex M (informative) **Factory production control (FPC)** **178**
M.1 General **178**
M.2 Frequency of tests **178**
M.3 Bending tests on beam end connectors **178**
M.4 Bend tests **178**
Annex N (informative) **A–deviations** **179**
N.1 Dutch national legislative deviations **179**
N.2 Italian national legislative deviations **179**
Annex O (informative) **Bituminous floors** **181**
Annex P (informative) **Typical loading pattern for a regular rack layout** **182**
Bibliography **184**