DIN EN 1279-6:2021-05 (E)

Glass in building - Insulating glass units - Part 6: Factory production control and periodic tests

Contents

Page

European foreword 5

1 Scope 7

2 Normative references 7

3 Terms and definitions and symbols 7
3.1 Terms and definitions 7
3.2 Symbols 8

4 Factory production control requirements 8
4.1 General 8
4.2 Organization 8
4.2.1 Responsibility and authority 8
4.2.2 Management representative for factory production control 8
4.2.3 Management review 8
4.3 Factory production control system 8
4.3.1 General 8
4.3.2 Personnel 9
4.3.3 Documentation 9
4.4 Equipment 9
4.4.1 Testing 9
4.4.2 Manufacturing 9
4.4.3 Inspection and testing 9
4.4.4 Non-complying materials / products 9

Annex A(normative) Inspection and testing tables of insulating glass units 10

A.1 General 10
A.2 Specific requirements 11
A.3 Use of proxy testing 11

Annex B(normative) Periodic testing and inspection 33

B.1 General 33
B.2 Frequency and sampling 33
B.2.1 Frequency 33
B.2.2 Sampling 33
B.3 Conformity to the system description 33
B.3.1 Inspection 33
B.3.2 Requirements 33
B.3.3 Corrective actions 34
B.4 Moisture penetration index and gas concentration 34
B.4.1 General 34
B.4.2 Procedure 34
B.4.3 Test procedure 34
B.4.4 Requirement 35
B.4.4.1 Requirement on Ti and moisture penetration index 35
B.4.4.2 Requirements on gas concentration 35
B.5 Corrective Actions in case of non-conformity 35
B.6 Report 35

Annex C(informative) Adhesion test for leaded light strip 36

C.1 Purpose 36
C.2 Equipment 36
C.3 Test specimen 36
C.4 Procedure 36
C.5 Test report 37

Annex D(informative) Sealant, adhesion measurements 38

D.1 General 38
D.2 Standard method 38
D.2.1 Instruments 38
D.2.2 Test specimens 38
D.2.2.1 Glass-glass specimen 38
D.2.2.2 Spacer-spacer specimen 39
D.2.3 Test procedure 39
D.2.4 Test report 39
D.3 Other methods 39
D.3.1 Tensile test 39
D.3.2 Butterfly test 40

Annex E(informative) Sealants, hardness measurements 41

E.1 General 41
E.2 Instruments 41
E.3 Test specimen 41
E.4 Measurement 42
E.5 Report 42

Annex F(informative) Two component sealants: check on the thoroughness of mixing 43

F.1 Purpose 43
F.2 Test specimen 43
F.3 Test procedure 43
F.4 Report 43

Annex G(informative) Tightness check of hollow spacer closed by welding on the back 44

G.1 Purpose 44
G.2 Equipment 44
G.3 Test specimen 44
G.4 Procedure 44
G.5 Test report 44

Annex H(informative) Desiccant, water adsorption capacity check 45

H.1 General 45
H.2 Determination of the water adsorption capacity of desiccant in bulk 45
H.2.1 Principle 45
H.2.2 Equipment 45
H.2.3 Method 45
H.3 Determination of the water adsorption capacity of polymeric matrix incorporating desiccant 46

Annex I(informative) Desiccant Matrix Adhesion test in u-channels 47

I.1 General 47
I.2 Materials 47
I.3 Test procedure 47
I.4 Requirement 47

Annex J(informative) Adhesion tests for insulating glass units with prefabricated flexible spacer incorporating desiccant 48

J.1 Adhesion test of spacer to sealant 48
J.1.1 General 48
J.1.2 Materials 48
J.1.3 Test preparation and procedure 48
J.1.4 Requirements 48
J.2 Wet out strain and shear test 49
J.2.1 Materials 49
J.2.2 Test procedure 49
J.2.3 Requirements 53

Annex K(informative) Reference method for dew point temperature measurement 54

K.1 General 54
K.2 Apparatus and materials 54
K.3 Procedure 54

Bibliography 56