

# DIN EN 1279-6:2021-05 (E)

## Glass in building - Insulating glass units - Part 6: Factory production control and periodic tests

---

<b>Contents</b>		<b>Page</b>
European foreword .....		5
1	Scope .....	7
2	Normative references .....	7
3	Terms and definitions and symbols .....	7
3.1	Terms and definitions .....	7
3.2	Symbols .....	8
4	Factory production control requirements .....	8
4.1	General .....	8
4.2	Organization .....	8
4.2.1	Responsibility and authority .....	8
4.2.2	Management representative for factory production control .....	8
4.2.3	Management review .....	8
4.3	Factory production control system .....	8
4.3.1	General .....	8
4.3.2	Personnel .....	9
4.3.3	Documentation .....	9
4.4	Equipment .....	9
4.4.1	Testing .....	9
4.4.2	Manufacturing .....	9
4.4.3	Inspection and testing .....	9
4.4.4	Non-complying materials / products .....	9
Annex A(normative) Inspection and testing tables of insulating glass units .....		10
A.1	General .....	10
A.2	Specific requirements .....	11
A.3	Use of proxy testing .....	11
Annex B(normative) Periodic testing and inspection .....		33
B.1	General .....	33
B.2	Frequency and sampling .....	33
B.2.1	Frequency .....	33
B.2.2	Sampling .....	33
B.3	Conformity to the system description .....	33
B.3.1	Inspection .....	33
B.3.2	Requirements .....	33
B.3.3	Corrective actions .....	34
B.4	Moisture penetration index and gas concentration .....	34
B.4.1	General .....	34
B.4.2	Procedure .....	34
B.4.3	Test procedure .....	34
B.4.4	Requirement .....	35
B.4.4.1	Requirement on Ti and moisture penetration index .....	35
B.4.4.2	Requirements on gas concentration .....	35
B.5	Corrective Actions in case of non-conformity .....	35
B.6	Report .....	35

<b>Annex C(informative) Adhesion test for leaded light strip .....</b>	<b>36</b>	
<b>C.1 Purpose .....</b>	<b>36</b>	
<b>C.2 Equipment .....</b>	<b>36</b>	
<b>C.3 Test specimen .....</b>	<b>36</b>	
<b>C.4 Procedure .....</b>	<b>36</b>	
<b>C.5 Test report .....</b>	<b>37</b>	
<b>Annex D(informative) Sealant, adhesion measurements .....</b>	<b>38</b>	
<b>D.1 General .....</b>	<b>38</b>	
<b>D.2 Standard method .....</b>	<b>38</b>	
<b>D.2.1 Instruments .....</b>	<b>38</b>	
<b>D.2.2 Test specimens .....</b>	<b>38</b>	
<b>D.2.2.1 Glass-glass .....</b>	<b>specimen</b>	<b>38</b>
<b>D.2.2.2 Spacer-spacer.....</b>	<b>specimen</b>	<b>39</b>
<b>D.2.3 Test procedure .....</b>	<b>39</b>	
<b>D.2.4 Test report .....</b>	<b>39</b>	
<b>D.3 Other methods .....</b>	<b>39</b>	
<b>D.3.1 Tensile test .....</b>	<b>39</b>	
<b>D.3.2 Butterfly test .....</b>	<b>40</b>	
<b>Annex E(informative) Sealants, hardness measurements .....</b>	<b>41</b>	
<b>E.1 General .....</b>	<b>41</b>	
<b>E.2 Instruments .....</b>	<b>41</b>	
<b>E.3 Test specimen .....</b>	<b>41</b>	
<b>E.4 Measurement .....</b>	<b>42</b>	
<b>E.5 Report .....</b>	<b>42</b>	
<b>Annex F(informative) Two component sealants: check on the thoroughness of mixing .....</b>	<b>43</b>	
<b>F.1 Purpose .....</b>	<b>43</b>	
<b>F.2 Test specimen .....</b>	<b>43</b>	
<b>F.3 Test procedure .....</b>	<b>43</b>	
<b>F.4 Report .....</b>	<b>43</b>	
<b>Annex G(informative) Tightness check of hollow spacer closed by welding on the back .....</b>	<b>44</b>	
<b>G.1 Purpose .....</b>	<b>44</b>	
<b>G.2 Equipment .....</b>	<b>44</b>	
<b>G.3 Test specimen .....</b>	<b>44</b>	
<b>G.4 Procedure .....</b>	<b>44</b>	
<b>G.5 Test report .....</b>	<b>44</b>	
<b>Annex H(informative) Desiccant, water adsorption capacity check .....</b>	<b>45</b>	
<b>H.1 General .....</b>	<b>45</b>	
<b>H.2 Determination of the water adsorption capacity of desiccant in bulk .....</b>	<b>45</b>	
<b>H.2.1 Principle .....</b>	<b>45</b>	
<b>H.2.2 Equipment .....</b>	<b>45</b>	
<b>H.2.3 Method .....</b>	<b>45</b>	
<b>H.3 Determination of the water adsorption capacity of polymeric matrix incorporating desiccant .....</b>	<b>46</b>	
<b>Annex I(informative) Desiccant Matrix Adhesion test in u-channels .....</b>	<b>47</b>	
<b>I.1 General .....</b>	<b>47</b>	
<b>I.2 Materials .....</b>	<b>47</b>	
<b>I.3 Test procedure .....</b>	<b>47</b>	
<b>I.4 Requirement .....</b>	<b>47</b>	

<b>Annex J(informative) Adhesion tests for insulating glass units with prefabricated flexible spacer incorporating desiccant .....</b>	<b>48</b>
<b>J.1 Adhesion test of spacer to sealant .....</b>	<b>48</b>
<b>J.1.1 General .....</b>	<b>48</b>
<b>J.1.2 Materials .....</b>	<b>48</b>
<b>J.1.3 Test preparation and procedure .....</b>	<b>48</b>
<b>J.1.4 Requirements .....</b>	<b>48</b>
<b>J.2 Wet out strain and shear test .....</b>	<b>49</b>
<b>J.2.1 Materials .....</b>	<b>49</b>
<b>J.2.2 Test procedure .....</b>	<b>49</b>
<b>J.2.3 Requirements .....</b>	<b>53</b>
<b>Annex K(informative) Reference method for dew point temperature measurement .....</b>	<b>54</b>
<b>K.1 General .....</b>	<b>54</b>
<b>K.2 Apparatus and materials .....</b>	<b>54</b>
<b>K.3 Procedure .....</b>	<b>54</b>
<b>Bibliography .....</b>	<b>56</b>