

DIN 1054:2021-04 (E)

Subsoil - Verification of the safety of earthworks and foundations - Supplementary rules to DIN EN 1997-1

Contents

Page

| | |
|---|----|
| Foreword | 7 |
| 1 Scope | 9 |
| A 1.1.4 Scope of DIN 1054 | 9 |
| 2 Rules supplementary to DIN EN 1997-1:2009-09 | 9 |
| Re "1.2 Normative references" | 9 |
| Re "1.3 Assumptions" | 12 |
| Re "1.4 Distinction between principles and application rules" | 12 |
| Re "1.5 Definitions" | 12 |
| A 1.5.3 Further definitions | 12 |
| Re "1.6 Symbols" | 12 |
| A 1.6 Additional symbols | 12 |
| Re "2 Basis of geotechnical design" | 17 |
| Re 2.1 "Design requirements" | 17 |
| A 2.1.1 Provisions for design situations and limit states | 17 |
| A 2.1.2 Geotechnical categories | 17 |
| Re "2.2 Design situations" | 20 |
| Re "2.4 Geotechnical design by calculation" | 21 |
| Re "2.4.1 General" | 21 |
| Re "2.4.2 Actions" | 22 |
| Re "2.4.5 Characteristic values" | 24 |
| Re "2.4.6 Design values" | 24 |
| Re "2.4.7 Ultimate limit states" | 25 |
| Re "2.4.8 Serviceability limit states" | 34 |
| Re "2.4.9 Limiting values for movements of foundations" | 35 |
| Re "2.5 Design by prescriptive measures" | 35 |
| Re "2.7 Observational method" | 35 |
| Re "2.8 Geotechnical Design Report" | 36 |
| Re "3 Geotechnical data" | 37 |
| Re "3.1 General" | 37 |
| A 3.1.1 Non-cohesive soils | 37 |
| A 3.1.2 Cohesive soils | 37 |
| A 3.1.3 Organic and organogenic soils | 37 |
| Re "3.2 Geotechnical investigations" | 37 |
| Re "3.2.1 General" | 37 |
| Re "3.3 Evaluation of geotechnical parameters" | 37 |
| Re "3.3.1 General" | 37 |
| Re "3.3.2 Characterization of soil and rock type" | 38 |
| Re "3.3.3 Weight density" | 38 |
| Re "3.3.6 Shear strength" | 38 |
| Re "3.3.7 Soil stiffness" | 39 |
| Re "3.3.9 Permeability and consolidation parameters of soil and rock" | 39 |
| Re "3.4 Ground Investigation Report" | 39 |
| Re "3.4.1 Requirements" | 39 |
| Re "3.4.2 Presentation of geotechnical information" | 39 |
| Re "3.4.3 Evaluation of geotechnical information" | 40 |

| | |
|---|----|
| Re “4 Supervision of construction, monitoring and maintenance” | 40 |
| Re “4.1 General” | 40 |
| Re “4.2 Supervision” | 40 |
| Re “4.5 Monitoring” | 40 |
| Re “6 Spread foundations” | 40 |
| Re “6.1 General” | 40 |
| A 6.1.1 Scope and general requirements..... | 40 |
| A 6.1.2 Classification into geotechnical categories | 40 |
| Re “6.4 Design and construction considerations” | 41 |
| Re “6.5 Ultimate limit state design” | 41 |
| Re “6.5.1 Overall stability” | 41 |
| Re “6.5.3 Sliding resistance” | 42 |
| Re “6.5.4 Loads with large eccentricities” | 43 |
| Re “6.6 Serviceability limit state design” | 45 |
| Re “6.6.1 General” | 45 |
| Re “6.6.2 Settlement” | 45 |
| A 6.6.5 Foundation rotation and limiting a gapping joint | 45 |
| A 6.6.6 Displacements in the foundation base | 47 |
| Re “6.7 Foundations on rock; additional design considerations” | 47 |
| Re “6.8 Structural design of spread foundations” | 47 |
| A 6.10 Simplified analysis in standard cases | 48 |
| A 6.10.1 General | 48 |
| A 6.10.2 Non-cohesive soil | 49 |
| A 6.10.3 Cohesive soil | 53 |
| A 6.10.4 Rock..... | 55 |
| A 6.10.5 Artificially placed ground | 57 |
| Re “7 Pile foundations” | 57 |
| Re “7.1 General” | 57 |
| A 7.1.1 Scope and general requirements | 57 |
| A 7.1.2 Classification into geotechnical categories | 57 |
| Re “7.2 Limit states” | 58 |
| Re “7.3 Actions and design situations” | 58 |
| Re “7.3.1 General” | 58 |
| Re “7.4 Design methods and design considerations” | 59 |
| Re “7.4.1 Design methods” | 59 |
| Re “7.4.2 Design considerations” | 59 |
| Re “7.5 Pile load tests” | 59 |
| Re “7.5.1 General” | 59 |
| Re “7.5.3 Dynamic load tests” | 60 |
| Re “7.5.4 Load test report” | 60 |
| Re “7.6 Axially loaded piles” | 60 |
| Re “7.6.3 Ground tensile resistance” | 66 |
| Re “7.6.4 Vertical displacements of pile foundations (Serviceability of supported structure)” | 69 |
| Re “7.7 Transversely loaded piles” | 70 |
| Re “7.7.1 General” | 70 |
| Re “7.7.2 Transverse load resistance from pile load tests” | 71 |
| Re “7.7.3 Transverse load resistance from ground test results and pile strength parameters” | 71 |
| Re “7.8 Structural design of piles” | 72 |
| Re “7.9 Supervision of construction” | 72 |
| Re “8 Anchors” | 72 |
| Re “8.1 General” | 72 |
| Re “8.1.1 Scope” | 72 |
| Re “8.1.2 Definitions” | 72 |
| A 8.1.3 General requirements..... | 73 |

| | |
|---|----|
| A 8.1.4 Classification into geotechnical categories..... | 73 |
| Re “8.2 Limit states” | 73 |
| Re “8.4 Design and construction considerations” | 74 |
| Re “8.5 Ultimate limit state design” | 74 |
| Re “8.5.1 Design of the anchorage” | 74 |
| Re “8.5.3 Design values of pull-out resistance determined by calculations” | 75 |
| Re “8.5.4 Structural resistance” | 75 |
| Re “8.5.5 Design value of the anchorage load” | 76 |
| A 8.5.6 Verifications of anchor groups..... | 76 |
| Re “8.6 Serviceability limit state design” | 77 |
| Re “8.7 Suitability tests” | 77 |
| Re “8.8 Acceptance tests” | 78 |
| Re “8.9 Supervision and monitoring” | 78 |
| Re “9 Retaining structures” | 78 |
| Re “9.1 General” | 78 |
| Re “9.1.1 Scope” | 78 |
| A 9.1.3 Classification into geotechnical categories..... | 78 |
| A 9.1.4 General requirements | 79 |
| Re “9.2 Limit states” | 79 |
| Re “9.3 Actions, geometrical data and design situations” | 79 |
| Re “9.4 Design and construction considerations” | 80 |
| Re “9.4.1 General” | 80 |
| Re “9.4.2 Drainage systems” | 80 |
| Re “9.5 Determination of earth pressures” | 80 |
| Re “9.5.1 General” | 80 |
| Re “9.5.5 Compaction effects” | 81 |
| A 9.5.6 Passive earth pressure | 82 |
| Re “9.6 Water pressures” | 82 |
| Re “9.7 Ultimate limit state design” | 83 |
| Re “9.7.1 General” | 83 |
| Re “9.7.2 Overall stability” | 86 |
| Re “9.7.3 Foundation failure of gravity walls” | 86 |
| Re “9.7.4 Rotational failure of embedded walls” | 86 |
| Re “9.7.5 Vertical failure of embedded walls” | 86 |
| Re “9.7.6 Structural design of retaining structures” | 87 |
| Re “9.7.7 Failure by pull-out of anchors” | 88 |
| A 9.7.8 Verification of the vertical component of the mobilized passive earth pressure..... | 88 |
| A 9.7.9 Failure in the lower failure plane | 88 |
| A 9.7.10 Failure of slurry trench panels combined with a support fluid | 88 |
| Re “9.8 Serviceability limit state design” | 89 |
| Re “9.8.1 General” | 89 |
| Re “9.8.2 Displacements” | 90 |
| Re “10 Hydraulic failure” | 90 |
| Re “10.1 General” | 90 |
| A 10.1.1 Scope and general requirements..... | 90 |
| A 10.1.2 Classification into geotechnical categories | 90 |
| Re “10.2 Failure by uplift” | 91 |
| A 10.2.1 General | 91 |
| A 10.2.2 Verification with coexistent effect of shear forces | 91 |
| A 10.2.3 Verification of anchored structures..... | 92 |
| A 10.2.4 Dimensioning the base..... | 92 |
| Re “10.3 Failure by heave” | 92 |
| Re “10.4 Internal erosion” | 92 |
| Re “10.5 Failure by piping” | 93 |

| | |
|---|----|
| Re “11 Overall stability” | 93 |
| Re “11.1 General” | 93 |
| A 11.1.1 Scope and general requirements..... | 93 |
| A 11.1.2 Classification into geotechnical categories | 93 |
| Re “11.3 Actions and design situations” | 94 |
| Re “11.4 Design and construction considerations” | 94 |
| Re “11.5 Ultimate limit state design” | 94 |
| Re “11.5.1 Stability analysis for slopes” | 94 |
| Re “11.5.2 Slopes and cuts in rock masses” | 94 |
| Re “11.5.3 Stability of excavations” | 95 |
| A 11.5.4 Structural slope revetments..... | 95 |
| Re “11.6 Serviceability limit state design” | 96 |
| Re “12 Embankments” | 97 |
| Re “12.1 General” | 97 |
| A 12.1.1 Scope and general requirements..... | 97 |
| A 12.1.2 Classification into geotechnical categories | 97 |
| Re “12.2 Limit states” | 97 |
| Re “12.3 Actions and design situations” | 98 |
| A Annex AA (informative) Criteria for examples for classification into geotechnical categories..... | 99 |

Figures

| | |
|---|----|
| Figure A 6.1 — Accommodation of a strongly eccentric load by a force couple produced by mobilized passive earth pressure | 44 |
| Figure A 6.2 — Plan of a rectangular foundation; designations for eccentricity in both axes | 46 |
| Figure A 6.3 — Design bearing resistance $\sigma_{R,d}$ for square pad foundations on rock | 56 |
| Figure A 7.1 — Diagram showing the procedure for deriving the correlation factors ξ_5 and ξ_6 as a function of the calibration according to Table A 7.2 | 65 |
| Figure A 7.2 — Geometry of the soil block attached to a single pile of a pile group..... | 68 |

Tables

| | |
|--|----|
| Table A 2.1 — Partial safety factors γ_F or γ_E for actions and effects of actions | 31 |
| Table A 2.2 — Partial safety factors γ_M for geotechnical parameters | 32 |
| Table A 2.3 — Partial safety factors γ_R for resistances | 33 |
| Table A 6.1 — Design bearing resistance $\sigma_{R,d}$ for strip foundations in non-cohesive soil on the basis of adequate bearing capacity and with the prerequisites specified in Table A 6.3..... | 50 |
| Table A 6.2 — Design bearing resistance $\sigma_{R,d}$ for strip foundations in non-cohesive soil on the basis of adequate bearing capacity and limitation of settlement, and with the prerequisites specified in Table A 6.3..... | 51 |

| | |
|--|------------|
| Table A 6.3 — Prerequisites for using the design bearing resistance $\sigma_{R,d}$ as in Tables A 6.1 and A 6.2 for non-cohesive soil..... | 51 |
| Table A 6.4 — Prerequisites for increasing the design bearing resistance $\sigma_{R,d}$ as in A 6.10.2.2 A (3) for non-cohesive soil | 52 |
| Table A 6.5 — Design bearing resistance $\sigma_{R,d}$ for strip foundations with widths b or b' of 0,50 m to 2,00 m in silt (soil group UL as in DIN 18196) of stiff to very stiff consistency or with a mean unconfined compression strength $q_{u,k}$ of > 120 kN/m²..... | 53 |
| Table A 6.6 — Design bearing resistance $\sigma_{R,d}$ for strip foundations on mixed grained soils (SU*, ST, ST*, GU*, GT* as in DIN 18196; e.g. boulder clay) with widths b or b' of 0,50 m to 2,00 m..... | 53 |
| Table A 6.7 — Design bearing resistance $\sigma_{R,d}$ for strip foundations with widths b or b' of 0,50 m to 2,00 m on clayey, silty soils (soil group UM, TL, TM as in DIN 18196) | 54 |
| Table A 6.8 — Design bearing resistance $\sigma_{R,d}$ for strip foundations on clay soil (TA as in DIN 18196) with widths b or b' of 0,50 m to 2,00 m | 54 |
| Table A 7.1 — Correlation factors ξ_i for determining characteristic values from static pile load tests..... | 61 |
| Table A 7.2 — Basic values $\xi_{0,i}$ with associated margins and model factors for correlation factors ξ_5 and ξ_{90c6} for deriving characteristic values from impact tests or dynamic pile load tests | 64 |
| Table A 8.1 — Testing or analysis for verification of pull-out resistance..... | 75 |
| Table A 9.1 — Magnitude of the negative earth pressure inclination angle for verifications against failure due to settlement..... | 87 |
| Table AA.1 — Criteria and examples for classification into geotechnical categories..... | 100 |