

DIN EN 1366-11:2022-04 (E)

Fire resistance tests for service installations - Part 11: Fire protective systems for cable systems and associated components (includes Amendment A1:2021)

Contents		Page
European foreword		4
Introduction		5
1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	Test equipment	9
4.1	Furnace	9
5	Test conditions	9
5.1	Heating conditions	9
5.2	Pressure conditions	9
6	Test specimen	9
6.1	Dimensions	9
6.2	Number of tests	9
6.3	Design	9
7	Installation of test specimen	10
7.1	Fire protective system with cables	10
7.2	Fire protective systems with busbars	12
7.3	Special cases	12
8	Conditioning	13
9	Application of instrumentation	13
9.1	Furnace thermocouples (plate thermocouples)	13
9.2	Preheating inside the fire protective system	13
9.3	Additional thermocouples	13
10	Test procedure	14
10.1	General	14
10.2	Power supply	14
10.2.1	General	14
10.2.2	Continuity and short circuit checking arrangement for power cables	14
10.2.3	Continuity and short circuit checking arrangement for signal/control cables	15
10.2.4	Continuity and short circuit checking arrangement for busbars	16
11	Performance criteria	16
12	Test report	16
13	Field of direct application of test results	17
13.1	Types of cables	17
13.2	Application of test results of four-sided, three sided or two-sided fire protective systems	17
13.3	Assembly of fire protective system	19
13.4	Fixing of fire protective system to wall and ceiling	20

13.5	Types of cable management systems / busbars and load inside the fire protective system	21
13.6	Types of suspension device	21
13.7	Adjoining construction	22
13.8	Dimension of fire protective systems	23
13.9	Orientation of fire protective systems for cables and busbars	23
13.10	Special cases	23
13.10.1	Ventilation devices and inspection hatches	23
13.10.2	Removable lid	23
13.10.3	Penetrating systems	23
Annex A (informative) Thermocouples inside the fire protective systems		31
Annex B (informative) Preheating		32
Annex C (informative) Performance criteria for communication/data cables		33
Bibliography		34