

DIN EN 1990:2021-10 (E)

Eurocode : Basis of structural design

Contents	Page
FOREWORD	5
BACKGROUND OF THE EUROCODE PROGRAMME	7
STATUS AND FIELD OF APPLICATION OF EUROCODES	8
NATIONAL STANDARDS IMPLEMENTING EUROCODES	8
LINKS BETWEEN EUROCODES AND HARMONISED TECHNICAL SPECIFICATIONS (ENS AND ETAS) FOR PRODUCTS	9
SECTION 1 GENERAL	13
1.1 SCOPE	13
1.2 NORMATIVE REFERENCES	13
1.3 ASSUMPTIONS	14
1.4 DISTINCTION BETWEEN PRINCIPLES AND APPLICATION RULES	14
1.5 TERMS AND DEFINITIONS	15
1.5.2 Special terms relating to design in general	16
1.5.3 Terms relating to actions	19
1.5.4 Terms relating to material and product properties	22
1.5.5 Terms relating to geometrical data	22
1.5.6 Terms relating to structural analysis	23
1.6 SYMBOLS	24
SECTION 2 REQUIREMENTS	27
2.1 BASIC REQUIREMENTS	27
2.2 RELIABILITY MANAGEMENT	28
2.3 DESIGN WORKING LIFE	29
2.4 DURABILITY	30
2.5 QUALITY MANAGEMENT	30
SECTION 3 PRINCIPLES OF LIMIT STATES DESIGN	31
3.1 GENERAL	31
3.2 DESIGN SITUATIONS	31
3.3 ULTIMATE LIMIT STATES	32
3.4 SERVICEABILITY LIMIT STATES	32
3.5 LIMIT STATE DESIGN	33
SECTION 4 BASIC VARIABLES	34
4.1 ACTIONS AND ENVIRONMENTAL INFLUENCES	34
4.1.1 Classification of actions	34
4.1.2 Characteristic values of actions	34
4.1.3 Other representative values of variable actions	36
4.1.4 Representation of fatigue actions	36
4.1.5 Representation of dynamic actions	36
4.1.6 Geotechnical actions	37
4.1.7 Environmental influences	37
4.2 MATERIAL AND PRODUCT PROPERTIES	37

4.3	GEOMETRICAL DATA	38
SECTION 5 STRUCTURAL ANALYSIS AND DESIGN ASSISTED BY TESTING		39
5.1	STRUCTURAL ANALYSIS	39
5.1.1	Structural modelling	39
5.1.2	Static actions	39
5.1.3	Dynamic actions	39
5.1.4	Fire design	40
5.2	DESIGN ASSISTED BY TESTING	41
SECTION 6 VERIFICATION BY THE PARTIAL FACTOR METHOD		42
6.1	GENERAL	42
6.2	LIMITATIONS	42
6.3	DESIGN VALUES	42
6.3.1	Design values of actions	42
6.3.2	Design values of the effects of actions	43
6.3.3	Design values of material or product properties	44
6.3.4	Design values of geometrical data	44
6.3.5	Design resistance	45
6.4	ULTIMATE LIMIT STATES	46
6.4.1	General	46
6.4.2	Verifications of static equilibrium and resistance	47
6.4.3	Combination of actions (fatigue verifications excluded)	47
6.4.3.1	General	47
6.4.3.2	Combinations of actions for persistent or transient design situations (fundamental combinations)	48
6.4.3.3	Combinations of actions for accidental design situations	49
6.4.3.4	Combinations of actions for seismic design situations	49
6.4.4	Partial factors for actions and combinations of actions	49
6.4.5	Partial factors for materials and products	50
6.5	SERVICEABILITY LIMIT STATES	50
6.5.1	Verifications	50
6.5.2	Serviceability criteria	50
6.5.3	Combination of actions	50
6.5.4	Partial factors for materials	51
ANNEX A1 (NORMATIVE) APPLICATION FOR BUILDINGS		52
A1.1	FIELD OF APPLICATION	52
A1.2	COMBINATIONS OF ACTIONS	52
A1.2.1	General	52
A1.2.2	Values of factors	52
A1.3	ULTIMATE LIMIT STATES	53
A1.3.1	Design values of actions in persistent and transient design situations	53
A1.3.2	Design values of actions in the accidental and seismic design situations	56
A1.4	SERVICEABILITY LIMIT STATES	57
A1.4.1	Partial factors for actions	57
A1.4.2	Serviceability criteria	57
A1.4.3	Deformations and horizontal displacements	57
A1.4.4	Vibrations	59
ANNEX A2 (NORMATIVE) APPLICATION FOR BRIDGES		60
A2.1	FIELD OF APPLICATION	62
A2.2	COMBINATIONS OF ACTIONS	62
A2.2.1	General	62
A2.2.2	Combination rules for road bridges	64
A2.2.3	Combination rules for footbridges	65
A2.2.4	Combination rules for railway bridges	66
A2.2.5	Combinations of actions for accidental (non seismic) design situations	66

A2.2.6	Values of factors	67
A2.3	ULTIMATE LIMIT STATES	71
A2.3.1	Design values of actions in persistent and transient design situations	71
A2.3.2	Design values of actions in the accidental and seismic design situations	76
A2.4	SERVICEABILITY AND OTHER SPECIFIC LIMIT STATES	77
A2.4.1	General	77
A2.4.2	Serviceability criteria regarding deformation and vibration for road bridges	78
A2.4.3	Verifications concerning vibration for footbridges due to pedestrian traffic	78
A2.4.3.1	Design situations and associated traffic assumptions	78
A2.4.3.2	Pedestrian comfort criteria (for serviceability)	79
A2.4.4	Verifications regarding deformations and vibrations for railway bridges	79
A2.4.4.1	General	79
A2.4.4.2	Criteria for traffic safety	80
A2.4.4.3	Limiting values for the maximum vertical deflection for passenger comfort	84
ANNEX B (INFORMATIVE) MANAGEMENT OF STRUCTURAL RELIABILITY FOR CONSTRUCTION WORKS		87
B1	SCOPE AND FIELD OF APPLICATION	87
B2	SYMBOLS	87
B3	RELIABILITY DIFFERENTIATION	88
B3.1	Consequences classes	88
B3.2	Differentiation by values	88
B3.3	Differentiation by measures relating to the partial factors	89
B4	DESIGN SUPERVISION DIFFERENTIATION	89
B5	INSPECTION DURING EXECUTION	90
B6	PARTIAL FACTORS FOR RESISTANCE PROPERTIES	91
ANNEX C (INFORMATIVE) BASIS FOR PARTIAL FACTOR DESIGN AND RELIABILITY ANALYSIS		92
C1	SCOPE AND FIELD OF APPLICATIONS	92
C2	SYMBOLS	92
C3	INTRODUCTION	93
C4	OVERVIEW OF RELIABILITY METHODS	93
C5	RELIABILITY INDEX	94
C6	TARGET VALUES OF RELIABILITY INDEX	95
C7	APPROACH FOR CALIBRATION OF DESIGN VALUES	96
C8	RELIABILITY VERIFICATION FORMATS IN EUROCODES	98
C10	0 FACTORS	100
ANNEX D (INFORMATIVE) DESIGN ASSISTED BY TESTING		102
D1	SCOPE AND FIELD OF APPLICATION	102
D2	SYMBOLS	102
D3	TYPES OF TESTS	103
D4	PLANNING OF TESTS	104

D5	DERIVATION OF DESIGN VALUES	106
D6	GENERAL PRINCIPLES FOR STATISTICAL EVALUATIONS	107
D7	STATISTICAL DETERMINATION OF A SINGLE PROPERTY	107
D7.1	General	107
D7.2	Assessment via the characteristic value	108
D7.3	Direct assessment of the design value for ULS verifications	109
D8	STATISTICAL DETERMINATION OF RESISTANCE MODELS	110
D8.1	General	110
D8.2	Standard evaluation procedure (Method (a))	110
D8.2.1	General	110
D8.2.2	Standard procedure	111
D8.3	Standard evaluation procedure (Method (b))	115
D8.4	Use of additional prior knowledge	115
	BIBLIOGRAPHY	117