ISO 21725-1:2021-11 (E)

Simplified design of prestressed concrete bridges - Part 1: I-girder bridges

Contents

Page

Foreword ..... **vii**

Introduction ..... **viii**

1 Scope **1**

2 Normative references **1**

3 Terms and definitions **1**

4 Symbols and abbreviated terms **6**

5 Design and construction procedure **10**
5.1 Procedure 10
5.2 Design documentation 12
5.2.1 General 12
5.2.2 Calculation report 12
5.2.3 Geotechnical report 12
5.2.4 Structural drawings 13
5.2.5 Specifications 13

6 General provisions **13**
6.1 Limitations 13
6.1.1 General 13
6.1.2 Permitted use 13
6.1.3 Maximum number of spans 13
6.1.4 Maximum span length 13
6.1.5 Maximum difference in span length 13
6.1.6 Maximum cantilever length 14
6.1.7 Maximum height of bridge 14
6.1.8 Maximum number of lanes 14
6.1.9 Width limitations 14
6.1.10 Clearances 14
6.1.11 Maximum skew angle 15
6.1.12 Maximum bridge horizontal curvature 15
6.1.13 Cross-section variation 15
6.1.14 Interaction between superstructure and substructure 15
6.2 Limit states 15
6.2.1 General 15
6.2.2 Deflection serviceability verification 16
6.3 Ultimate limit state design format 17
6.3.1 General 17
6.3.2 Required factored loads 18
6.3.3 Design strength 18
6.4 Serviceability limit state design format 18

7 Structural systems and layout **19**
7.1 Description of the components of the structure 19
7.1.1 General 19
7.1.2 Superstructure system 19
7.1.3 Substructure system 19
7.1.4 Foundation 19
7.2 General guide 19
7.2.1 Architectural guide 19
7.2.2 General structural guides for the project 20
7.3 Structural layout 20

7.3.1 General structural layout 20
7.3.2 Vertical layout 21
7.3.3 Cross beams 22
7.4 Feasibility under the document 22
8 Actions (Loads) 22
8.1 General 22
8.2 Dead loads 23
8.2.1 General 23
8.2.2 Structural elements 23
8.2.3 Non-structural elements 23
8.3 Live loads 24
8.3.1 General 24
8.3.2 Design truck 24
8.3.3 Design lane load 24
8.3.4 Pedestrian bridges 24
8.3.5 Dynamic effect of live loads 25
8.4 Longitudinal forces 26
8.5 Earth pressure 26
8.6 Wind loads 26
8.7 Earthquake inertial forces 27
8.7.1 General 27
8.7.2 Seismic hazard 27
8.7.3 No seismic hazard zones: 27
8.7.4 Low seismic hazard zones: 27
8.7.5 Intermediate seismic hazard zones: 27
8.7.6 High seismic hazard zones: 28
8.7.7 Soil profile types 32
8.7.8 Site effects 33
8.7.9 Design response spectral ordinates 33
8.7.10 Seismic equivalent uniformly distributed load 34
8.7.11 Fundamental mode shape 34
8.7.12 Lateral equivalent design forces 35
8.8 Jacking and post-tensioning forces 35
8.8.1 Jacking forces 35
8.8.2 Forces for post-tensioning anchorage 36
8.9 Thermal forces 36
8.10 Load combinations 38
8.10.1 Ultimate loads 38
8.10.2 Service loads 38
9 Design requirements 38
9.1 Scope 38
9.2 Additional requirements 38
9.3 Materials for structural concrete 38
9.3.1 General 38
9.3.2 Cement 38
9.3.3 Aggregates 39
9.3.4 Water 39
9.3.5 Steel reinforcement 39
9.3.6 Prestressing steel 39
9.3.7 Post-tensioning anchorages and couplers 40
9.3.8 Ducts 41
9.3.9 Admixtures 41
9.3.10 Storage of materials 41
9.3.11 Minimum and maximum reinforcement bar diameter 41
9.4 Concrete mixture proportioning 42
9.4.1 General 42
9.4.2 Durability requirements 42
9.4.3 Required average compressive strength 43
9.4.4 Proportioning of the concrete mixture 43
9.5 Concrete cover of reinforcement 44
9.5.1 Minimum concrete cover 44
9.5.2 Special corrosion protection 45

9.6 Minimum reinforcement bend diameter ... 45
9.7 Standard hook dimensions ... 46
9.8 Bar spacing and maximum aggregate size ... 47
9.8.1 General ... 47
9.8.2 Maximum nominal coarse aggregate size ... 47
9.8.3 Minimum clear spacing between parallel bars in a layer ... 48
9.8.4 Minimum clear spacing between parallel layers of reinforcement ... 48
9.8.5 Minimum clear spacing between longitudinal bars in columns ... 48
9.8.6 Clear spacing between parallel lap splices ... 49
9.8.7 Maximum flexural reinforcement spacing in solid slabs ... 49
9.8.8 Maximum shrinkage and temperature reinforcement spacing in solid slabs ... 49
9.8.9 Maximum reinforcement spacing in structural concrete walls ... 50
9.8.10 Minimum spacing of prestressing tendons and ducts ... 51
9.8.11 Maximum spacing of prestressing tendons in slabs ... 52
9.8.12 Couplers in post-tensioning tendons ... 52
9.9 Development length, lap splicing and anchorage of reinforcement ... 52
9.9.1 Development length ... 52
9.9.2 Lap splice dimensions ... 54
9.9.3 Minimum standard hook anchorage distance ... 54
9.10 Limits for longitudinal reinforcement ... 55
9.10.1 General ... 55
9.10.2 Solid slabs and footings ... 55
9.10.3 Girders, beams and joists ... 56
9.10.4 Columns ... 58
9.10.5 Structural concrete walls ... 59
9.11 Minimum amounts of transverse reinforcement ... 59
9.11.1 General ... 59
9.11.2 Slabs ... 59
9.11.3 Girders, beams and joists ... 59
9.11.4 Columns ... 60
9.11.5 Structural concrete walls ... 62

10 Stress limitations ... 63
10.1 Stress limitations for prestressing tendons ... 63
10.2 Stress limitations for concrete ... 64
10.2.1 For temporary stresses before losses-fully prestressed components ... 66
10.2.2 For stresses at serviceability limit state after losses-fully prestressed components ... 67

11 Loss of prestress ... 68
11.1 Total loss of prestress ... 68
11.2 Instantaneous losses ... 69
11.2.1 Anchorage set ... 69
11.2.2 Friction ... 69
11.2.3 Elastic shortening ... 70
11.3 Approximate estimate of time-dependent losses ... 70

12 Details of tendon ... 73
12.1 Tendon confinement ... 73
12.1.1 General ... 73
12.1.2 Effects of curved tendons ... 74
12.2 External tendon supports ... 75
12.3 Post-tensioned anchorage zones ... 75
12.3.1 General ... 75
12.3.2 General zone and local zone ... 75
12.3.3 Design of general zone ... 76
12.3.4 Design of local zone ... 78
12.4 Pretensioned anchorage zones ... 79
12.4.1 Bursting resistance ... 79
12.4.2 Confinement reinforcement ... 79

13 Superstructure **79**
13.1 Strength of members subjected to flexural moments 79
13.1.1 General 79
13.1.2 Factored flexural moment at section and distribution factor method for moment 80
13.1.3 Minimum design flexural moment strength 80
13.1.4 Nominal moment strength of PSC I-girder with deck 80
13.1.5 T-beam effect 83
13.2 Strength of members subjected to shear stresses 85
13.2.1 General 85
13.2.2 Factored shear and distribution factor method for shear 85
13.2.3 Design shear strength 85
13.2.4 Cohesion and friction factors 86
13.2.5 Interface shear strength and minimum area of interface shear reinforcement 87
13.3 Decks 87
13.4 Solid slabs supported on girders, beams, or joists 87
13.5 Girders, beams, joists 87
13.6 Railings 87

14 Substructure **87**
14.1 Girders that are part of a frame 87
14.2 Strength of members subjected to axial loads with or without flexure 87
14.3 Torsion 88
14.4 Bearing strength 88
14.5 Columns and piers 88
14.6 Concrete walls 88

15 Foundations **88**
15.1 Foundation type and capacity 88
15.2 Subsurface exploration and testing programs 88
15.3 Dimensioning of the foundation elements 88
15.4 Footings 88
15.5 Foundation mats 88
15.6 Footings on piles 88
15.7 Foundation beams 88
15.8 Retaining walls 88

16 Lateral load resisting system **88**
16.1 General 88
16.2 Specified lateral forces 89
16.3 Lateral force resisting structural system 89
16.4 Minimum amount of structural concrete walls 89
16.5 Special reinforcement details for seismic zones 89

17 Bearings **89**
17.1 General 89
17.2 Multiple roller bearings 89
17.3 Elastomeric bearings 89
17.4 Anchorage 89
17.5 Design forces for supporting structure 89

Annex A (informative) **Equivalent formulae for material factors** **90**

Annex B (informative) **Beam deflection** **92**

Bibliography **93**