

ISO 21725-1:2021-11 (E)

Simplified design of prestressed concrete bridges - Part 1: I-girder bridges

Contents		Page
	Foreword.....	vii
	Introduction.....	viii
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols and abbreviated terms	6
5	Design and construction procedure	10
	5.1 Procedure.....	10
	5.2 Design documentation.....	12
	5.2.1 General.....	12
	5.2.2 Calculation report.....	12
	5.2.3 Geotechnical report.....	12
	5.2.4 Structural drawings.....	13
	5.2.5 Specifications.....	13
6	General provisions	13
	6.1 Limitations.....	13
	6.1.1 General.....	13
	6.1.2 Permitted use.....	13
	6.1.3 Maximum number of spans.....	13
	6.1.4 Maximum span length.....	13
	6.1.5 Maximum difference in span length.....	13
	6.1.6 Maximum cantilever length.....	14
	6.1.7 Maximum height of bridge.....	14
	6.1.8 Maximum number of lanes.....	14
	6.1.9 Width limitations.....	14
	6.1.10 Clearances.....	14
	6.1.11 Maximum skew angle.....	15
	6.1.12 Maximum bridge horizontal curvature.....	15
	6.1.13 Cross-section variation.....	15
	6.1.14 Interaction between superstructure and substructure.....	15
	6.2 Limit states.....	15
	6.2.1 General.....	15
	6.2.2 Deflection serviceability verification.....	16
	6.3 Ultimate limit state design format.....	17
	6.3.1 General.....	17
	6.3.2 Required factored loads.....	18
	6.3.3 Design strength.....	18
	6.4 Serviceability limit state design format.....	18
7	Structural systems and layout	19
	7.1 Description of the components of the structure.....	19
	7.1.1 General.....	19
	7.1.2 Superstructure system.....	19
	7.1.3 Substructure system.....	19
	7.1.4 Foundation.....	19
	7.2 General guide.....	19
	7.2.1 Architectural guide.....	19
	7.2.2 General structural guides for the project.....	20
	7.3 Structural layout.....	20

	7.3.1	General structural layout.....	20
	7.3.2	Vertical layout.....	21
	7.3.3	Cross beams.....	22
	7.4	Feasibility under the document.....	22
8		Actions (Loads).....	22
	8.1	General.....	22
	8.2	Dead loads.....	23
	8.2.1	General.....	23
	8.2.2	Structural elements.....	23
	8.2.3	Non-structural elements.....	23
	8.3	Live loads.....	24
	8.3.1	General.....	24
	8.3.2	Design truck.....	24
	8.3.3	Design lane load.....	24
	8.3.4	Pedestrian bridges.....	24
	8.3.5	Dynamic effect of live loads.....	25
	8.4	Longitudinal forces.....	26
	8.5	Earth pressure.....	26
	8.6	Wind loads.....	26
	8.7	Earthquake inertial forces.....	27
	8.7.1	General.....	27
	8.7.2	Seismic hazard.....	27
	8.7.3	No seismic hazard zones:.....	27
	8.7.4	Low seismic hazard zones:.....	27
	8.7.5	Intermediate seismic hazard zones:.....	27
	8.7.6	High seismic hazard zones:.....	28
	8.7.7	Soil profile types.....	32
	8.7.8	Site effects.....	33
	8.7.9	Design response spectral ordinates.....	33
	8.7.10	Seismic equivalent uniformly distributed load.....	34
	8.7.11	Fundamental mode shape.....	34
	8.7.12	Lateral equivalent design forces.....	35
	8.8	Jacking and post-tensioning forces.....	35
	8.8.1	Jacking forces.....	35
	8.8.2	Forces for post-tensioning anchorage.....	36
	8.9	Thermal forces.....	36
	8.10	Load combinations.....	38
	8.10.1	Ultimate loads.....	38
	8.10.2	Service loads.....	38
9		Design requirements.....	38
	9.1	Scope.....	38
	9.2	Additional requirements.....	38
	9.3	Materials for structural concrete.....	38
	9.3.1	General.....	38
	9.3.2	Cement.....	38
	9.3.3	Aggregates.....	39
	9.3.4	Water.....	39
	9.3.5	Steel reinforcement.....	39
	9.3.6	Prestressing steel.....	39
	9.3.7	Post-tensioning anchorages and couplers.....	40
	9.3.8	Ducts.....	41
	9.3.9	Admixtures.....	41
	9.3.10	Storage of materials.....	41
	9.3.11	Minimum and maximum reinforcement bar diameter.....	41
	9.4	Concrete mixture proportioning.....	42
	9.4.1	General.....	42
	9.4.2	Durability requirements.....	42
	9.4.3	Required average compressive strength.....	43
	9.4.4	Proportioning of the concrete mixture.....	43
	9.5	Concrete cover of reinforcement.....	44
	9.5.1	Minimum concrete cover.....	44
	9.5.2	Special corrosion protection.....	45

9.6	Minimum reinforcement bend diameter.....	45
9.7	Standard hook dimensions.....	46
9.8	Bar spacing and maximum aggregate size.....	47
9.8.1	General.....	47
9.8.2	Maximum nominal coarse aggregate size.....	47
9.8.3	Minimum clear spacing between parallel bars in a layer.....	48
9.8.4	Minimum clear spacing between parallel layers of reinforcement.....	48
9.8.5	Minimum clear spacing between longitudinal bars in columns.....	48
9.8.6	Clear spacing between parallel lap splices.....	49
9.8.7	Maximum flexural reinforcement spacing in solid slabs.....	49
9.8.8	Maximum shrinkage and temperature reinforcement spacing in solid slabs.....	49
9.8.9	Maximum reinforcement spacing in structural concrete walls.....	50
9.8.10	Minimum spacing of prestressing tendons and ducts.....	51
9.8.11	Maximum spacing of prestressing tendons in slabs.....	52
9.8.12	Couplers in post-tensioning tendons.....	52
9.9	Development length, lap splicing and anchorage of reinforcement.....	52
9.9.1	Development length.....	52
9.9.2	Lap splice dimensions.....	54
9.9.3	Minimum standard hook anchorage distance.....	54
9.10	Limits for longitudinal reinforcement.....	55
9.10.1	General.....	55
9.10.2	Solid slabs and footings.....	55
9.10.3	Girders, beams and joists.....	56
9.10.4	Columns.....	58
9.10.5	Structural concrete walls.....	59
9.11	Minimum amounts of transverse reinforcement.....	59
9.11.1	General.....	59
9.11.2	Slabs.....	59
9.11.3	Girders, beams and joists.....	59
9.11.4	Columns.....	60
9.11.5	Structural concrete walls.....	62
10	Stress limitations.....	63
10.1	Stress limitations for prestressing tendons.....	63
10.2	Stress limitations for concrete.....	64
10.2.1	For temporary stresses before losses-fully prestressed components.....	66
10.2.2	For stresses at serviceability limit state after losses-fully prestressed components.....	67
11	Loss of prestress.....	68
11.1	Total loss of prestress.....	68
11.2	Instantaneous losses.....	69
11.2.1	Anchorage set.....	69
11.2.2	Friction.....	69
11.2.3	Elastic shortening.....	70
11.3	Approximate estimate of time-dependent losses.....	70
12	Details of tendon.....	73
12.1	Tendon confinement.....	73
12.1.1	General.....	73
12.1.2	Effects of curved tendons.....	74
12.2	External tendon supports.....	75
12.3	Post-tensioned anchorage zones.....	75
12.3.1	General.....	75
12.3.2	General zone and local zone.....	75
12.3.3	Design of general zone.....	76
12.3.4	Design of local zone.....	78
12.4	Pretensioned anchorage zones.....	79
12.4.1	Bursting resistance.....	79
12.4.2	Confinement reinforcement.....	79

13	Superstructure	79
13.1	Strength of members subjected to flexural moments.....	79
	13.1.1 General.....	79
	13.1.2 Factored flexural moment at section and distribution factor method for moment.....	80
	13.1.3 Minimum design flexural moment strength.....	80
	13.1.4 Nominal moment strength of PSC I-girder with deck.....	80
	13.1.5 T-beam effect.....	83
13.2	Strength of members subjected to shear stresses.....	85
	13.2.1 General.....	85
	13.2.2 Factored shear and distribution factor method for shear.....	85
	13.2.3 Design shear strength.....	85
	13.2.4 Cohesion and friction factors.....	86
	13.2.5 Interface shear strength and minimum area of interface shear reinforcement.....	87
13.3	Decks.....	87
13.4	Solid slabs supported on girders, beams, or joists.....	87
13.5	Girders, beams, joists.....	87
13.6	Railings.....	87
14	Substructure	87
14.1	Girders that are part of a frame.....	87
14.2	Strength of members subjected to axial loads with or without flexure.....	87
14.3	Torsion.....	88
14.4	Bearing strength.....	88
14.5	Columns and piers.....	88
14.6	Concrete walls.....	88
15	Foundations	88
15.1	Foundation type and capacity.....	88
15.2	Subsurface exploration and testing programs.....	88
15.3	Dimensioning of the foundation elements.....	88
15.4	Footings.....	88
15.5	Foundation mats.....	88
15.6	Footings on piles.....	88
15.7	Foundation beams.....	88
15.8	Retaining walls.....	88
16	Lateral load resisting system	88
16.1	General.....	88
16.2	Specified lateral forces.....	89
16.3	Lateral force resisting structural system.....	89
16.4	Minimum amount of structural concrete walls.....	89
16.5	Special reinforcement details for seismic zones.....	89
17	Bearings	89
17.1	General.....	89
17.2	Multiple roller bearings.....	89
17.3	Elastomeric bearings.....	89
17.4	Anchorage.....	89
17.5	Design forces for supporting structure.....	89
	Annex A (informative) Equivalent formulae for material factors	90
	Annex B (informative) Beam deflection	92
	Bibliography	93