

# ISO 9727-8:2022-04 (E)

## Cylindrical cork stoppers - Physical tests - Part 8: Determination of capillarity

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Products reagents .....</b>	<b>1</b>
<b>4.1</b>	<b>Reference method .....</b>	<b>1</b>
<b>4.2</b>	<b>Rapid method .....</b>	<b>1</b>
<b>4.3</b>	<b>Very fast control method .....</b>	<b>1</b>
<b>5</b>	<b>Apparatus .....</b>	<b>1</b>
<b>6</b>	<b>Test conditions .....</b>	<b>2</b>
<b>6.1</b>	<b>Environment .....</b>	<b>2</b>
<b>6.2</b>	<b>Cork stopper .....</b>	<b>2</b>
<b>6.2.1</b>	<b>Temperature .....</b>	<b>2</b>
<b>7</b>	<b>Sampling .....</b>	<b>2</b>
<b>8</b>	<b>Procedure .....</b>	<b>2</b>
<b>8.1</b>	<b>Reference method .....</b>	<b>2</b>
<b>8.2</b>	<b>Rapid method .....</b>	<b>2</b>
<b>8.3</b>	<b>Very fast control method .....</b>	<b>3</b>
<b>9</b>	<b>Measuring and reporting results .....</b>	<b>3</b>
<b>10</b>	<b>Test report .....</b>	<b>4</b>