

# DIN EN 12697-26:2022-12 (E)

## Bituminous mixtures - Test methods - Part 26: Stiffness (includes Amendment A1:2022)

---

<b>Contents</b>		<b>Page</b>
European foreword .....		5
1	Scope .....	6
2	Normative references .....	6
3	Terms, definitions and symbols .....	6
3.1	Terms and definitions .....	6
3.2	Symbols .....	8
4	Principle .....	9
5	Sample preparation .....	9
5.1	Age of the specimens .....	9
5.2	Drying of the specimens .....	9
5.3	Dimensions and bulk density of the specimens .....	9
5.4	Number of test specimens .....	10
6	Checking of the testing equipment .....	10
7	Test methods .....	10
7.1	General .....	10
7.2	Codification of tests .....	10
7.2.1	Sinusoidal bending tests .....	10
7.2.2	Indirect tensile test (pulse or cyclic) .....	11
7.2.3	Cyclic or monotonous uniaxial tests .....	11
7.2.4	Loading conditions .....	11
7.2.5	Load amplitudes .....	11
7.2.6	Loading frequencies .....	11
7.3	Controlled strain rate loading .....	12
7.3.1	Test method .....	12
7.3.2	Loading conditions .....	12
7.3.3	Strain amplitudes for direct tensile tests .....	12
8	Temperatures .....	13
9	Expression of results .....	13
10	Test report .....	15
10.1	Introduction .....	15
10.2	General .....	15
10.3	Information on specimens .....	15
10.4	Information on test method .....	15
10.5	Information on the test and results .....	16
10.6	Optional information .....	16
11	Precision .....	16
Annex A (normative) Two point bending test on trapezoidal specimens (2PB-TR) or on prismatic specimens (2PB-PR) .....		17

A.1	Principle .....	17
A.2	Equipment .....	17
A.3	Specimen preparation .....	18
A.4	Procedure .....	19
<b>Annex B (normative) Three point bending test on prismatic specimens (3PB-PR) and four point bending test on prismatic specimens (4PB-PR) .....</b>		<b>20</b>
B.1	Principle .....	20
B.2	Equipment .....	21
B.3	Specimen preparation .....	22
B.3.1	Dimensions .....	22
B.3.2	Sample manufacture .....	22
B.4	Procedure .....	23
<b>Annex C (normative) Test applying indirect tension to cylindrical specimens (IT-CY) .....</b>		<b>24</b>
C.1	Principle .....	24
C.2	Equipment .....	24
C.2.1	General devices .....	24
C.2.2	Test equipment .....	24
C.3	Specimen preparation .....	29
C.4	Mode of operation .....	30
C.4.1	Mounting the specimen .....	30
C.4.2	Stiffness measurement .....	30
C.4.2.1	Conditioning load pulses .....	30
C.4.2.2	Deformation measuring .....	30
C.4.2.3	Calculation of the stiffness modulus .....	30
C.4.2.4	Stiffness modulus of the specimen .....	31
<b>Annex D (normative) Direct tension-compression test on cylindrical specimens (DTC-CY) .....</b>		<b>32</b>
D.1	Principle .....	32
D.2	Equipment .....	32
D.3	Specimen preparation .....	32
D.4	Mode of operation .....	34
D.4.1	Stabilizing the specimen .....	34
D.4.2	Procedure .....	34
<b>Annex E (normative) Test applying direct tension to cylindrical specimens (DT-CY) or to prismatic specimens (DT-PR) .....</b>		<b>35</b>
E.1	Principle .....	35
E.2	Equipment .....	35
E.3	Specimen preparation .....	35
E.3.1	Cylindrical specimen .....	35
E.3.2	Prismatic specimen .....	36
E.4	Mode of operation .....	36
E.4.1	Stabilization of the specimen .....	36
E.4.1.1	Temperature stabilization .....	36
E.4.1.2	Preliminary mechanical stabilization .....	36
E.4.1.3	Mechanical stabilization between tests .....	37
E.4.2	Procedure .....	37
E.5	Derivation of the master-curve - Isotherms .....	38
<b>Annex F (normative) Test applying cyclic indirect tension to cylindrical specimens (CIT-CY) .....</b>		<b>39</b>
F.1	Principle .....	39
F.2	Equipment .....	39
F.2.1	Test machine .....	39
F.2.2	Loading .....	39
F.2.3	Displacement .....	39

<b>F.2.4</b>	<b>Thermostatic chamber .....</b>	<b>41</b>
<b>F.2.5</b>	<b>Recording and measuring system .....</b>	<b>41</b>
<b>F.2.6</b>	<b>Loading strips .....</b>	<b>41</b>
<b>F.3</b>	<b>Specimen preparation .....</b>	<b>41</b>
<b>F.3.1</b>	<b>Test specimen .....</b>	<b>41</b>
<b>F.3.2</b>	<b>Specimen dimensions .....</b>	<b>42</b>
<b>F.4</b>	<b>Mode of operation .....</b>	<b>42</b>
<b>F.4.1</b>	<b>Test temperature .....</b>	<b>42</b>
<b>F.4.2</b>	<b>Mounting the specimen .....</b>	<b>42</b>
<b>F.4.3</b>	<b>Procedure .....</b>	<b>42</b>
<b>F.4.3.1</b>	<b>General .....</b>	<b>42</b>
<b>F.4.3.2</b>	<b>Load frequency .....</b>	<b>43</b>
<b>F.4.3.3</b>	<b>Definition of the lower load level .....</b>	<b>43</b>
<b>F.4.3.4</b>	<b>Definition of the upper load level .....</b>	<b>43</b>
<b>F.4.4</b>	<b>Checking of specimen deterioration .....</b>	<b>43</b>
<b>Annex G (informative) Derivation of the master curve .....</b>		<b>44</b>
<b>G.1</b>	<b>Principle .....</b>	<b>44</b>
<b>G.2</b>	<b>Theoretical background .....</b>	<b>45</b>
<b>G.3</b>	<b>Experimental data .....</b>	<b>46</b>
<b>G.4</b>	<b>Test report .....</b>	<b>47</b>