

ISO 24285:2022-12 (E)

Thermal insulation for building equipment and industrial installations - Cellular glass products - Specification

| Contents | | Page |
|------------------------------|---|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Symbols and abbreviated terms | 2 |
| 5 | Characteristics | 3 |
| 5.1 | General | 3 |
| 5.2 | Thermal conductivity | 3 |
| 5.3 | Compression strength | 4 |
| 5.4 | Dimensions | 5 |
| 5.5 | Bending strength | 6 |
| 5.6 | Point load | 6 |
| 5.7 | Compressive creep | 7 |
| 5.8 | Long-term water absorption | 7 |
| 5.9 | Water vapour diffusion resistance | 7 |
| 5.10 | Fire behaviour | 7 |
| 5.11 | Maximum service temperature | 7 |
| 5.12 | Minimum service temperature | 7 |
| 5.13 | Trace quantities of water-soluble ions and the pH-value | 7 |
| 6 | Test methods | 8 |
| 6.1 | Sampling | 8 |
| 6.2 | Conditioning | 8 |
| 6.3 | Testing | 8 |
| 6.3.1 | Test methods and specimen requirements | 8 |
| 6.3.2 | Thermal conductivity | 9 |
| 7 | Designation code | 9 |
| 8 | Marking and labelling | 10 |
| Annex A (normative) | Factory production control (FPC) | 11 |
| Annex B (informative) | Product classification for flat products in respect of compressive strength and thermal conductivity | 12 |
| Bibliography | | 13 |