ISO 24144:2023-01 (E)

Thermal insulation - Test methods for specific heat capacity of thermal insulation for buildings in the high temperature range - Differential scanning calorimetry (DSC) method

Contents

Page

Foreword v

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Principles 2
4.1 General 2
4.2 Heat-flux DSC 2
4.3 Power-compensation DSC 3

5 Method 4
5.1 General 4
5.2 Basic procedure 5

6 Apparatus and materials 7
6.1 DSC apparatus 7
6.2 Crucibles 8
6.2.1 General 8
6.2.2 Shape, material and mass 8
6.2.3 Measurement temperature range 8

7 Test specimen 8
7.1 General 8
7.2 Sampling 9
7.3 Moulding 9

8 Test conditions and specimen conditioning 9
8.1 Test conditions 9
8.2 Conditioning of specimens 9

9 Calibration 9
9.1 General 9
9.2 Calibration materials 10

10 Procedure 10
10.1 Setting up the apparatus 10
10.2 Loading the specimen into the crucible 10
10.2.1 General 10
10.2.2 Selection of crucibles 10
10.2.3 Weighing the specimen crucible 10
10.2.4 Loading the specimen 10
10.2.5 Determination of the mass of the specimen 11
10.3 Performing measurements 11
10.4 Post-run checks 11

11 Determination of specific heat capacities 11

11.1 General 11
11.2 Calculation of specific heat capacities 11
11.2.1 In case of near-match with isothermal baselines of DSC curves 11
11.2.2 In case of discordance with isothermal baseline of DSC curves 12
11.3 Numerical rounding of the results 12

12 Test report 12

Annex A (normative) DSC apparatus for high temperature range 14

Annex B (normative) Moulding procedure of test specimen 15

Annex C (informative) Analysis method considering discordance of isothermal baseline 18

Annex D (informative) Materials for DSC calibrations 20

Bibliography 21