

ISO 24144:2023-01 (E)

Thermal insulation - Test methods for specific heat capacity of thermal insulation for buildings in the high temperature range - Differential scanning calorimetry (DSC) method

Contents		Page
Foreword		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Principles	2
4.1	General	2
4.2	Heat-flux DSC	2
4.3	Power-compensation DSC	3
5	Method	4
5.1	General	4
5.2	Basic procedure	5
6	Apparatus and materials	7
6.1	DSC apparatus	7
6.2	Crucibles	8
6.2.1	General	8
6.2.2	Shape, material and mass	8
6.2.3	Measurement temperature range	8
7	Test specimen	8
7.1	General	8
7.2	Sampling	9
7.3	Moulding	9
8	Test conditions and specimen conditioning	9
8.1	Test conditions	9
8.2	Conditioning of specimens	9
9	Calibration	9
9.1	General	9
9.2	Calibration materials	10
10	Procedure	10
10.1	Setting up the apparatus	10
10.2	Loading the specimen into the crucible	10
10.2.1	General	10
10.2.2	Selection of crucibles	10
10.2.3	Weighing the specimen crucible	10
10.2.4	Loading the specimen	10
10.2.5	Determination of the mass of the specimen	11
10.3	Performing measurements	11
10.4	Post-run checks	11
11	Determination of specific heat capacities	11

11.1	General	11
11.2	Calculation of specific heat capacities	11
11.2.1	In case of near-match with isothermal baselines of DSC curves	11
11.2.2	In case of discordance with isothermal baseline of DSC curves	12
11.3	Numerical rounding of the results	12
12	Test report	12
Annex A (normative) DSC apparatus for high temperature range		14
Annex B (normative) Moulding procedure of test specimen		15
Annex C (informative) Analysis method considering discordance of isothermal baseline		18
Annex D (informative) Materials for DSC calibrations		20
Bibliography		21