DIN EN 1993-1-5:2025-04 (E)

Eurocode 3 - Design of steel structures - Part 1-5: Plated structural elements

Contents

Page

European foreword 5

0 Introduction 7

1 Scope 10

2 Normative references 11

3 Terms and definitions 11
3.1 Terms 11
3.2 Sign convention 13
3.3 Symbols 13

4 Basis of design 14
4.1 General rules 14
4.1.1 Basic requirement 14
4.2 Partial factors 14
4.3 Effective width models for global analysis 15
4.4 Plate buckling effects on uniform members 16
4.5 Reduced stress method 17
4.6 Design assisted by finite element analysis 17
4.7 Non-uniform members 17
4.8 Members with corrugated webs 17

5 Shear lag in member design 17
5.1 General 17
5.2 Elastic shear lag 17
5.2.1 Effectives width 17
5.2.2 Stress distribution due to shear lag 20
5.2.3 In-plane load effects 20
5.3 Shear lag at the ultimate limit state 21
5.3.1 Shear lag consideration 21
5.3.2 Interaction between shear lag and plate buckling 22

6 Plate buckling effects due to direct stresses at the ultimate limit state 22
6.1 General 22
6.2 Resistance to direct stresses 23
6.3 Effective cross-section 23
6.4 Plate elements without longitudinal stiffeners 25
6.4.1 Plate buckling behaviour 25
6.4.2 Column buckling behaviour 29
6.5 Stiffened plate elements with longitudinal stiffeners 30
6.5.1 General 30
6.5.2 Plate buckling behaviour 32
6.5.3 Column buckling behaviour 33
6.6 Interpolation between plate and column buckling 35
6.6.1 General 35
6.6.2 Alternative methods for evaluating the weighting factor 37
6.6.3 Alternative simplified method for longitudinally stiffened panels in bending 40
6.7 Verification 42

7 Resistance to shear 43

7.1 General ... 43
7.2 Design resistance ... 44
7.3 Contribution from the web ... 45
7.4 Contribution from flanges ... 48
7.5 Verification ... 49

8 Resistance to patch loading ... 49
8.1 General ... 49
8.2 Design resistance ... 50
8.3 Length of stiff bearing ... 50
8.4 Reduction factor F ... 50
8.5 Effective loaded length ... 51
8.6 Verification ... 52

9 Interaction ... 52
9.1 Interaction between shear force, bending moment and axial force ... 52
9.2 Interaction between transverse force, bending moment and axial force ... 53
9.3 Interaction between transverse force, bending moment and shear force ... 53

10 Flange induced buckling ... 54

11 Stiffeners and detailing ... 55
11.1 General ... 55
11.2 Direct stresses ... 55
11.2.1 Minimum requirements for transverse stiffeners ... 55
11.2.2 Minimum requirements for longitudinal stiffeners ... 59
11.2.3 Welded plates ... 59
11.2.4 Cut outs in stiffeners ... 60
11.3 Shear ... 62
11.3.1 Rigid end post ... 62
11.3.2 Stiffeners acting as non-rigid end post ... 62
11.3.3 Intermediate transverse stiffeners ... 63
11.3.4 Longitudinal stiffeners ... 63
11.3.5 Welds ... 63
11.4 Transverse loads ... 63

12 Reduced stress method ... 64
12.1 General ... 64
12.2 Verification of the buckling resistance ... 64
12.3 Plate slenderness ... 66
12.4 Reduction factors ... 67

13 Plate girders with corrugated webs ... 71
13.1 General ... 71
13.2 Ultimate limit state ... 71
13.2.1 Moment of resistance ... 71
13.2.2 Shear resistance ... 73
13.2.3 Resistance to transverse forces ... 74
13.2.4 Interaction between shear force and bending moment ... 76
13.2.5 Interaction between transverse force, bending moment and shear force ... 76
13.2.6 Requirements for end stiffeners ... 76

Annex A (informative) Calculation of critical stresses for stiffened plates ... 77

A.1 Use of this informative annex ... 77
A.2 Scope and field of application ... 77
A.3 Equivalent orthotropic plate for plates with at least three longitudinal stiffeners ... 77
A.4 Equivalent orthotropic plate for plates with one or two longitudinal stiffeners ... 78
A.5 Shear buckling coefficients ... 79
A.6 Buckling coefficient for patch loading ... 79

Annex B (informative) Non-uniform members ... 81

B.1 Use of this informative annex 81
B.2 Scope and field of application 81
B.3 General 81
B.4 Interaction of plate buckling and lateral torsional buckling 81

Bibliography 82