

DIN EN 1366-8:2025-04 (E)

Fire resistance tests for service installations - Part 8: Smoke extraction ducts

Contents		Page
	European foreword	5
	Introduction	7
1	Scope	8
2	Normative references	8
3	Terms and definitions	9
4	Test equipment	10
4.1	General	10
4.2	Furnace	10
4.3	Perforated plate	10
4.4	Air velocity measuring station	11
4.5	Ambient temperature leakage measuring device	11
4.6	Pressure sensors for differential pressure control	11
4.7	Welded connecting duct	12
4.8	Extraction fan	12
4.9	Thermocouples	12
4.10	Surface thermocouples	12
4.11	Oxygen measuring equipment	12
4.12	Oxygen measurement probes	12
4.13	Restraining equipment	12
4.14	Deflection measurements	13
5	Test conditions	13
6	Test specimen	13
6.1	Size	13
6.1.1	General	13
6.1.2	Length	13
6.1.3	Cross-section	13
6.2	Number	13
6.3	Design	14
6.3.1	General	14
6.3.2	Openings in duct	14
6.3.3	Joints in horizontal ducts	14
6.3.4	Joints in vertical ducts	14
6.3.5	Support for vertical ducts	14
6.3.6	Compensators	15
6.3.7	Access panels	15
7	Installation of test specimen	15
7.1	General	15
7.2	Standard supporting construction	15
7.3	Restraint of ducts	15
7.3.1	Inside the furnace	15
7.3.2	Outside the furnace	16
8	Conditioning	16
8.1	General	16

8.2	Water-based sealing materials	16
9	Application of instrumentation	16
9.1	Thermocouples	16
9.1.1	Furnace thermocouples (plate thermometers)	16
9.1.2	Unexposed surface thermocouples	16
9.1.3	Measurement of gas temperature adjacent to nozzles	16
9.2	Pressure	16
9.2.1	Furnace pressure	16
9.2.2	Under-pressure in duct	17
9.3	Oxygen measurements	17
9.4	Deflection measurement for determination of reduction in internal cross-sectional area ..	17
10	Test procedure	18
10.1	General	18
10.2	Pre-test adjustment of the perforated plate	19
10.3	Test at ambient temperature	19
10.4	Pre-fire test procedures	19
10.5	Fire test	20
11	Performance criteria	21
11.1	General requirements	21
11.2	Criteria at ambient temperature	22
11.2.1	Ambient leakage	22
11.2.2	Reduction in internal cross-sectional area under ambient conditions outside the furnace	22
11.3	Criteria under fire conditions	22
11.3.1	General	22
11.3.2	Integrity	23
11.3.3	Insulation	23
11.3.4	Smoke-Leakage	23
12	Test report	23
13	Field of direct application of test results	24
13.1	General	24
13.2	Vertical and horizontal ducts	24
13.3	Sizes of ducts	24
13.4	Supporting construction	25
13.5	Steel ducts	25
Annex A (normative)	Measurement of volume/mass flow	42
A.1	Hints on measuring volume flow or mass flow with differential pressure devices	42
A.2	Density	42
A.3	Absolute pressure (barometric pressure)	43
A.4	Viscosity	43
A.5	Characteristic data of the inlet nozzles according to Figure 7 of this standard	44
Annex B (informative)	Measurement of oxygen concentration Details on measuring oxygen concentration with paramagnetic cell analysers	47
B.1	General	47
B.2	Choice of O ₂ measuring devices	47
B.3	Effect of O ₂ measuring device errors	48
B.4	Zero and end point drift	48
Annex C (informative)	The usage of correction factors for the consideration of different parameters	51
C.1	Details for the development of the correction factors and their error limits	51
C.2	The complete formula for the leakage mass flow and the parameters	51

C.3	Application of correction factors in the simple mass flow formulae and achievable accuracy	54
Annex D (normative)	Method for testing air leakage post fire test when the oxygen measuring system indicates a failure (after corrections)	56
D.1	General purpose of Annex D	56
D.2	Presumptions for conducting post fire leakage test	56
D.3	Undertaking the air leakage test	57
Bibliography	58