

ISO 16521:2024-09 (E)

Design of concrete-filled steel tubular (CFST) hybrid structures

Contents		Page
Foreword		vii
Introduction		viii
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols	5
5	Materials	7
5.1	General	7
5.2	Concrete	8
5.2.1	Cement	8
5.2.2	Aggregates	8
5.2.3	Water	8
5.2.4	Admixtures	8
5.2.5	Additions	8
5.2.6	Concrete mixture specification	8
5.3	Steel tubes	8
5.4	Steel reinforcement	9
5.4.1	Deformed reinforcement	9
5.4.2	Plain reinforcement	9
5.5	Other materials	9
5.5.1	Welding consumables	9
5.5.2	Fasteners	9
5.5.3	Protective paint systems	9
5.6	Storage of materials	9
6	Design and construction procedure	9
7	General guides	11
7.1	Limitations	11
7.1.1	CFST members	11
7.1.2	Trussed concrete-filled steel tubular (CFST) hybrid structures	12
7.1.3	Concrete-encased concrete-filled steel tubular (CFST) hybrid structures	12
7.2	Limit states	13
7.3	Ultimate limit state design format	14
7.3.1	General	14
7.3.2	Factored load effects	14
7.3.3	Design resistances	14
7.4	Serviceability limit state design format	15
8	Specific guides	15
8.1	Design working life	15
8.2	Selections of materials, structural plans and detailing	15
8.3	Seismic design requirements	15
8.4	Selections of constructional methods and techniques	15
9	Actions (loads)	16

9.1	General	16
9.2	Dead loads	16
9.3	Live loads	16
9.4	Snow loads	16
9.5	Wind forces	16
9.6	Earthquake forces	16
9.7	Thermal forces	17
9.8	Load partial factors and load combinations	17
10	Analysis	17
10.1	General	17
10.1.1	Structural analysis purpose	17
10.1.2	Structural analysis methods	17
10.1.3	Structural analysis requirements	17
10.1.4	Loading cases	18
10.1.5	Construction stage analysis	18
10.2	Stress-strain relationships for materials	18
10.2.1	General	18
10.2.2	Concrete	19
10.2.3	Steel	26
10.3	Indices for the strength and stiffness of CFST hybrid structures	28
10.3.1	CFST cross-section	28
10.3.2	CFST hybrid structures	30
11	Ultimate limit states of trussed concrete-filled steel tubular (CFST) hybrid structures	31
11.1	General	31
11.2	Resistances to compression and bending	31
11.2.1	Axial compression	31
11.2.2	Bending	34
11.2.3	Combined compression and bending	35
11.2.4	Resistances of CFST chords	39
11.2.5	Resistances of webs	45
11.3	Resistance to shear	46
11.3.1	With horizontal webs	46
11.3.2	With diagonal webs	46
12	Ultimate limit states of concrete-encased concrete-filled steel tubular (CFST) hybrid structures	46
12.1	General	46
12.2	Resistances of single-chord structures	46
12.2.1	Axial compression	46
12.2.2	Combined compression and bending	47
12.2.3	Tension	50
12.3	Resistances of four-chord structures	51
12.3.1	Axial compression	51
12.3.2	Combined compression and bending	51
12.4	Resistances of six-chord structures	55
12.4.1	Axial compression	55
12.4.2	Combined compression and bending	55
12.5	Resistances of slender structures	59
12.5.1	Axial compression	59
12.5.2	Combined compression and bending	60
12.6	Resistance subjected to long-term loading	60
12.7	Resistance to shear	60
12.8	Resistance to combined axial force, bending and shear	62
13	Serviceability limit states of concrete-filled steel tubular (CFST) hybrid structures	62
13.1	Calculation of structural response	62
13.2	Serviceability limitations	62
14	Protective design	62

14.1	General	62
14.1.1	Corrosion resistance	62
14.1.2	Fire resistance	63
14.1.3	Impact resistance	63
14.2	Design of corrosion resistance	63
14.2.1	Anti-corrosion measures	63
14.2.2	Corrosion resistance calculation	63
14.3	Design of fire resistance	64
14.3.1	Load ratio during fire	64
14.3.2	Fireproof coating	64
14.3.3	Fire resistance ratings	65
14.3.4	Detailing requirements	65
14.4	Design of impact resistance	66
14.4.1	Bending resistance under impact	66
14.4.2	Dynamic increase factor for circular CFST chords under impact	66
14.4.3	Deformation of circular CFST chords under impact	67
15	Connections	67
15.1	General	67
15.2	Joints of trussed concrete-filled steel tubular (CFST) hybrid structures	67
15.2.1	General requirements	67
15.2.2	Typical forms of joints	68
15.2.3	Welding requirements	69
15.2.4	Detailing requirements of webs	69
15.2.5	Inserted plate connections	70
15.2.6	Gusset plate connections	70
15.2.7	Intersecting welded plane K-joints and N-joints	71
15.2.8	Plane T-joints, Y-joints and X-joints	74
15.2.9	Multiplanar joints	74
15.3	Joints of concrete-encased concrete-filled steel tubular (CFST) hybrid structures	74
15.3.1	Steel beam-to-column ring plate joints	74
15.3.2	Reinforced concrete beam-to-column joints	75
15.3.3	Detailing requirements of beam-to-column joints	76
15.3.4	Connections between steel tubes	77
15.4	Column bases and supporting connections	78
15.4.1	Column bases and supporting connections of trussed CFST hybrid structures	78
15.4.2	Column bases of concrete-encased CFST hybrid structures	82
15.5	Fatigue design of joints	83
15.5.1	General requirements	83
15.5.2	Design methods	83
15.5.3	Hot spot stress ranges under constant amplitude fatigue	84
15.5.4	Hot spot stress ranges under variable amplitude fatigue	84
15.5.5	Detailing requirements	85
16	Construction and acceptance	86
16.1	General	86
16.2	Fabrication and erection of steel tubes	86
16.2.1	General	86
16.2.2	Documents	86
16.2.3	Fabrication	86
16.2.4	Surface protection	87
16.2.5	Transportation and erection	87
16.3	Construction of core concrete	87
16.3.1	General	87
16.3.2	General requirements	87
16.3.3	Mixture design	88
16.3.4	Requirements of self-compacting concrete	88
16.3.5	Use of cement plaster	88
16.3.6	Placement preparation	88
16.3.7	Placement methods	88
16.3.8	Placement process	88

16.3.9	Treatment of post-placement holes on steel tubes	88
16.3.10	Requirements of limiting values of core concrete void in steel tubes	88
16.4	Construction of concrete encasement	90
16.4.1	General	90
16.4.2	Construction preparation	90
16.4.3	Workability of concrete	90
16.4.4	Construction order	90
16.5	Inspection and acceptance	90
16.5.1	General	90
16.5.2	Steel structures	91
16.5.3	Core concrete	91
16.5.4	Concrete encasement	91
16.5.5	Documents and records	91
Annex A (informative) Long-term load coefficients for concrete-encased circular CFST hybrid structures		92
Annex B (informative) Fire resistance ratings of single-chord concrete-encased circular CFST hybrid structures		96
Bibliography		97