

# DIN EN 13084-1:2025-04 (E)

## Free-standing chimneys - Part 1: General requirements

---

<b>Contents</b>		<b>Page</b>
European foreword .....		4
<b>1</b>	<b>Scope .....</b>	<b>6</b>
<b>2</b>	<b>Normative references .....</b>	<b>6</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>6</b>
3.1	General terms .....	7
3.2	Terms for chimney parts .....	8
3.3	Terms for operation .....	9
<b>4</b>	<b>General requirements .....</b>	<b>10</b>
4.1	Materials .....	10
4.2	Flue gas considerations .....	10
4.2.1	General .....	10
4.2.2	Design parameters .....	11
4.2.3	Heat flow calculations .....	11
4.2.4	Flow calculations .....	14
4.2.5	Chemical attack .....	14
4.3	Environmental aspects .....	17
4.3.1	Pollutants dispersion .....	17
4.3.2	Noise .....	17
4.3.3	Temperature .....	17
4.3.4	Fire .....	17
4.3.5	Gas tightness .....	17
4.4	Connecting flue pipe .....	18
4.5	Insulation .....	18
4.6	Ventilation .....	19
4.7	Protective coatings .....	19
4.8	Foundation .....	20
4.9	Accessories .....	20
4.9.1	Access .....	20
4.9.2	Lightning protection .....	21
4.9.3	Aircraft warning system .....	21
4.9.4	Additional accessories .....	21
<b>5</b>	<b>Performance requirements: Structural design .....</b>	<b>22</b>
5.1	Basic design principles .....	22
5.2	Actions .....	23
5.2.1	General .....	23
5.2.2	Permanent actions .....	23
5.2.3	Variable actions .....	23
5.2.4	Accidental actions .....	25
5.3	Imperfections .....	25
5.4	Foundation .....	26
5.5	Liner .....	26
<b>6</b>	<b>Site activities .....</b>	<b>26</b>
<b>7</b>	<b>Lifetime management, monitoring, inspection, maintenance, cleaning, repair and remedial work including the reporting; operations and actions required .....</b>	<b>26</b>

<b>8</b>	<b>Instrumentation .....</b>	<b>26</b>
	<b>Annex A (normative) Gas flow calculation .....</b>	<b>28</b>
<b>A.1</b>	<b>Principal features of the method of calculation .....</b>	<b>28</b>
<b>A.2</b>	<b>Parameters related to construction type .....</b>	<b>28</b>
<b>A.2.1</b>	<b>Roughness .....</b>	<b>28</b>
<b>A.2.2</b>	<b>Thermal resistance .....</b>	<b>28</b>
<b>A.3</b>	<b>Basic values for the calculation .....</b>	<b>29</b>
<b>A.3.1</b>	<b>Air temperature .....</b>	<b>29</b>
<b>A.3.2</b>	<b>Outside air pressure .....</b>	<b>29</b>
<b>A.3.3</b>	<b>Flue gas .....</b>	<b>29</b>
<b>A.3.4</b>	<b>Gas constant .....</b>	<b>30</b>
<b>A.3.5</b>	<b>Density of outside air .....</b>	<b>31</b>
<b>A.3.6</b>	<b>Specific heat capacity .....</b>	<b>31</b>
<b>A.3.7</b>	<b>Correction factor for temperature .....</b>	<b>31</b>
<b>A.3.8</b>	<b>Flow safety coefficient .....</b>	<b>32</b>
<b>A.4</b>	<b>Determination of temperatures .....</b>	<b>32</b>
<b>A.4.1</b>	<b>Flue gas temperatures .....</b>	<b>32</b>
<b>A.4.2</b>	<b>Coefficient of cooling .....</b>	<b>32</b>
<b>A.4.3</b>	<b>Heat transmission coefficient .....</b>	<b>33</b>
<b>A.4.4</b>	<b>Internal heat transfer coefficient .....</b>	<b>33</b>
<b>A.5</b>	<b>Density of flue gas .....</b>	<b>35</b>
<b>A.6</b>	<b>Flue gas velocity .....</b>	<b>35</b>
<b>A.7</b>	<b>Pressure at entry of flue gas into chimney .....</b>	<b>35</b>
<b>A.7.1</b>	<b>Calculation of pressure .....</b>	<b>35</b>
<b>A.7.2</b>	<b>Theoretical draught available due to chimney effect .....</b>	<b>36</b>
<b>A.7.3</b>	<b>Pressure resistance of the flue gas carrying tube .....</b>	<b>36</b>
<b>A.7.4</b>	<b>Flue friction coefficient .....</b>	<b>36</b>
<b>A.7.5</b>	<b>Individual resistance coefficient .....</b>	<b>37</b>
<b>A.7.6</b>	<b>Change in pressure due to change of velocity .....</b>	<b>37</b>
<b>A.7.7</b>	<b>Pressure caused by sudden interruption of the flue gas stream (Implosion) .....</b>	<b>37</b>
<b>A.8</b>	<b>Minimum velocity .....</b>	<b>38</b>
	<b>Annex B (informative) Calculation method for combined flue gases with different temperatures .....</b>	<b>43</b>
	<b>Bibliography .....</b>	<b>46</b>