

# ISO 3008-1:2025-06 (E)

## Fire resistance tests - Door and shutter assemblies - Part 1: General requirements

<b>Contents</b>		<b>Page</b>
Foreword		v
Introduction		vi
<b>1</b>	<b>Scope</b>	<b>1</b>
<b>2</b>	<b>Normative references</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions</b>	<b>2</b>
<b>4</b>	<b>Test equipment</b>	<b>4</b>
<b>5</b>	<b>Test conditions</b>	<b>4</b>
<b>6</b>	<b>Test specimen</b>	<b>4</b>
6.1	Size of specimen	4
6.2	Number of specimens	4
6.3	Design of specimen	4
6.4	Construction	5
6.5	Verification	5
<b>7</b>	<b>Installation of test specimen</b>	<b>5</b>
7.1	General	5
7.2	Supporting construction	5
7.3	Test construction	5
7.3.1	Associated and supporting construction	5
7.3.2	Associated construction	6
7.3.3	Supporting construction	6
7.3.4	Restraint on supporting construction	14
7.4	Gaps	15
<b>8</b>	<b>Conditioning</b>	<b>19</b>
8.1	Moisture content	19
8.2	Mechanical	19
<b>9</b>	<b>Application of instrumentation</b>	<b>20</b>
9.1	Temperature measurements	20
9.1.1	Furnace-temperature measuring instrument	20
9.1.2	Unexposed-face thermocouples	21
9.2	Maximum temperature	36
9.3	Temperature of door frame	37
9.4	Pressure measurements	37
9.5	Heat-flux measurement	38
9.5.1	General	38
9.5.2	Apparatus	38
9.5.3	Procedure	38
9.5.4	Measurement	39
9.6	Deflection	39
<b>10</b>	<b>Test procedure</b>	<b>43</b>
<b>11</b>	<b>Performance criteria</b>	<b>44</b>
11.1	Integrity	44
11.2	Insulation	45
<b>12</b>	<b>Test report</b>	<b>45</b>
<b>13</b>	<b>Field of direct application of test results</b>	<b>45</b>
13.1	General	45

13.2	Timber constructions.....	46
13.3	Steel constructions.....	46
13.4	Glazed constructions.....	46
13.5	Fixings/hardware.....	46
<b>Annex A (normative) Conditioning requirements for supporting constructions.....</b>		<b>48</b>
<b>Annex B (informative) Estimation of radiant heat flux using measured surface temperature and the Stefan-Boltzmann law.....</b>		<b>49</b>
<b>Annex C (normative) Testing of fire seals between the door frame and the supporting construction.....</b>		<b>51</b>
<b>Bibliography.....</b>		<b>52</b>