

DIN EN 1995-1-2:2026-10 (E)

Eurocode 5 - Design of timber structures - Part 1-2: Structural fire design

Contents

Page

European foreword	7
0 Introduction	9
1 Scope	11
1.2 Assumptions	11
2 Normative references	11
3 Terms, definitions and symbols	13
3.1 Terms and definitions	13
3.2 Symbols and abbreviations	16
3.2.1 Latin upper case letters	16
3.2.2 Latin lower case letters	17
3.2.3 Greek upper case letters	22
3.2.4 Greek lower case letters	22
3.2.5 Abbreviations	23
4 Basis of design	25
4.1 General	25
4.2 Nominal fire exposure	25
4.3 Physically based fire exposure	26
4.4 Actions	26
4.5 Design values of material properties	26
4.6 Verification methods	27
4.7 Member analysis	28
4.8 Analysis of parts of the structure	28
4.9 Global structural analysis	28
5 Material properties	29
5.1 General	29
5.2 Thermal properties	32
5.3 Mechanical properties	32
5.4 Charring	32
5.4.1 General	32
5.4.2 The European charring model	33
5.5 Adhesives	42
5.5.1 General	42
5.5.2 Bond line integrity in fire of face bonds	43
6 Tabulated design data	44
6.1 General	44
6.2 Time limits for charring phases	44
6.3 Initially protected timber members	47
6.4 Plane timber members made of CLT	49
6.4.1 General	49
6.4.2 CLT with bond line integrity maintained	49
6.4.3 CLT with bond line integrity not maintained	51
7 Simplified design methods	54
7.1 General	54
7.1.1 Materials and products covered	54

7.1.2	Timber members	54
7.1.3	Mechanically jointed members	55
7.2	Effective cross-section method	56
7.2.1	General	56
7.2.2	Design of linear timber members	58
7.2.3	Design of plane timber members	61
7.2.4	Design of timber frame assemblies	65
7.2.5	Design of timber-concrete-composite members	74
7.3	Separating function method	75
7.3.1	General	75
7.3.2	Protection time	77
7.3.3	Insulation time	80
7.3.4	Position coefficients	81
7.3.5	Joint coefficients	84
7.3.6	Correction times	85
8	Advanced design methods	87
8.1	General	87
8.2	Thermal analysis	87
8.3	Mechanical analysis	87
8.4	Validation of advanced design methods	88
8.5	Thermal properties	88
8.5.1	General	88
8.5.2	Timber and wood-based materials	89
8.5.3	Gypsum plasterboard and gypsum fibreboard	92
8.5.4	Insulation materials	93
8.6	Mechanical properties	94
9	Connections	96
9.1	General	96
9.2	Initially unprotected connections with timber side members	96
9.2.1	General	96
9.2.2	Minimum fire resistance	97
9.2.3	Geometric requirements for a specific fire resistance	97
9.2.4	Exponential reduction method for connections with dowels or bolts	103
9.2.5	Exponential reduction method for connections with nails or screws	105
9.3	Connections with axially loaded mechanical fasteners	108
9.4	Protected connections	109
9.5	Connections with external steel plates	111
9.5.1	Unprotected connections	111
9.5.2	Protected connections	111
9.6	Carpentry connections	111
10	Detailing	112
10.1	General	112
10.2	Panels	113
10.2.1	Dimensions and spacings	113
10.2.2	Fixing and joints of panels	114
10.3	Insulation	117
10.4	Joints in and between elements and to other adjacent components	118
10.5	Penetrations and openings	121
Annex A (informative)	Design of timber structures exposed to physically based design fires	124
A.1	Use of this annex	124
A.2	Scope and field of application	124
A.3	Structural fire load by the timber members	124
A.4	Design models	125
A.4.1	General	125
A.4.2	Encapsulation provided by fire protection systems	126
A.4.3	Design model for general temperature-time curves	126
A.4.3.1	General	126

A.4.3.2	Cumulative temperature charring model	126
A.4.3.3	Effective cross-section	127
A.4.4	Design model for parametric temperature-time curves	129
A.4.4.1	General	129
A.4.4.2	Structural fire load	129
A.4.4.3	Effective cross-section	131
Annex B (normative) Assessment of the bond line integrity in fire		133
B.1	Use of this Annex	133
B.2	Scope and field of application	133
B.3	Bond line integrity of face bonds	133
B.3.1	General	133
B.3.2	Test equipment	134
B.3.3	Test conditions	134
B.3.4	Test specimen and reference specimen	135
B.3.5	Installation of the test specimen	135
B.3.6	Application of instrumentation	135
B.3.7	Test procedure	135
B.3.8	Test results	136
B.3.9	Assessment	137
B.3.10	Presentation of test results	137
B.3.11	Application range of results	137
B.4	Bond line integrity of finger joints in I-shaped timber members	138
B.4.1	General	138
B.4.2	Test equipment	138
B.4.3	Test specimen	138
B.4.4	Test procedure	139
B.4.5	Test results	140
B.4.6	Assessment	140
B.4.7	Application range of results	140
Annex C (normative) Determination of the basic design charring rate		142
C.1	Use of this Annex	142
C.2	Scope and field of application	142
C.3	Test equipment	142
C.4	Test conditions	142
C.5	Test specimen	142
C.5.1	General	142
C.5.2	Test specimen for timber members	143
C.5.3	Test specimen for wood-based panels	144
C.6	Installation of the test specimen	144
C.7	Application of instrumentation	144
C.7.1	General	144
C.7.2	Test specimen for timber members	145
C.7.3	Test specimen with wood-based panels	146
C.8	Test procedure	147
C.9	Test results	147
C.10	Assessment	148
C.10.1	General	148
C.10.2	Determination of the charring rate for timber member	148
C.10.3	Determination of the basic design charring rate for wood-based panel	149
C.11	Application range of results	149
Annex D (normative) Assessment of Protection Level (PL) of the cavity insulation		151
D.1	Use of this Annex	151
D.2	Scope and field of application	151
D.3	Test equipment	151
D.4	Test conditions	151
D.5	Test specimen	151

D.6	Installation of the test specimen	153
D.7	Application of instrumentation	153
D.8	Test procedure	154
D.9	Test results	154
D.10	Assessment	154
Annex E (informative) Assessment of external flaming		155
E.1	Use of this annex	155
E.2	Scope and field of application	155
E.3	External flaming	155
Annex F (informative) Assessment of the failure time of fire protection systems		157
F.1	Use of this annex	157
F.2	Scope and field of application	157
F.3	Failure times	157
Annex G (normative) Implementation rules for the Separating Function Method		159
G.1	Use of this Annex	159
G.2	Scope and field of application	159
G.3	General	159
G.4	Fire testing	159
G.5	Basis for the development of the design equations	162
G.6	Development of the design equations	162
G.7	Verification of the developed design equations	166
Annex I (normative) Design model for timber frame assemblies with I-shaped linear timber members		167
I.1	Use of this annex	167
I.2	Scope and field of application	168
I.3	Design model	168
Annex T (informative) Determination of temperature in timber members		178
T.1	Use of this Annex	178
T.2	Temperature determination	178
Bibliography		180