

# DIN EN 14390:2007-04 (E)

## Fire test - Large-scale room reference test for surface products

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
Introduction .....		6
1	Scope .....	7
2	Normative references .....	7
3	Terms and definitions .....	7
4	Principle .....	8
5	Fire test room .....	8
5.1	Dimensions .....	8
5.2	Doorway .....	9
5.3	Construction material .....	10
6	Ignition source .....	10
6.1	General .....	10
6.2	Location .....	10
6.3	Gas .....	10
6.4	Heat output .....	10
7	Hood and exhaust duct .....	10
8	Instrumentation in the exhaust duct .....	11
8.1	General .....	11
8.2	Volume flow rate .....	11
8.3	Gas analysis .....	11
8.3.1	Sampling line .....	11
8.3.2	Oxygen .....	11
8.3.3	Carbon dioxide .....	11
8.4	Optical density .....	11
8.4.1	General .....	11
8.4.2	Lamp .....	11
8.4.3	Lenses .....	11
8.4.4	Aperture .....	12
8.4.5	Detector .....	12
8.4.6	Location .....	12
9	System performance .....	13
9.1	Calibration .....	13
9.2	System response times .....	13
9.2.1	Procedure .....	13
9.2.2	Delay times .....	13
9.2.3	Response times .....	13
9.3	Precision .....	14
9.4	Methanol calibration .....	14
9.4.1	General .....	14
9.4.2	Container .....	14
9.4.3	Methanol .....	14
9.4.4	Procedure .....	14

9.4.5	Requirements for methanol calibration .....	15
10	Preparation of test specimens .....	15
10.1	Test specimen configuration .....	15
10.2	Boards .....	15
10.3	Mounting .....	15
10.4	Substrates .....	15
10.5	Paints and varnishes .....	15
10.6	Conditioning .....	16
11	Testing .....	16
11.1	Initial conditions .....	16
11.1.1	Ambient temperature .....	16
11.1.2	Ambient wind speed .....	16
11.1.3	Burner .....	16
11.1.4	Photographs .....	16
11.2	Procedure .....	16
11.2.1	Automated recording of data .....	16
11.2.2	Adjustments of burner and exhaust flow .....	17
11.2.3	Photographs .....	17
11.2.4	Observations .....	17
11.2.5	Termination of test .....	17
11.2.6	Damage of tested sample .....	17
11.2.7	Unusual behaviour .....	17
12	Test report .....	17
Annex A (normative) Ignition source .....		19
Annex B (informative) Design of exhaust system .....		20
B.1	General .....	20
B.2	Hood .....	20
B.3	Duct .....	20
B.4	Capacity .....	20
B.5	Alternative systems .....	20
Annex C (informative) Instrumentation in exhaust duct .....		23
C.1	Volume flow .....	23
C.1.1	Bi-directional probe .....	23
C.1.2	Pressure transducer .....	23
C.1.3	Thermocouple .....	23
C.2	Sampling line .....	23
C.2.1	Sampling probe .....	23
C.2.2	Sampling line .....	23
C.2.3	Pump .....	24
C.2.4	Sampling line end .....	24
C.2.5	Specifications .....	24
C.3	Combustion gas analysis .....	24
C.3.1	General .....	24
C.3.2	Oxygen concentration .....	24
C.3.3	Carbon dioxide concentration .....	24
C.4	Optical density .....	25
C.4.1	General .....	25
C.4.2	Calibration .....	25
Annex D (normative) Calculation .....		30
D.1	Volume flow .....	30
D.2	Generated heat effect, calibration and tests process .....	31
D.2.1	Heat release rate from the ignition source .....	31

D.2.2	Heat release rate from the product .....	31
D.2.3	Calculation of total heat release .....	32
D.2.4	Limitations .....	33
D.3	Combustion gases .....	33
D.4	Light obscuration .....	34
D.4.1	General .....	34
D.4.2	Calculation of SPRsmooth .....	35
D.4.3	Calculation of TSP .....	35
D.5	Calculation of FIGRARC and SMOGRARC .....	36
D.5.1	Time to flashover .....	36
D.5.2	Calculation of FIGRARC, Fire Growth RAte index .....	36
D.5.3	Calculation of SMOGRARC, SMOke Growth RAte index .....	37
Annex E (informative) Calculation examples .....		38
E.1	General .....	38
E.2	Example number 1 .....	38
E.3	Example number 2 .....	38
Bibliography .....		43