ISO 19133:2005-10 (E)

Geographic information - Location-based services - Tracking and navigation

Contents

Page

Foreword viii

Introduction ix

1 Scope 1

2 Conformance 1

3 Normative references 2

4 Terms and definitions 2

5 Abbreviated terms and UML notation 6
5.1 Abbreviated terms 6
5.2 UML notation 6

6 Tracking 7
6.1 Semantics 7
6.2 Package: Tracking Service 7
6.3 Package: Point Estimates 21
6.4 Package: Location Transformation 26
6.5 Package: Measured Coordinates 27
6.6 Package: Linear Reference Systems 32

7 Navigation 39
7.1 Semantics 39
7.2 Cost Functions and algorithms 41
7.3 Package: Navigation Service 42
7.4 Package: Cost Function 55
7.5 Package: Preferences 68

8 Address Model 70
8.1 Semantics 70
8.2 Package: Address 70
8.3 Package: Address Elements 74

9 Network 85
9.1 Semantics 85
9.2 Package: Network Model 85
9.3 Package: Turn and Junction 89
9.4 Package: Constraint and Advisory 95
9.5 Package: Link 108
9.6 Package: Network Position 111
9.7 Package: Route 112
9.8 Package: Combined Networks 117

10 Basic implementation packages 120
10.1 Package: Feature Data Model 120
10.2 Package: New Basic Types 124

Annex A (normative) Abstract test suite 127

Annex B (informative) Directed weighted graphs and their algorithms 134

Annex C (informative) View of Standard in terms of RM-ODP Services 137

Bibliography 139

Figures Figure 1 -- Tracking packages 7

Figure 2 -- Context Diagram: TK_Position 8

Figure 3 -- Context Diagram: TK_MobileSubscriber 9

Figure 4 -- Context Diagram: TK_TrackingLocation 10

Figure 5 -- Context Diagram: TK_TrackingService 11

Figure 6 -- Context Diagram: TK_PositionType 12

Figure 7 -- Context Diagram: TK_TrackingLocationSequence 13

Figure 8 -- Context Diagram: TK_Trigger 14

Figure 9 -- Context Diagram: TK_PeriodicTrigger 15

Figure 10 -- Context Diagram: TK_TransitionTrigger 16

Figure 11 -- Context Diagram: TK_TrackingLocationMetadata 17

Figure 12 -- Context Diagram: TK_Transition 18

Figure 13 -- Context Diagram: TK_QualityOfPosition 19

Figure 14 -- Context Diagram: TK_Accuracy 20

Figure 15 -- Context Diagram: TK_AccuracyStatement 20

Figure 16 -- Point Estimate classes 21

Figure 17 -- Geometric interpretations of point estimate types 22

Figure 18 -- Context Diagram: EG_PointEstimateCircle 22

Figure 19 -- Context Diagram: EG_PointEstimateEllipse 23

Figure 20 -- Context Diagram: EG_PointEstimateArc 24

Figure 21 -- Context Diagram: EG_PointEstimateSphere 25

Figure 22 -- Context Diagram: EG_PointEstimateEllipsoid 26

Figure 23 -- Context Diagram: LT_LocationTransformationService 27

Figure 24 -- Measure Position 28

Figure 25 -- Measured Coordinate Systems 29

Figure 26 -- Context Diagram: MC_MeasurePosition 30

Figure 27 -- Context Diagram: MC_CoordinateSystem 30

Figure 28 -- Context Diagram: MC_CoordinateReferenceSystem 31

Figure 29 -- LRS classes 32

Figure 30 -- Context Diagram: LR_PositionExpression 33

Figure 31 -- Context Diagram: LR_LinearReferenceMethod 35

Figure 32 -- Context Diagram: LR_OffsetDirection 35

Figure 33 -- Context Diagram: LR_ReferenceMarker 36

Figure 34 -- Context Diagram: LR_Feature 37

Figure 35 -- Context Diagram: LR_Element 37

Figure 36-- Context Diagram: LR_OffsetExpression 38

Figure 37 -- Navigation Packages 39

Figure 38 -- Example of route from one link position to another 40

Figure 39 -- Services 42

Figure 40 -- Context Diagram: NS_NavigationService 43

Figure 41 -- Context Diagram: NS_RouteRequest 46

Figure 42 -- Context Diagram: NS_Instruction 48

Figure 43 -- Context Diagram: NS_InstructionList 49

Figure 44 -- Context Diagram: NS_RouteResponse 50

Figure 45 -- Context Diagram: NS_CostedTurn 51

Figure 46 -- Context Diagram: NS_RenderingService 51

Figure 47 -- Context Diagram: NS_RenderingRequest 52

Figure 48 -- Context Diagram: NS_RenderingResponse 53

Figure 49 -- Context Diagram: NS_RenderingType 53

Figure 50 -- Context Diagram: NS_CostedLink 54

Figure 51 -- Context Diagram: NS_CostFunctionCode 54

Figure 52 -- Context Diagram: NS_RouteRequestType 55

Figure 53 -- Context Diagram: NS_CostFunction 59

Figure 54 -- Context Diagram: NS_CostElements 59

Figure 55 -- Context Diagram: NS_MonetaryCost 60

Figure 56 -- Context Diagram: NS_Tolls 61

Figure 57 -- Context Diagram: NS_Fares 61

Figure 58 -- Context Diagram: NS_Time 62

Figure 59 -- Context Diagram: NS_TravelTime 62

Figure 60 -- Context Diagram: NS_WaitingTime 63

Figure 61 -- Context Diagram: NS_Counts 64

Figure 62 -- Context Diagram: NS_NumberManeuvers 64

Figure 63 -- Context Diagram: NS_NumberTurns 65

Figure 64 -- Context Diagram: NS_NumberTransfers 65

Figure 65 -- Context Diagram: NS_Distance 66

Figure 66 -- Context Diagram: NS_WeightedCost 67

Figure 67 -- Context Diagram: NS_CostFunctionTerm 68

Figure 68 -- Context Diagram: NS_RoutePreferences 68

Figure 69 -- Context Diagram: NS_AvoidList 69

Figure 70 -- Leaf packages of the Address Model 70

Figure 71 -- Basic Address classes 71

Figure 72 -- Context Diagram: AD_Address 72

Figure 73 -- Context Diagram: AD_AbstractAddress 72

Figure 74 -- Context Diagram: AD_USAddress 74

Figure 75 -- Context Diagram: AD_AddressElement 75

Figure 76 -- Context Diagram: AD_Addressee 76

Figure 77 -- Context Diagram: AD_StreetIntersection 76

Figure 78 -- Context Diagram: AD_Street 78

Figure 79 -- Context Diagram: AD_PostalCode 79

Figure 80 -- Context Diagram: AD_StreetLocation 79

Figure 81 -- Context Diagram: AD_PhoneNumber 80

Figure 82 -- Context Diagram: AD_NamedPlace 81

Figure 83 -- Context Diagram: AD_StreetAddress 82

Figure 84 -- Context Diagram: AD_NamedPlaceClassification 82

Figure 85 -- Context Diagram: AD_Building 83

Figure 86 -- Context Diagram: AD_MuniQuadrant 83

Figure 87 -- Context Diagram: AD_RegionCode 84

Figure 88 -- Context Diagram: AD_NumberRange 85

Figure 89 -- Context Diagram: AD_ListNamedPlaces 85

Figure 90 -- Context Diagram: NT_Network 86

Figure 91 -- Context Diagram: NT_WayPoint 87

Figure 92 -- Context Diagram: NT_WayPointList 88

Figure 93 -- Junction and turns 89

Figure 94 -- Context Diagram: NT_Turn 92

Figure 95 -- Context Diagram: NT_TurnDirection 92

Figure 96 -- Context Diagram: NT_Junction 94

Figure 97 -- Context Diagram: NT_JunctionType 95

Figure 98 -- Context Diagram: NT_AngularDirection 95

Figure 99 -- Context Diagram: NT_Constraint 96

Figure 100 -- Context Diagram: NT_VehicleConstraint 98

Figure 101 -- Context Diagram: NT_TemporalConstraint 99

Figure 102 -- Context Diagram: NT_LaneConstraint 100

Figure 103 -- Context Diagram: NT_Vehicle 101

Figure 104 -- Context Diagram: NT_Advisory 102

Figure 105 -- Context Diagram: NT_SpatialRelation 103

Figure 106 -- Context Diagram: NT_AdvisoryCategory 104

Figure 107 -- Context Diagram: NT_AdvisoryElement 104

Figure 108 -- Context Diagram: NT_ExitAssociation 105

Figure 109 -- Context Diagram: NT_AdvisoryDirection 106

Figure 110 -- Context Diagram: NT_AdvisoryDistance 107

Figure 111 -- Context Diagram: NT_AdvisorySpatialRelation 107

Figure 112 -- Context Diagram: NT_Link 110

Figure 113 -- Context Diagram: NT_RouteSegmentCategory 110

Figure 114 -- Context Diagram: NT_LinkPosition 111

Figure 115 -- Context Diagram: NT_NetworkPosition 112

Figure 116 -- Context Diagram: NT_Route 114

Figure 117 -- Context Diagram: NT_RouteSummary 115

Figure 118 -- Context Diagram: NT_Maneuver 117

Figure 119 -- Combined Networks 117

Figure 120 -- Context Diagram: NT_CombinedNetwork 118

Figure 121 -- Context Diagram: NT_TransferNode 119

Figure 122 -- Context Diagram: NT_Transfer 119

Figure 123 -- Context Diagram: NT_TransferLink 120

Figure 124 -- Feature data classes 120

Figure 125 -- Context Diagram: FD_Feature 121

Figure 126 -- Context Diagram: FD_FeatureCollection 122

Figure 127 -- Context Diagram: FD_QueryFeatureCollection 123

Figure 128 -- Context Diagram: FD_FeatureName 124

Figure 129 -- Context Diagram: VoiceStream 125

Figure 130 -- Context Diagram: BinaryData 125

Figure 131 -- Context Diagram: Map 126

Figure 132 -- Context Diagram: Image 126

Figure C.1 -- Conceptual architecture equating mobile and non-mobile services 137