

DIN V 18599-1:2007-02 (E)

Energy efficiency of buildings - Calculation of the net, final and primary energy demand for heating, cooling, ventilation, domestic hot water and lighting - Part 1: General balancing procedures, terms and definitions, zoning and evaluation of energy carriers

Contents

| | Page |
|--|------|
| Foreword..... | 5 |
| Introduction | 6 |
| 1 Scope | 7 |
| 2 Normative references | 8 |
| 3 Terms and definitions, symbols and units..... | 9 |
| 3.1 Terms and definitions | 9 |
| 3.2 Symbols, units and subscripts..... | 14 |
| 4 Relationship between the parts of the DIN V 18599 series of prestandards | 19 |
| 4.1 Input parameters from other parts of the DIN V 18599 series of prestandards | 19 |
| 4.2 Output parameters for other parts of the DIN V 18599 series of prestandards | 22 |
| 5 Balance calculation | 22 |
| 5.1 General..... | 22 |
| 5.2 Requirements relating to the energy balance..... | 22 |
| 5.2.1 Zoning (partitioning) of the building..... | 23 |
| 5.2.2 Determining the energy needs for each zone..... | 23 |
| 5.2.3 Determining the energy needs for heating and cooling by iteration..... | 23 |
| 5.2.4 Determining system losses, delivered and primary energy..... | 23 |
| 5.2.5 Times and periods | 24 |
| 5.3 Energy need balance calculation | 24 |
| 5.3.1 General..... | 24 |
| 5.3.2 Energy need for lighting | 25 |
| 5.3.3 Energy needs for heating and cooling | 25 |
| 5.3.4 Energy needs for air handling and ventilation of residential spaces..... | 28 |
| 5.3.5 Energy need for domestic hot water..... | 30 |
| 5.4 Balances of energy losses due to control and emission, distribution and storage..... | 30 |
| 5.4.1 Lighting..... | 30 |
| 5.4.2 Heating (heating systems and HVAC heating function) | 30 |
| 5.4.3 Cooling (cooling system and HVAC cooling function) | 32 |
| 5.4.4 Humidification in HVAC systems | 33 |
| 5.4.5 Ventilation of residential buildings | 33 |
| 5.4.6 Domestic hot water supply | 34 |
| 5.4.7 Energy for other process heating or cooling requirements..... | 35 |
| 5.5 Balancing of delivered energy (energy use) | 35 |
| 5.5.1 Delivered energy for lighting | 35 |
| 5.5.2 Delivered energy for heating and cooling and generation losses..... | 35 |
| 5.5.3 Delivered auxiliary energy | 38 |
| 5.5.4 Delivered energy, calculated according to energy carriers | 39 |
| 5.6 Primary energy rating..... | 40 |
| 6 Zoning of buildings..... | 41 |
| 6.1 General description | 42 |
| 6.2 Dividing a building into zones..... | 43 |
| 6.2.1 Zoning step 1: Determining areas with the same usage | 43 |
| 6.2.2 Zoning step 2: Application of additional zoning criteria | 44 |
| 6.3 Serviced areas..... | 46 |
| 6.4 Determination of geometric parameters | 46 |
| 7 Assignment of the balance components | 46 |
| 7.1 General information..... | 47 |
| 7.2 Assignment rules..... | 48 |
| 7.2.1 Case 1: Serviced area and zone are identical..... | 48 |
| 7.2.2 Case 2: Several serviced areas in one zone | 48 |
| 7.2.3 Case 3: Several zones in one serviced area | 49 |

| | | |
|----------------------------|--|-----------|
| 8 | Determination of system boundaries, areas and volumes | 49 |
| 8.1 | Reference dimensions for determining the thermal envelope area and the gross volume | 50 |
| 8.1.1 | Floor plans (horizontal dimensions) | 50 |
| 8.1.2 | Sections (vertical dimensions) | 50 |
| 8.2 | Other reference dimensions | 51 |
| 8.2.1 | Energy reference area | 51 |
| 8.2.2 | Storey height | 51 |
| 8.2.3 | Air volume | 52 |
| 8.2.4 | Characteristic length and width | 52 |
| 8.3 | Input parameters for balance calculation | 52 |
| 9 | Balance calculation approach | 52 |
| 9.1 | General case | 53 |
| 9.2 | Residential buildings | 55 |
| 9.3 | Accuracy of the calculations | 57 |
| Annex A (normative) | Primary energy factors | 58 |
| A.1 | General | 58 |
| A.2 | Boundary conditions for default values | 58 |
| A.3 | Calculation of the primary energy factor of area heating and district heating systems | 59 |
| Annex B (normative) | Conversion of the energy content of energy carriers | 62 |
| B.1 | Default values | 62 |
| B.2 | Deviation from default values | 62 |
| Annex C (normative) | Provisions relating to calculation methods for cogeneration | 63 |
| C.1 | General | 63 |
| C.2 | Determination of power | 63 |
| C.3 | Further provisions for selected heat generators | 63 |
| Bibliography | | 66 |

Figures

| | |
|--|----|
| Figure 1 — Overview of the parts of DIN V 18599 | 7 |
| Figure 2 — Content and scope of DIN V 18599-1 (schematic diagram) | 8 |
| Figure 3 — Subscript system | 17 |
| Figure 4 — Example of zoning | 42 |
| Figure 5 — Building used as an example for assignment | 47 |
| Figure 6 — Reference dimensions (floor plan) | 50 |
| Figure 7 — Reference dimensions (sectional view) | 51 |
| Figure 8 — Relationships within the balance as calculated according to the DIN V 18599 series – General example | 53 |
| Figure 9 — Relationships within the balance as calculated according to the DIN V 18599 series – Residential buildings | 55 |
| Figure A.1 — Method of determining balances of district heating systems | 60 |

Tables

| | |
|--|----|
| Table 1 — Symbols and units | 15 |
| Table 2 — Subscripts | 15 |
| Table 3 — Subscript and designation system | 18 |
| Table 4 — Heat sources and heat sinks | 26 |

| | |
|--|----|
| Table 5 — Additional zoning criteria | 44 |
| Table 6 — Zoning criteria for cooling energy balances | 45 |
| Table A.1 — Primary energy factors..... | 59 |
| Table B.1 — Conversion factors, as a function of energy carrier..... | 62 |