

DIN V 18599-6:2007-02 (E)

Energy efficiency of buildings - Calculation of the net, final and primary energy demand for heating, cooling, ventilation, domestic hot water and lighting - Part 6: Final energy demand of ventilation systems and air heating systems for residential buildings

Contents		Page
Foreword		6
Introduction		8
1	Scope	9
2	Normative references	11
3	Terms, definitions and units	13
3.1	Terms and definitions	13
3.2	Symbols, units and subscripts	18
4.3	Calculation methods	23
4.3.1	Ventilation heat sinks	23
4.3.2	Heat losses, heat gains, auxiliary energy and generator heat output	25
4.3.3	Heat generation with combined heating	27
5	Energy need for heating	29
5.1	Supply air temperature V_{mech}	29
5.1.1	Exhaust ventilation systems	29
5.1.1.1	Exhaust ventilation systems without heat recovery	29
5.1.1.2	Extract air/water heat pump	30
5.1.2	Supply and exhaust ventilation systems	30
5.1.2.1	Supply and exhaust ventilation systems without heat recovery	30
5.1.2.2	Extract air/supply air heat exchangers	30
5.1.2.3	Extract air/supply air heat pumps	33
5.1.2.4	Extract air/water heat pumps	33
5.1.2.5	Extract air/supply air/water heat pumps	34
5.1.3	Air heating systems	34
5.2	Mean ventilation system-driven air change rate n_{mech}	34
5.2.1	Exhaust ventilation systems	34
5.2.2	Supply and exhaust ventilation systems	35
5.2.3	Air heating systems	36
6	Control and emission	37
6.1	General	37
6.2	Heat losses $Q_{rv,ce}$	37
6.3	Auxiliary energy $Q_{rv,ce,aux}$	40
7	Distribution	41
7.1	General	41
7.2	Heat losses $Q_{rv,d}$ and uncontrolled heat gains $Q_{l,rv,d}$	41
7.3	Auxiliary energy $Q_{rv,d,aux}$	45
8	Storage	46
8.1	General	46
8.2	Heat losses $Q_{rv,s}$ and uncontrolled heat gains $Q_{l,rv,s}$	46
8.3	Auxiliary energy $Q_{rv,s,aux}$	48

9	Generation	48
9.1	General	48
9.2	Heat losses $Q_{rv,g}$ and uncontrolled heat gains $Q_{l,rv,g}$	49
9.3	Auxiliary energy $Q_{rv,g,aux}$	51
-- Prestandard -- 9.4 Generator heat output $Q_{rv,outg}$		57
9.4.1	Exhaust ventilation systems	57
9.4.1.1	Without heat recovery	57
9.4.1.2	Extract air/water heat pump	57
9.4.2	Supply and exhaust ventilation systems	62
9.4.2.1	Supply and exhaust ventilation systems without heat recovery	62
9.4.2.2	Extract air/supply air heat exchangers	63
9.4.2.3	Extract air/supply air heat pumps	63
9.4.2.4	Extract air/water heat pump	68
9.4.2.5	Extract air/supply air/water heat pump	72
9.4.3	Air heating systems	73
9.5	Heat input $Q_{rv,reg}$ due to heat recovered from extract air	75
9.5.1	Exhaust ventilation systems	75
9.5.1.1	Exhaust ventilation systems without heat recovery	75
9.5.1.2	Extract air/water heat pump	75
9.5.2	Supply and exhaust ventilation systems	76
9.5.2.1	Supply and exhaust ventilation systems without heat recovery	76
9.5.2.2	Extract air/supply air heat exchangers	76
9.5.2.3	Extract air/supply air heat pump	77
9.5.2.4	Extract air/water heat pump	77
9.5.2.5	Extract air/supply air/water heat pump	79
9.5.3	Air heating systems	79
Annex A (normative) Ventilation systems		80
A.1	Exhaust ventilation systems	80
A.1.1	Exhaust ventilation systems without heat recovery	80
A.1.2	Exhaust ventilation systems with extract air/water heat pump	82
A.2	Supply and exhaust ventilation systems	83
A.2.1	Supply and exhaust ventilation systems without heat recovery	83
A.2.2	Supply and exhaust ventilation systems with extract air/supply air heat exchanger	84
A.2.3	Supply and exhaust ventilation systems with extract air/supply air heat pump, with and without heat exchanger	86
A.2.4	Supply and exhaust ventilation systems with extract air/water heat pump and with heat exchanger	87
A.2.5	Supply and exhaust ventilation systems with extract air/supply air/water heat pump and heat exchanger	88
A.3	Air heating systems	89
A.3.1	With extract air/supply air heat pump, with and without heat exchanger, without recirculation	89
A.3.2	With heat exchanger, with recirculation	90
Bibliography		91
Figures Figure 3 -- System overview of ventilation systems for residential buildings in accordance with DIN 1946-6		11
Figure 4 -- Subscript system		21
-- Prestandard -- Figure A.1 -- Exhaust ventilation system with single-room fans		80
Figure A.2 -- Exhaust ventilation system with central fan		81
Figure A.3 -- Exhaust ventilation system with heat pump		82
Figure A.4 -- Supply and exhaust ventilation system without heat recovery		83

Figure A.5 -- Supply and exhaust ventilation system with extract air/supply air heat exchanger for a building	84
Figure A.6 -- Supply and exhaust ventilation system with extract air/supply air heat exchanger for a single room	85
Figure A.7 -- Supply and exhaust ventilation system with extract air/supply air heat pump (with and without heat exchanger)	86
Figure A.8 -- Supply and exhaust ventilation system with extract air/water heat pump and with heat exchanger	87
Figure A.9 -- Supply and exhaust ventilation system with extract air/supply air/water heat pump and heat exchanger	88
Figure A.10 -- Air heating system with extract air/supply air heat pump, with and without heat exchanger, without recirculation	89
Figure A.11 -- Air heating system with heat exchanger, with recirculation	90
Tables Table 4 -- General boundary conditions for determining the overall efficiency $W\ddot{U}T_{mth}$	32
Table 5 -- Default values for monthly supply air temperature for systems with extract air/supply air heat exchangers without upstream ground/supply air heat exchangers, constructed after 1999	33
Table 6 -- General boundary conditions for determining the operating time trv_{mech}	36
Table 7 -- Factors f to be used when determining control and emission heat losses, $Q_{rv,ce}$	38
Table 8 -- Overall efficiency $\gamma_{rv,ce}$ for heat control and emission in the room	39
Table 9 -- Rated power P_c of the controller for heat control and emission in the room	40
Table 10 -- Boundary conditions 1 for default values used to determine heat losses $Q_{rv,d}$	44
Table 11 -- Boundary conditions 2 for default values used to determine heat losses $Q_{rv,d}$	45
Table 12 -- General boundary conditions for determining the monthly generation heat losses $Q_{rv,g}$ as a function of the type of ventilation system	50
Table 13 -- Default values for determining the heat loss factor $f_{ce,mth}$ in relation to the ventilation system components and the location where they are installed	51
Table 14 -- Degree-day values $FGt, Vorw$ for air preheating (in the respective month), in Kh , as a function of the activation temperature of frost-prevention operation	55
Table 15 -- General boundary conditions for determining the auxiliary energy for heat generation $Q_{rv,g,aux}$ in relation to the type of ventilation system	56
Table 16 -- Default values for the volume flow-related power consumption $P_{el,Vent}$ of the fans	57
-- Prestandard -- Table 17 -- Correction factors f_T und f for temperature deviations	60
Table 18 -- Correction factor f_v for air volume flow deviations	64
Table 19 -- Maximum monthly operating times $t_{on,h,i,max,mth}$ of the extract air/supply air heat pumps in bins i (in the respective month), in h	65
Table 20 -- Default values for the volume flow-related power consumption and the performance coefficient of the heat pump	68
Table 21 -- Default values for determining the monthly generator heat output of the extract air/supply air heat exchanger in combination with an extract air heat pump	68