DIN V 18599-7:2007-02 (E)

Energy efficiency of buildings - Calculation of the net, final and primary energy demand for heating, cooling, ventilation, domestic hot water and lighting - Part 7: Final energy demand of air handling and air conditioning systems for non-residential buildings

Contents

Page

Foreword 8

Introduction 10

1 Scope 11

2 Normative references 13

3 Terms and definitions, symbols and units 14
3.1 Terms and definitions 14
3.2 Symbols, units and subscripts 16

4 Calculation methods 18
4.1 Interfaces to the heating system 19

5 Energy need for air conditioning 21
5.1 Default values for HVAC system components 21
5.1.1 Fans 21
5.1.2 Heat recovery 21
5.2 Notes on selecting a room conditioning (HVAC) system 22
5.3 Energy need for the HVAC heating coils 22
5.3.1 Loss of control and emission for the HVAC ventilation system (air circulation heat losses) 23
5.3.2 Loss of distribution for the HVAC ventilation system (air transport heat losses) 23
5.3.3 Leakage rates 23
5.3.4 Hot water system temperature for HVAC heating coils 24
5.3.5 Demand time for HVAC heating coils 24
5.4 Energy need for the cooling coils 24
5.4.1 Heat demand for control and emission of air to the room (heat losses of air circulation) 25
5.4.2 Heat demand for air distribution (heat losses during air transport) 25
5.4.3 Demand time for HVAC cooling coils 25
5.5 Cooling energy need, room conditioning (cooling) 26
5.5.1 Room conditioning demand time 26
5.6 Energy need for humidification 26

6 Control and emission, distribution and storage 27
6.1 Heating for ventilation systems 27
6.2 (Net) refrigeration energy output 27
6.2.1 Cold for the HVAC system 27
6.2.2 Cooling energy supply for room conditioning 28
6.3 Auxiliary energy for room conditioning 30
6.4 Steam for humidification 30
6.5 Auxiliary energy for cooling-water and chilled water distribution 31
6.5.1 Electrical energy expenditure 31
6.5.1.1 Electrical energy expenditure for distribution 33
6.5.2 Hydraulic energy requirement for distribution 34
6.5.2.1 Pressure loss at the design point 35
6.5.2.2 Approximation values for p 36

6.5.2.3 Pump operating times ... 37
6.5.2.4 Mean distribution load ... 38
6.5.2.5 Correction factor fadj for hydraulic adjustment ... 39
6.5.3 Expenditure factor for pump operation ... 40
6.5.3.1 Efficiency factor fe of the pump ... 40
6.5.3.2 Correction factor fadap for adaptation: ... 41
6.5.3.3 Pump power control during operation ... 41
6.5.3.4 Switching of pumps in parallel-pump installations ... 42

-- Prestandard -- 6.6 Other forms of auxiliary energy (ancillary drives) ... 42
6.6.1 Pump heating coils ... 42
6.6.2 Pumps and drives for heat recovery ... 42
6.6.2.1 Pumps in integrated fluid circulation systems ... 42
6.6.2.2 Rotor drive ... 42
6.6.2.3 Heat pumps ... 43
6.6.3 Water humidifier pumps ... 43
6.6.4 Electrical energy demand for central HVAC unit controls ... 44

7 Delivered energy for refrigeration and steam generation ... 44
7.1 Energy use for refrigeration ... 44
7.1.1 Refrigeration energy output of refrigeration ... 45
7.1.2 Energy use, compression refrigeration units ... 47
7.1.2.1 Compressor-type refrigeration units, water-cooled ... 48
7.1.2.2 Air-cooled compressor-type chillers ... 50
7.1.2.3 Room air conditioning systems, air-cooled ... 51
7.1.3 Net generator energy for heating of absorption chillers ... 53
7.1.4 Gas driven refrigeration units ... 56
7.1.4.1 Direct evaporation systems (refrigerant distribution) with variable refrigerant mass flow (VRF systems) ... 56
7.1.4.2 Direct-fired absorption refrigeration systems ... 56
7.1.6 Energy use for recooling ... 58
7.1.7 Fractions of energy use for refrigeration and distribution ... 61
7.2 Delivered energy for steam supply ... 62

8 Delivered energy ... 63
8.1 Refrigeration equipment for cooling ... 63
8.1.1 Electrical energy for compressor-type chillers ... 63
8.1.2 Steam for heating absorption chillers ... 63
8.2 Steam generation for humidification ... 64
8.3 Auxiliary energy for HVAC and air conditioning (electrical) ... 64
8.3.1 Auxiliary energy for steam supply ... 64
8.3.2 Other forms of auxiliary energy and recovered energy ... 64

Annex A (normative) Characteristics relating to air conditioning ... 66

A.1 General ... 66

Annex B (normative) Methods for determining the part load values of refrigeration ... 82

B.1 General ... 82
B.2 Partial load characteristics of air-cooled refrigeration units ... 83
B.3 Partial load characteristics of water-cooled refrigeration units ... 84
B.4 Partial load characteristics of recooling systems ... 88

Annex C (normative) Heat sources and sinks ... 91

C.1 General ... 91
C.2 Heat sources ... 91
C.3 Heat sinks ... 91

Annex D (informative) Guidelines for calculating the electrical energy expenditure for cooling-water and chilled-water distribution systems ... 92

D.1 General 92
D.2 Specific volume flow in the distribution circuit 92
D.3 Pressure losses pZ at the design point 93
D.4 Annual pump operating times Id,t 93
D.5 Specific electrical power for water distribution 93
D.6 Electrical energy expenditure for distribution 94

-- Prestandard -- Annex E (informative) Interfaces 95

Annex F (normative) Default values for refrigeration equipment in existing systems 97

F.1 Existing systems from 1990 onwards 97
F.2 Existing systems before 1995 97

Annex G (normative) Estimation of heat recovery 98

G.1 Estimation of heat recovery for existing systems 98
G.2 Estimation of temperature ratios in fixed plate heat exchangers 98
G.3 Estimation of the temperature ratio for rotary heat exchangers 99
G.4 Rotary heat exchangers with sorption material 100
G.5 Estimation of the temperature ratio in integrated fluid circulation coil heat exchangers ..101

Annex H (normative) External air volume flow and specific power demand of fans in existing systems 102

H.1 Evaluation of energy demand 102
H.2 Use of values 102

Bibliography 103

-- Prestandard -- Figures Figure 2 -- System principle of heating, ventilation and air conditioning (HVAC) systems of non- residential buildings 12

Figure 4 -- Heating for the HVAC system 18

Figure 5 -- Cooling for the HVAC system 18

Figure 6 -- Cooling energy for room conditioning 19

Figure 7 -- Steam generation for humidification 19

Figure 8 -- Procedure for calculating the pump energy demand for cooling-water and chilled water .33

Figure D.1 -- Example of a multi-circuit chilled-water distribution system 92

Figure G.1 -- Dimensions of heat exchanger (notation) 99

Figure G.2 -- Rotary heat exchangers without sorption material 99

Figure G.3 -- Rotary heat exchangers with sorption material 100

Figure G.4 -- Estimation of the temperature ratio for integrated fluid circulation coil heat exchangers 101

Tables Table 1 -- Symbols, units and subscripts 16

Table 3 -- Default values for fans 21

Table 5 -- Default values for the supply air temperature difference per type of room conditioning system (only to be used for proof of energy performance, not for design purposes) 22

Table 6 -- Minimum utilization factor for demand-oriented space cooling 26

Table 7 -- Factors for cooling, HVAC system (mean annual value) 28

Table 8 -- Factors (mean annual values) for room conditioning 29

Table 9 -- Default values for the specific energy demand of fans for room conditioning 30

Table 10 -- Essential parameters for electrical energy expenditure for cooling and chilled water networks 32

Table 11 -- Specific pressure loss R in kPa/m and additional share of individual flow resistances z in pipework 36

Table 12 -- Assumed values for pressure losses across components in distribution circuits 37

Table 13 -- Operating modes 38

Table 14 -- Values of CP1 and CP2 in relation to the pump operating mode 41

Table 15 -- Electrical power for rotor drives 43

Table 16 -- Default values for water humidifiers (mean annual values) 44

Table 17 -- Overview of refrigeration systems modelled using the characteristic value method 45

Table 18 -- Examples of zoning for cooling supply 46

-- Prestandard -- Table 19 -- Types of partial load control of water-cooled compressor-type refrigeration units evaluated by the characteristic value method 48

Table 20 -- Default values for the rated energy efficiency ratio of cooling EER for water-cooled chillers 49

Table 21 -- Types of partial load control of air-cooled compressor-type chillers evaluated by the characteristic value method 50

Table 22 -- Default values for the rated energy efficiency ratio of cooling EER for air-cooled compressor chillers 51

Table 23 -- Types of partial load control of air-cooled room air conditioning systems evaluated by the characteristic value method 52

Table 24 -- Rated energy efficiency ratios of cooling EER for air-cooled room air conditioning systems with < 12 kW 52

Table 25 -- Rated energy efficiency ratios of cooling EER for air-cooled room air conditioning systems with > 12 kW 52

Table 26 -- Types of partial load control of absorption chillers evaluated by the characteristic value method 54

Table 27 -- Rated heat ratio for single-stage absorption chillers 55

Table 28 -- Rated heat ratio for direct-fired refrigeration units 57

Table 29 -- Specific electrical energy demand qR,electr of recooling systems 59

Table 30 -- Energy fractions for evaluating the energy characteristics of indirect cooling systems (chillers) 61

Table 31 -- Energy fractions for evaluating the energy characteristics of direct cooling systems (direct evaporation units) 62

Table 32 -- Delivered energy factors for steam generation 63

Table A.1 -- Relationship between the type of usage and tables of characteristics 67

Table A.2 -- Partial load characteristics (types of usage: 1, 2, 3, 4, 5, 16, 17, 18, 20) 68

Table A.3 -- Partial load characteristics (types of usage: 6, 7, 28, 29, 30) 69

Table A.4 -- Partial load characteristics (type of usage: 8) 70

Table A.5 -- Partial load characteristics (types of usage: 9, 26) 71

Table A.6 -- Partial load characteristics (type of usage: 10) 72

Table A.7 -- Partial load characteristics (type of usage: 11) 73

Table A.8 -- Partial load characteristics (type of usage: 12) 74

Table A.9 -- Partial load characteristics (types of usage: 13, 14, 15) 75

Table A.10 -- Partial load characteristics (type of usage: 21) 76

Table A.11 -- Partial load characteristics (type of usage: 22) 77

Table A.12 -- Partial load characteristics (types of usage: 23, 24) 78

Table A.13 -- Partial load characteristics (type of usage: 25) 79

Table A.14 -- Partial load characteristics (type of usage: 27) 80

Table A.15 -- Partial load characteristics (type of usage: 31) 81

Table B.1 -- Distribution rules for partial load demand values per partial load stage kn 83

Table B.2 -- Correlation between partial load stages kn and external air temperatures for air-cooled refrigeration units 83

-- Prestandard -- Table B.3 -- Part load value PLVn for air-cooled refrigeration units 84

Table B.4 -- Partial load factor f1,n for water-cooled refrigeration units per partial load stage kn 85

Table D.1 -- Specific volume flows 92

Table D.2 -- Pressure losses at the design point 93

Table D.3 -- Annual pump operating times 93

Table D.4 -- Electrical energy expenditure for distribution 94

Table E.1 -- Input parameters 95

Table E.2 -- Output parameters 96

Table F.1 -- Factor taking into account the age of existing refrigeration equipment 97

Table G.1 -- Estimation of the temperature ratio t for fixed plate heat exchangers 98