

### Contents

	Page
Foreword.....	5
Introduction .....	7
1 Scope .....	8
2 Normative references .....	9
3 Terms and definitions, symbols and units .....	11
3.1 Terms and definitions .....	11
3.2 Symbols, units and subscripts .....	14
4 Relationship between the parts of the DIN V 18599 series of prestandards .....	17
4.1 Input parameters from other parts of the DIN V 18599 series of prestandards .....	18
4.2 Output parameters for other parts of the DIN V 18599 series of prestandards .....	19
4.2.1 Generator heat .....	20
4.2.2 Delivered energy.....	21
4.2.3 Auxiliary energy.....	21
4.2.4 Uncontrolled heat gains.....	22
4.3 Calculation procedure.....	22
4.3.1 Calculation procedure for systems to meet the heating need for domestic hot water $Q_{w,b}$ .....	22
5 Principles and boundary conditions .....	23
6 Determination of characteristic values .....	25
6.1 Control and emission $Q_{w,ce}$ .....	25
6.2 Distribution $Q_{w,d}$ .....	25
6.2.1 Central domestic hot water supply in buildings .....	25
6.2.1.1 Thermal losses .....	25
6.2.1.2 Auxiliary energy for circulation of the heated domestic water.....	28
6.2.2 Decentralized and central domestic water heating in individual dwellings .....	31
6.3 Storage $Q_{w,s}$ .....	32
6.3.1 Indirectly heated domestic hot water storage tanks .....	32
6.3.1.1 Thermal loss.....	32
6.3.1.2 Auxiliary energy for charging an indirectly heated domestic hot water storage tank.....	35
6.3.2 Electrically-heated domestic storage water heaters .....	36
6.3.3 Gas-fired domestic storage water heaters.....	38
6.4 Heat generation .....	40
6.4.1 Solar systems for domestic water heating .....	41
6.4.2 Heat pumps with hot water preparation.....	47
6.4.2.1 Energy requirement for domestic hot water.....	48
6.4.2.2 Power and coefficient of performance (COP) of the heat pump in domestic hot water operation .....	52
6.4.2.3 Running time of the heat pump.....	54
6.4.2.4 Generator thermal losses .....	55
6.4.2.5 Calculation of the total energy consumption for domestic hot water operation.....	57
6.4.2.6 Auxiliary energy.....	58
6.4.2.7 Energy consumption of the back-up system.....	59
6.4.2.8 Total energy consumption.....	60
6.4.2.9 Contribution of ambient heat .....	60
6.4.2.10 Seasonal performance factor for the generator subsystem .....	60
6.4.3 Electric instantaneous heaters .....	61
6.4.4 Multiple boiler systems.....	61
6.4.5 Determination of the expenditure for heat generation for domestic hot water .....	61
6.4.5.1 Fuel-fired systems (boilers).....	61
6.4.5.2 Auxiliary energy for operation of a heat generator.....	63
6.4.6 Direct-fired storage water heaters (gas) .....	69

6.4.7	District heating .....	69
6.4.8	Combined heat and power .....	70
<b>Annex A</b>	<b>(normative) Energy use to meet the heating need.....</b>	<b>71</b>
<b>A.1</b>	<b>General information .....</b>	<b>71</b>
<b>A.1.1</b>	<b>Principles of the calculation method .....</b>	<b>71</b>
<b>A.2</b>	<b>Electrically driven heat pumps .....</b>	<b>71</b>
<b>A.3</b>	<b>Heat pumps with combustion drive .....</b>	<b>72</b>
<b>Annex B</b>	<b>(normative) Heat pumps .....</b>	<b>73</b>
<b>B.1</b>	<b>Coefficient of performance (<math>COP_{w,t}</math>) of domestic hot water heat pumps .....</b>	<b>73</b>
<b>B.2</b>	<b>Electrical input energy to compensate for storage losses <math>P_{es}</math>.....</b>	<b>73</b>
<b>B.3</b>	<b>Extract air domestic hot water heat pumps and extract air/supply air domestic hot water heat pumps .....</b>	<b>73</b>
<b>B.4</b>	<b>Basement air domestic hot water heat pumps .....</b>	<b>74</b>
<b>Annex C</b>	<b>(normative) Calculation procedures for systems to meet the heating need for domestic hot water <math>Q_{w,b}</math> .....</b>	<b>75</b>
<b>C.1</b>	<b>General information .....</b>	<b>75</b>
<b>C.2</b>	<b>Calculation examples .....</b>	<b>75</b>
<b>Annex D</b>	<b>(informative) Dimensioning of buildings .....</b>	<b>78</b>
<b>D.1</b>	<b>General information .....</b>	<b>78</b>
<b>Bibliography</b> .....		<b>81</b>

## Figures

Figure 1	— Overview of the parts of DIN V 18599 .....	7
Figure 2	— Content and scope of DIN V 18599-8 (schematic diagram).....	9
Figure 3	— Subscript system .....	17
Figure 4	— Example of a domestic hot water heating system .....	23
Figure 5	— Designation of pipes in domestic hot water pipe systems.....	27
Figure A.1	— Energy balance of an electrically driven heat pump with integrated domestic hot water storage tank.....	71
Figure C.1	— Example of the partitioning of a building into a number of areas (domestic water heating).....	76
Figure C.2	— Example of the partitioning of a building into a number of domestic hot water supply lines (decentralized supply) .....	77
Figure D.1	— Building geometry .....	78

## Tables

Table 1	— Symbols and units.....	14
Table 2	— Subscripts .....	16
Table 3	— Input parameters.....	18
Table 4	— Output parameters.....	20
Table 5	— General boundary conditions.....	24
Table 6	— General boundary conditions.....	27
Table 7	— Heat transfer coefficients $U_i$ in $W/(m \cdot K)$ .....	28
Table 8	— Constants $C_{p1}$ , $C_{p2}$ for calculation of the expenditure factor of circulation pumps.....	31

Table 9 — General boundary conditions .....	32
Table 10 — Distribution of annual solar contribution over months .....	43
Table 11 — Correction factor for inclination and alignment.....	44
Table 12 — Default values .....	46
Table 13 — Monthly hours sum $n_{\text{hours},j}$ in the individual bins, distributed according to the testing points from DIN EN 14511 (all parts) .....	49
Table 14 — Mean source temperature for ground and groundwater as a function of the average outdoor temperature .....	52
Table 15 — Mean source temperature for ground and groundwater as a function of the average monthly outdoor temperature .....	53
Table 16 — Source temperatures for extract air systems .....	53
Table 17 — Efficiency factors .....	65
Table 18 — Radiation loss factors.....	66
Table 19 — Stand-by heat factors .....	67
Table 20 — Auxiliary energy factors.....	68
Table 21 — $D_{\text{DS}}$ as a function of primary temperature and the type of dwelling substation .....	70
Table 22 — Coefficient $B_{\text{DS}}$ as a function of the class of insulation and the type of dwelling substation .....	70
Table B.1 — Default value for the coefficient of performance ( $COP_{\text{w,t}}$ ) of domestic hot water heat pumps .....	73
Table B.2 — Default value for the electrical input energy to compensate for storage tank losses .....	73