

# ISO 9917-1:2007-10 (E)

## Dentistry - Water-based cements - Part 1: Powder/liquid acid-base cements

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Classification .....</b>	<b>2</b>
<b>5</b>	<b>Material .....</b>	<b>2</b>
<b>6</b>	<b>Preparation of test specimens .....</b>	<b>3</b>
<b>7</b>	<b>Sampling .....</b>	<b>3</b>
<b>8</b>	<b>Requirements .....</b>	<b>3</b>
<b>9</b>	<b>Packaging, marking and information to be supplied by manufacturer .....</b>	<b>4</b>
	<b>Annex A (normative) Determination of net setting time .....</b>	<b>7</b>
	<b>Annex B (informative) Chemical composition and applications of dental cements .....</b>	<b>9</b>
	<b>Annex C (normative) Determination of film thickness (luting cements only) .....</b>	<b>10</b>
	<b>Annex D (normative) Determination of compressive strength .....</b>	<b>12</b>
	<b>Annex E (normative) Determination of acid erosion .....</b>	<b>14</b>
	<b>Annex F (normative) Determination of optical properties (polyalkenoate restorative cements only) .....</b>	<b>17</b>
	<b>Annex G (normative) Determination of acid-soluble arsenic and lead contents .....</b>	<b>20</b>
	<b>Annex H (normative) Determination of radio-opacity .....</b>	<b>21</b>
	<b>Bibliography .....</b>	<b>23</b>