

DIN EN ISO 4049:2010-03 (E)

Dentistry - Polymer-based restorative materials (ISO 4049:2009)

Contents		Page
Foreword		3
Introduction		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Classification	6
5	Requirements	6
5.1	Biocompatibility	6
5.2	Physical and chemical properties	6
5.3	Shade, restorative materials	8
5.4	Colour stability after irradiation and water sorption	8
5.5	Radio-opacity	8
6	Sampling	9
7	Test methods	9
7.1	General reagent -- Water	9
7.2	Test conditions	10
7.3	Inspection	10
7.4	Preparation of test specimens	10
7.5	Measurement of film thickness of luting materials	10
7.6	Working time, Class 1 and Class 3 restorative materials, excluding luting materials	13
7.7	Working time, Class 1 and Class 3 luting materials	15
7.8	Setting time, Class 1 and Class 3 materials	15
7.9	Sensitivity to ambient light, Class 2 materials	17
7.10	Depth of cure, Class 2 materials	18
7.11	Flexural strength	19
7.12	Water sorption and solubility	22
7.13	Shade and colour stability after irradiation and water sorption	25
7.14	Radio-opacity	26
8	Packaging, marking and instructions and information to be supplied by the manufacturer	29
8.1	Packaging	29
8.2	Marking	29
8.3	Manufacturer's instructions and information for the user	31
Bibliography		32