

ISO 4049:2009-10 (E)

Dentistry - Polymer-based restorative materials

Contents		Page
Foreword		iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Classification	2
5	Requirements	2
5.1	Biocompatibility	2
5.2	Physical and chemical properties	2
5.3	Shade, restorative materials	4
5.4	Colour stability after irradiation and water sorption	4
5.5	Radio-opacity	4
6	Sampling	5
7	Test methods	5
7.1	General reagent -- Water	5
7.2	Test conditions	6
7.3	Inspection	6
7.4	Preparation of test specimens	6
7.5	Measurement of film thickness of luting materials	6
7.6	Working time, Class 1 and Class 3 restorative materials, excluding luting materials	9
7.7	Working time, Class 1 and Class 3 luting materials	11
7.8	Setting time, Class 1 and Class 3 materials	11
7.9	Sensitivity to ambient light, Class 2 materials	13
7.10	Depth of cure, Class 2 materials	14
7.11	Flexural strength	15
7.12	Water sorption and solubility	18
7.13	Shade and colour stability after irradiation and water sorption	21
7.14	Radio-opacity	22
8	Packaging, marking and instructions and information to be supplied by the manufacturer	25
8.1	Packaging	25
8.2	Marking	25
8.3	Manufacturer's instructions and information for the user	27
Bibliography		28