

ISO 22112:2017-08 (E)

Dentistry - Artificial teeth for dental prostheses

Contents		Page
Foreword		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Classification	2
5	Requirements	2
5.1	General	2
5.1.1	Biocompatibility	2
5.1.2	Dimensions of teeth	2
5.1.3	Colour and blending of shades	2
5.1.4	Surface finish	2
5.1.5	Porosity and other defects	3
5.2	Ceramic teeth	3
5.2.1	Radioactivity	3
5.2.2	Anchorage	3
5.2.3	Resistance to thermal shock	3
5.3	Polymer teeth	3
5.3.1	Bonding to denture base polymer	3
5.3.2	Resistance to blanching, distortion and crazing	3
5.3.3	Colour stability	3
5.3.4	Dimensional stability	3
6	Sampling	4
7	Measurement and test methods	4
7.1	Visual inspection	4
7.2	Dimensions of teeth	4
7.2.1	Reagents and/or materials	4
7.2.2	Apparatus	4
7.2.3	Procedure	4
7.3	Comparison with shade guide	5
7.3.1	Reagents and/or materials	5
7.3.2	Apparatus	5
7.4	Surface finish of ceramic teeth	5
7.4.1	Reagents and/or materials	5
7.4.2	Apparatus	6
7.4.3	Processing	6
7.4.4	Grinding	6
7.5	Surface finish of polymer teeth	6
7.5.1	Reagents and/or materials	6
7.5.2	Apparatus	7
7.5.3	Processing	7
7.6	Porosity of ceramic teeth and other defects	7
7.6.1	Reagents and/or materials	7
7.6.2	Apparatus	7
7.6.3	Preparation of specimens	8
7.6.4	Procedure	8

7.7	Porosity of polymer teeth and other defects	8
7.7.1	Reagents and/or materials	8
7.7.2	Apparatus	8
7.7.3	Procedure	8
7.8	Radioactivity of ceramic teeth	9
7.8.1	Reagents and/or materials	9
7.8.2	Apparatus	9
7.8.3	Sample preparation	10
7.8.4	Counting procedure	10
7.8.5	Assessment of results	10
7.9	Anchorage of ceramic teeth to denture base polymers	10
7.9.1	Reagents and/or materials	10
7.9.2	Apparatus	10
7.9.3	Procedure	10
7.10	Resistance of ceramic teeth to thermal shock	10
7.10.1	Reagents and/or materials	10
7.10.2	Apparatus	10
7.10.3	Preparation of specimens	11
7.10.4	Procedure	11
7.11	Bonding of polymer teeth to denture-base polymers	11
7.11.1	Reagents and/or materials	11
7.11.2	Apparatus	11
7.11.3	Procedure	12
7.12	Resistance to blanching, distortion and crazing of polymer teeth	14
7.12.1	Sampling	14
7.12.2	Reagents and/or materials	14
7.12.3	Apparatus	14
7.12.4	Conditioning of test specimens	15
7.12.5	Procedure for exposure to monomer	15
7.12.6	Visual inspection	15
7.13	Colour stability of polymer teeth	15
7.13.1	General	15
7.13.2	Reagents and/or materials	15
7.13.3	Procedure	15
7.14	Dimensional stability of polymer teeth	15
7.14.1	Reagents and/or materials	15
7.14.2	Apparatus	16
7.14.3	Procedure	16
8	Marking, labelling, and information to be supplied by the manufacturer	16
8.1	Marking and labelling	16
8.2	Information to be supplied by manufacturer	16
8.2.1	Mould chart	16
8.2.2	Shade guide	17
8.3	Manufacturer's instructions for use	17
9	Packaging	17
	Bibliography	18