

ISO 21563:2021-08 (E)

Dentistry - Hydrocolloid impression materials

| Contents | | Page |
|-----------------|---|-------------|
| | Foreword | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Classification of agar hydrocolloid impression materials | 3 |
| 5 | Requirements — Characteristics and properties | 4 |
| 6 | Pre-test planning approaches | 5 |
| 6.1 | General..... | 5 |
| 6.2 | Sampling..... | 5 |
| 6.3 | Pre-test product examinations..... | 5 |
| 6.3.1 | General..... | 5 |
| 6.3.2 | Examinations for compliance with labelling requirements..... | 5 |
| 6.3.3 | Examinations for effectiveness of the packaging..... | 5 |
| 6.3.4 | Examinations for compliance with requirements for instructions for use..... | 6 |
| 6.4 | Essential pre-test preparatory practices..... | 6 |
| 6.4.1 | Laboratory conditions..... | 6 |
| 6.4.2 | Apparatus function verification steps..... | 6 |
| 6.4.3 | Test material handling and use..... | 6 |
| 6.4.4 | Simulated oral time/temperature treatment of specimens formed in completely closed moulds..... | 7 |
| 6.4.5 | Order of conducting tests..... | 7 |
| 6.4.6 | Test schedules timing..... | 7 |
| 6.4.7 | Pass/fail determinations..... | 7 |
| 6.4.8 | Expression of test results..... | 8 |
| 7 | Test methods | 8 |
| 7.1 | General..... | 8 |
| 7.2 | Working time test (alginate materials only)..... | 8 |
| 7.2.1 | Apparatus and materials (the array of devices or materials used or available for an undertaking)..... | 8 |
| 7.2.2 | Specimen preparation..... | 8 |
| 7.2.3 | Test procedure..... | 9 |
| 7.2.4 | Pass/fail determinations/and expression of results..... | 9 |
| 7.3 | Initial setting time test (alginate impression materials only)..... | 9 |
| 7.3.1 | Apparatus..... | 9 |
| 7.3.2 | Specimen preparation..... | 9 |
| 7.3.3 | Test procedure..... | 9 |
| 7.3.4 | Pass/fail determinations and expression of results..... | 10 |
| 7.4 | Detail reproduction test before and after specimen disinfection..... | 10 |
| 7.4.1 | Apparatus and materials..... | 10 |
| 7.4.2 | Examination and conditioning of equipment and accessories..... | 10 |
| 7.4.3 | Specimen preparation..... | 10 |
| 7.4.4 | Test procedure steps..... | 12 |
| 7.4.5 | Pass/fail determination and expression of results..... | 12 |
| 7.5 | Compatibility with gypsum test..... | 12 |
| 7.5.1 | Apparatus and materials..... | 12 |
| 7.5.2 | Specimen preparation..... | 13 |
| 7.5.3 | Test procedure..... | 14 |
| 7.5.4 | Pass/fail determination and expression of results..... | 14 |

| | | |
|----------|--|-----------|
| 7.6 | Elastic recovery test..... | 14 |
| 7.6.1 | Apparatus and materials..... | 14 |
| 7.6.2 | Specimen preparation..... | 14 |
| 7.6.3 | Test procedure..... | 15 |
| 7.6.4 | Calculation of results..... | 16 |
| 7.6.5 | Pass/fail determinations and expression of results..... | 16 |
| 7.7 | Strain-in-compression test..... | 16 |
| 7.7.1 | Apparatus and materials..... | 16 |
| 7.7.2 | Specimen preparation..... | 16 |
| 7.7.3 | Test procedure..... | 16 |
| 7.7.4 | Calculation of results..... | 17 |
| 7.7.5 | Pass/fail determinations and expression of results..... | 17 |
| 7.8 | Tear strength test..... | 17 |
| 7.8.1 | Apparatus and materials..... | 17 |
| 7.8.2 | Specimen preparation..... | 18 |
| 7.8.3 | Test procedure..... | 19 |
| 7.8.4 | Calculation of results..... | 19 |
| 7.8.5 | Pass/fail determinations and expression of results..... | 19 |
| 7.9 | Linear dimensional change test (Type 3A agar materials with companion alginate only)..... | 20 |
| 7.9.1 | Apparatus and materials..... | 20 |
| 7.9.2 | Specimen preparation..... | 20 |
| 7.9.3 | Test procedure..... | 21 |
| 7.9.4 | Calculation of results..... | 21 |
| 7.9.5 | Pass and fail determinations and expression of results..... | 21 |
| 7.10 | Tensile bond strength test (Type 3A agar/companion alginate material specimen only)..... | 21 |
| 7.10.1 | Apparatus..... | 21 |
| 7.10.2 | Specimen preparation..... | 22 |
| 7.10.3 | Specimen preparation steps..... | 22 |
| 7.10.4 | Test procedure steps..... | 23 |
| 7.10.5 | Calculation of results..... | 23 |
| 7.10.6 | Pass/fail determination and expression of results..... | 23 |
| 8 | Requirements — Labelling and instructions for use..... | 23 |
| 8.1 | Labelling..... | 23 |
| 8.2 | Requirements — Instructions for use..... | 24 |
| 8.2.1 | General..... | 24 |
| 8.2.2 | For all hydrocolloid impression materials covered by this document — Agar and alginate..... | 24 |
| 8.2.3 | Additional instructions for agar hydrocolloid impression materials only..... | 25 |
| 8.2.4 | Additional instructions for alginate hydrocolloid materials only..... | 25 |
| | Annex A (informative) Figures illustrating instruments and accessories used in tests..... | 27 |
| | Annex B (informative) Tear test specimen preparation steps for an optional gripping method..... | 41 |
| | Bibliography..... | 46 |