DIN EN ISO 21563:2022-02 (E)

Dentistry - Hydrocolloid impression materials (ISO 21563:2021)

Contents

Page

European foreword ... **4**

Foreword ... **5**

1 Scope ... **6**

2 Normative references ... **6**

3 Terms and definitions ... **6**

4 Classification of agar hydrocolloid impression materials ... **8**

5 Requirements — Characteristics and properties ... **9**

6 Pre-test planning approaches ... **10**
6.1 General ... 10
6.2 Sampling ... 10
6.3 Pre-test product examinations ... 10
6.3.1 General ... 10
6.3.2 Examinations for compliance with labelling requirements ... 10
6.3.3 Examinations for effectiveness of the packaging ... 10
6.3.4 Examinations for compliance with requirements for instructions for use ... 11
6.4 Essential pre-test preparatory practices ... 11
6.4.1 Laboratory conditions ... 11
6.4.2 Apparatus function verification steps ... 11
6.4.3 Test material handling and use ... 11
6.4.4 Simulated oral time/temperature treatment of specimens formed in completely closed moulds ... 12
6.4.5 Order of conducting tests ... 12
6.4.6 Test schedules timing ... 12
6.4.7 Pass/fail determinations ... 12
6.4.8 Expression of test results ... 13

7 Test methods ... **13**
7.1 General ... 13
7.2 Working time test (alginate materials only) ... 13
7.2.1 Apparatus and materials (the array of devices or materials used or available for an undertaking) ... 13
7.2.2 Specimen preparation ... 13
7.2.3 Test procedure ... 14
7.2.4 Pass/fail determinations/and expression of results ... 14
7.3 Initial setting time test (alginate impression materials only) ... 14
7.3.1 Apparatus ... 14
7.3.2 Specimen preparation ... 14
7.3.3 Test procedure ... 14
7.3.4 Pass/fail determinations and expression of results ... 15
7.4 Detail reproduction test before and after specimen disinfection ... 15
7.4.1 Apparatus and materials ... 15
7.4.2 Examination and conditioning of equipment and accessories ... 15
7.4.3 Specimen preparation ... 15
7.4.4 Test procedure steps ... 17
7.4.5 Pass/fail determination and expression of results ... 17
7.5 Compatibility with gypsum test ... 17
7.5.1 Apparatus and materials ... 17
7.5.2 Specimen preparation ... 18
7.5.3 Test procedure ... 19
7.5.4 Pass/fail determination and expression of results ... 19

7.6 Elastic recovery test 19
7.6.1 Apparatus and materials 19
7.6.2 Specimen preparation 19
7.6.3 Test procedure 20
7.6.4 Calculation of results 21
7.6.5 Pass/fail determinations and expression of results 21
7.7 Strain-in-compression test 21
7.7.1 Apparatus and materials 21
7.7.2 Specimen preparation 21
7.7.3 Test procedure 21
7.7.4 Calculation of results 22
7.7.5 Pass/fail determinations and expression of results 22
7.8 Tear strength test 22
7.8.1 Apparatus and materials 22
7.8.2 Specimen preparation 23
7.8.3 Test procedure 24
7.8.4 Calculation of results 24
7.8.5 Pass/fail determinations and expression of results 24
7.9 Linear dimensional change test (Type 3A agar materials with companion alginate only) 25
7.9.1 Apparatus and materials 25
7.9.2 Specimen preparation 25
7.9.3 Test procedure 26
7.9.4 Calculation of results 26
7.9.5 Pass and fail determinations and expression of results 26
7.10 Tensile bond strength test (Type 3A agar/companion alginate material specimen only) 26
7.10.1 Apparatus 26
7.10.2 Specimen preparation 27
7.10.3 Specimen preparation steps 27
7.10.4 Test procedure steps 28
7.10.5 Calculation of results 28
7.10.6 Pass/fail determination and expression of results 28
8 Requirements — Labelling and instructions for use 28
8.1 Labelling 28
8.2 Requirements — Instructions for use 29
8.2.1 General 29
8.2.2 For all hydrocolloid impression materials covered by this document — Agar and alginate 29
8.2.3 Additional instructions for agar hydrocolloid impression materials only 30
8.2.4 Additional instructions for alginate hydrocolloid materials only 30
Annex A (informative) **Figures illustrating instruments and accessories used in tests 32**
Annex B (informative) **Tear test specimen preparation steps for an optional gripping method 46**
Bibliography 51