

DIN EN ISO 21563:2022-02 (E)

Dentistry - Hydrocolloid impression materials (ISO 21563:2021)

Contents

Page

| | |
|---|-----------|
| European foreword | 4 |
| Foreword | 5 |
| 1 Scope | 6 |
| 2 Normative references | 6 |
| 3 Terms and definitions | 6 |
| 4 Classification of agar hydrocolloid impression materials | 8 |
| 5 Requirements — Characteristics and properties | 9 |
| 6 Pre-test planning approaches | 10 |
| 6.1 General | 10 |
| 6.2 Sampling | 10 |
| 6.3 Pre-test product examinations | 10 |
| 6.3.1 General | 10 |
| 6.3.2 Examinations for compliance with labelling requirements | 10 |
| 6.3.3 Examinations for effectiveness of the packaging | 10 |
| 6.3.4 Examinations for compliance with requirements for instructions for use | 11 |
| 6.4 Essential pre-test preparatory practices | 11 |
| 6.4.1 Laboratory conditions | 11 |
| 6.4.2 Apparatus function verification steps | 11 |
| 6.4.3 Test material handling and use | 11 |
| 6.4.4 Simulated oral time/temperature treatment of specimens formed in completely closed moulds | 12 |
| 6.4.5 Order of conducting tests | 12 |
| 6.4.6 Test schedules timing | 12 |
| 6.4.7 Pass/fail determinations | 12 |
| 6.4.8 Expression of test results | 13 |
| 7 Test methods | 13 |
| 7.1 General | 13 |
| 7.2 Working time test (alginate materials only) | 13 |
| 7.2.1 Apparatus and materials (the array of devices or materials used or available for an undertaking) | 13 |
| 7.2.2 Specimen preparation | 13 |
| 7.2.3 Test procedure | 14 |
| 7.2.4 Pass/fail determinations/and expression of results | 14 |
| 7.3 Initial setting time test (alginate impression materials only) | 14 |
| 7.3.1 Apparatus | 14 |
| 7.3.2 Specimen preparation | 14 |
| 7.3.3 Test procedure | 14 |
| 7.3.4 Pass/fail determinations and expression of results | 15 |
| 7.4 Detail reproduction test before and after specimen disinfection | 15 |
| 7.4.1 Apparatus and materials | 15 |
| 7.4.2 Examination and conditioning of equipment and accessories | 15 |
| 7.4.3 Specimen preparation | 15 |
| 7.4.4 Test procedure steps | 17 |
| 7.4.5 Pass/fail determination and expression of results | 17 |
| 7.5 Compatibility with gypsum test | 17 |
| 7.5.1 Apparatus and materials | 17 |
| 7.5.2 Specimen preparation | 18 |
| 7.5.3 Test procedure | 19 |
| 7.5.4 Pass/fail determination and expression of results | 19 |

| | | |
|----------|--|-----------|
| 7.6 | Elastic recovery test..... | 19 |
| 7.6.1 | Apparatus and materials..... | 19 |
| 7.6.2 | Specimen preparation..... | 19 |
| 7.6.3 | Test procedure..... | 20 |
| 7.6.4 | Calculation of results..... | 21 |
| 7.6.5 | Pass/fail determinations and expression of results..... | 21 |
| 7.7 | Strain-in-compression test..... | 21 |
| 7.7.1 | Apparatus and materials..... | 21 |
| 7.7.2 | Specimen preparation..... | 21 |
| 7.7.3 | Test procedure..... | 21 |
| 7.7.4 | Calculation of results..... | 22 |
| 7.7.5 | Pass/fail determinations and expression of results..... | 22 |
| 7.8 | Tear strength test..... | 22 |
| 7.8.1 | Apparatus and materials..... | 22 |
| 7.8.2 | Specimen preparation..... | 23 |
| 7.8.3 | Test procedure..... | 24 |
| 7.8.4 | Calculation of results..... | 24 |
| 7.8.5 | Pass/fail determinations and expression of results..... | 24 |
| 7.9 | Linear dimensional change test (Type 3A agar materials with companion alginate only)..... | 25 |
| 7.9.1 | Apparatus and materials..... | 25 |
| 7.9.2 | Specimen preparation..... | 25 |
| 7.9.3 | Test procedure..... | 26 |
| 7.9.4 | Calculation of results..... | 26 |
| 7.9.5 | Pass and fail determinations and expression of results..... | 26 |
| 7.10 | Tensile bond strength test (Type 3A agar/companion alginate material specimen only)..... | 26 |
| 7.10.1 | Apparatus..... | 26 |
| 7.10.2 | Specimen preparation..... | 27 |
| 7.10.3 | Specimen preparation steps..... | 27 |
| 7.10.4 | Test procedure steps..... | 28 |
| 7.10.5 | Calculation of results..... | 28 |
| 7.10.6 | Pass/fail determination and expression of results..... | 28 |
| 8 | Requirements — Labelling and instructions for use..... | 28 |
| 8.1 | Labelling..... | 28 |
| 8.2 | Requirements — Instructions for use..... | 29 |
| 8.2.1 | General..... | 29 |
| 8.2.2 | For all hydrocolloid impression materials covered by this document — Agar and alginate..... | 29 |
| 8.2.3 | Additional instructions for agar hydrocolloid impression materials only..... | 30 |
| 8.2.4 | Additional instructions for alginate hydrocolloid materials only..... | 30 |
| | Annex A (informative) Figures illustrating instruments and accessories used in tests..... | 32 |
| | Annex B (informative) Tear test specimen preparation steps for an optional gripping method..... | 46 |
| | Bibliography..... | 51 |