

# DIN EN 13850:2013-04 (E)

## Postal services - Quality of service - Measurement of the transit time of end-to-end services for single piece priority mail and first class mail

---

<b>Contents</b>		<b>Page</b>
Foreword .....		6
<b>0</b>	<b>Introduction .....</b>	<b>7</b>
0.1	General .....	7
0.2	Regulatory background .....	7
<b>1</b>	<b>Scope .....</b>	<b>8</b>
<b>2</b>	<b>Normative references .....</b>	<b>8</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>9</b>
<b>4</b>	<b>Symbols and abbreviations .....</b>	<b>15</b>
<b>5</b>	<b>Transit time as a Quality-of-Service indicator .....</b>	<b>16</b>
5.1	General .....	16
5.2	Transit time calculation .....	17
5.2.1	Measurement unit .....	17
5.2.2	Continuity of measurement .....	17
5.2.3	Calculation of the transit time .....	17
5.3	Service performance indicators .....	18
<b>6</b>	<b>Methodology .....</b>	<b>18</b>
6.1	Representative sample design .....	18
6.2	Minimum Sample Size (MSS) .....	19
6.2.1	Domestic measurement systems .....	19
6.2.2	Cross-border measurement systems .....	19
6.3	Determination of the design basis .....	20
6.3.1	General .....	20
6.3.2	Estimation of real mail flows .....	20
6.3.3	Design basis .....	21
6.4	Discriminant Mail Characteristics (DMC) .....	21
6.4.1	General .....	21
6.4.2	Determination of the discriminant mail characteristics .....	21
6.4.3	Geographical stratification .....	22
6.5	Geographical distribution of the panel .....	23
6.5.1	General .....	23
6.5.2	Small panels up to 90 panellists .....	23
6.5.3	Bigger panels over 90 panellists .....	24
6.6	Integrity of the measurement .....	25
6.7	Unbiased sample design .....	26
<b>7</b>	<b>Report .....</b>	<b>26</b>
7.1	Measurement results .....	26
7.2	Estimators .....	27
7.2.1	Accuracy .....	27
7.2.2	Panel turnover in relation to accuracy .....	27
7.3	Weighting of the results .....	28
7.3.1	Reasons for implementing a weighting system .....	28
7.3.2	Weighting caps .....	28
7.3.3	Design changes due to annual mail characteristic and postal flow changes .....	29

7.4	Content and timing .....	29
8	Quality control and auditing .....	30
9	The annexes .....	31
Annex A (normative) Accuracy calculation .....		32
A.1	Scope .....	32
A.1.1	General .....	32
A.1.2	Two stage sampling approach .....	32
A.1.3	Covariance / Stratification / Accuracy calculation .....	32
A.1.4	The design factor .....	32
A.2	Symbols .....	33
A.3	Variance calculation for one stratum .....	33
A.3.1	General calculation method .....	33
A.3.2	Relation-to-total variation .....	34
A.3.3	Intra-relation variation .....	34
A.4	Variance calculation for a stratified sample .....	35
A.4.1	Variance of a weighted sample design .....	35
A.4.2	Final weight of the individual item .....	35
A.4.3	Weighting basis .....	36
A.4.4	Combination of weighting and covariance .....	36
A.5	Calculation of the confidence interval .....	37
A.5.1	General .....	37
A.5.2	Normal approximation .....	37
A.5.3	Agresti-Coull approximation .....	39
A.5.4	Inverse Beta approximation .....	40
Annex B (normative) Transit Time Calculation Rule .....		41
B.1	Working week transit time calculation rule / domestic and cross-border mail .....	41
B.2	Calculation rules .....	42
B.2.1	Rule 1: Collection Monday-Friday / Delivery Monday-Friday .....	42
B.2.2	Rule 2: Collection Monday-Friday / Delivery Tuesday-Saturday .....	43
B.2.3	Rule 3: Collection Monday-Friday / Delivery Monday-Saturday .....	44
B.2.4	Rule 4: Collection Monday-Saturday / Delivery Monday-Friday .....	45
B.2.5	Rule 5: Collection Sunday-Friday / Delivery Monday-Friday .....	46
B.2.6	Rule 6: Collection Monday-Saturday / Delivery Monday-Saturday .....	47
B.2.7	Rule 7: Collection Sunday-Friday / Delivery Monday-Saturday .....	48
Annex C (normative) Quality control and auditing .....		49
C.1	Quality Control .....	49
C.1.1	Statistical design .....	49
C.1.2	Test item production .....	49
C.1.3	Provision of test items to the sender panellists .....	49
C.1.4	Sending test items .....	50
C.1.5	Receiving test items .....	50
C.1.6	Data collection .....	50
C.1.7	Data analysis and reporting .....	50
C.1.8	Archiving .....	51
C.1.9	Quality control and Information Technology (IT) .....	51
C.2	Auditing - general remarks .....	51
C.3	Audit of the design basis .....	52
C.3.1	General .....	52
C.3.2	Methodological audit .....	52
C.3.3	Results .....	52
C.4	Audit of the Quality-of-Service measurement system .....	53
C.4.1	Panel audit .....	53
C.4.2	Stability of the parameters .....	53
C.4.3	Instructions given to the panellists .....	53

C.4.4	General Audit of the system .....	53
Annex D (normative) Relaxation related to flows with small real mail volumes .....		54
D.1	General .....	54
D.1.1	Scope .....	54
D.1.2	Measurement period .....	54
D.1.3	Minimum Sample Size (MSS) .....	54
D.2	Domestic mail flows .....	55
D.3	Cross-border mail flows .....	56
Annex E (informative) Purpose of postal Quality of Service standards .....		58
E.1	General .....	58
E.2	Benefits of QoS standards .....	58
E.3	Use of the survey results for quality improvement .....	59
E.3.1	Detailed analysis .....	59
E.3.2	Other / broader concepts .....	59
F.2	Responsibilities .....	60
F.2.1	General .....	60
F.2.2	Regulatory authority .....	61
F.2.3	Postal operator .....	61
F.2.4	Independent Performance monitoring organisation .....	62
F.2.5	Auditor .....	62
F.3	Design of the measurement system .....	63
F.3.1	Design parameters .....	63
F.3.2	Field of study .....	64
F.3.3	Geographical coverage .....	65
F.3.4	Design requirements due to national peculiarities .....	66
F.4	Small mail volumes .....	66
F.4.1	General .....	66
F.4.2	Domestic .....	66
F.4.3	Cross border .....	66
F.5	Measurement organisation .....	67
F.5.1	Role of the contractor .....	67
F.5.2	Independence .....	67
F.5.3	Tender process .....	67
Annex G (informative) Design basis .....		68
G.1	Discriminant characteristics .....	68
G.1.1	Representative sample design .....	68
G.1.2	Studies for the evaluation of possible candidates .....	69
G.1.3	Connection between Design Basis and Sample Design .....	71
G.2	Design basis .....	72
G.2.1	Real mail studies for domestic mail .....	72
G.2.2	Real mail studies for cross border mail .....	75
G.2.3	Alternative design bases .....	75
G.3	Frequency of update .....	76
H.1	Stages of the survey .....	77
H.1.1	Preparation .....	77
H.1.2	Set-up .....	77
H.1.3	Pilot (testing phase) .....	77
H.1.4	Faster implementation .....	78
H.1.5	Measurement period .....	78
H.2	Panellists .....	79
H.2.1	Representativeness .....	79
H.2.2	Risk of panellist identification .....	79
H.2.3	Induction and delivery .....	80
H.2.4	Panel turnover .....	82

H.3	Validation and transit time calculation .....	82
H.3.1	Data validation .....	82
H.3.2	Service standard .....	84
H.3.3	Transit-time calculation rule .....	85
H.3.4	Loss .....	86
H.3.5	Force majeure .....	86
H.4	Weighting .....	88
H.4.1	Weighting and stratification .....	88
H.4.2	Weighting caps .....	93
H.5	Reporting of results .....	95
H.5.1	Reporting .....	95
H.5.2	Archiving .....	97
H.6	Audit .....	98
H.6.1	General .....	98
H.6.2	Position of the auditor .....	98
H.6.3	Audit report .....	98
H.6.4	Selection of the auditor .....	99
H.6.5	Frequency of audit .....	99
H.7	Implementation timetables .....	99
<b>Annex I (informative) Application of the accuracy calculation .....</b>		<b>103</b>
I.1	Limitations of the accuracy calculation methods provided .....	103
I.1.1	Participants with high mail loads .....	103
I.1.2	Disproportional models beyond the capping system .....	103
I.2	Recommendations for the application of the rules .....	104
I.2.1	Unstratified end-to-end sample .....	104
I.2.2	Stratified simple random sample .....	104
I.2.3	Approximation of the Binomial distribution .....	105
I.2.4	Accuracy .....	105
I.2.5	Accuracy application .....	105
I.3	The sample size .....	107
I.4	General Example for a national yearly result .....	107
I.4.1	Introduction .....	107
I.4.2	Design factor for an unstratified end-to-end sample .....	109
I.4.3	Design factor for a stratified random sample .....	110
I.4.4	Accuracy calculation .....	111
I.5	Simplified scenarios .....	113
I.5.1	General .....	113
I.5.2	Transit time results up to 96 % .....	113
I.5.3	Fully proportional sample .....	113
I.5.4	Single induction / delivery point .....	114
I.5.5	Induction / delivery point with only one letter .....	114
J.1	Methodology .....	115
J.1.1	Accuracy and Minimum Sample Size (MSS) .....	115
J.1.2	MSS for flows with small real mail volumes .....	115
J.2	Transit-time calculation rule .....	116
J.3	Accuracy calculation method .....	116
J.3.1	Improved applicability .....	116
J.3.2	Reduced bias in calculation .....	116