

DIN EN 16258:2013-03 (E)

Methodology for calculation and declaration of energy consumption and GHG emissions of transport services (freight and passengers)

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | 4 |
| Introduction | | 5 |
| 1 | Scope | 6 |
| 2 | Terms, definitions and abbreviations | 6 |
| 2.1 | General terms | 6 |
| 2.2 | Specific terms | 9 |
| 3 | Units and symbols | 11 |
| 3.1 | Energy | 11 |
| 3.2 | GHG emissions | 11 |
| 4 | Quantification boundaries | 12 |
| 4.1 | General | 12 |
| 4.2 | Processes included | 12 |
| 4.3 | Processes not included | 12 |
| 4.4 | Greenhouse gases | 13 |
| 4.5 | Carbon offsetting and emissions trading | 13 |
| 5 | Principles of calculation of energy consumption and GHG emissions in transport services | 13 |
| 5.1 | General objectives | 13 |
| 5.2 | Steps of the calculation of energy consumption and GHG emissions of one transport service | 14 |
| 5.3 | Sub steps for the calculation of energy consumption and GHG emissions of one leg of one transport service | 14 |
| 5.4 | Categories of values used for the calculation | 14 |
| 5.4.1 | General | 14 |
| 5.4.2 | Use of default values | 15 |
| 6 | Principles of identification of the different legs of a transport service | 15 |
| 7 | Principles of the calculation at the vehicle operation system (VOS) level | 15 |
| 7.1 | General | 15 |
| 7.2 | Sub step 2.1: Establishing the VOS related to the leg | 15 |
| 7.3 | Sub step 2.2: Quantification of the total fuel consumption for the VOS | 16 |
| 7.4 | Sub step 2.3: Calculation of total energy consumption and GHG emissions for the VOS .. | 16 |
| 8 | Principles of allocation to cargo and/or passengers | 17 |
| 8.1 | General | 17 |
| 8.2 | Basic principles | 18 |
| 8.3 | Allocation parameters and units | 18 |
| 8.3.1 | General | 18 |
| 8.3.2 | Allocation for passengers | 18 |
| 8.3.3 | Allocation for freight | 18 |
| 8.3.4 | Combined transport of passengers and freight | 19 |
| 8.4 | Data collecting | 20 |
| 9 | Principles of summing the results for each leg | 20 |

| | | |
|--|--|-----------|
| 10 | Declaration | 20 |
| 10.1 | General | 20 |
| 10.2 | Possibility to make a short declaration | 21 |
| 10.3 | Supporting information | 21 |
| 10.3.1 | General statement | 21 |
| 10.3.2 | Transparent description of the method | 21 |
| Annex A (normative) Energy and GHG emission factors | | 23 |
| A.1 | Transport fuels | 23 |
| A.1.1 | General | 23 |
| A.1.2 | Consistency between sources | 23 |
| A.1.3 | Table of energy and GHG emission factors | 23 |
| A.1.4 | Biofuel Blends | 25 |
| A.1.5 | Specified fuels | 28 |
| A.2 | Electricity | 28 |
| A.2.1 | Well-to-wheels energy factors | 28 |
| A.2.2 | Well-to-wheels emission factors | 28 |
| A.2.3 | Tank-to-wheels energy factor | 29 |
| A.2.4 | Tank-to-wheels emission factor | 29 |
| Annex B (normative) Allocation methods for ferries (maritime transport) | | 30 |
| B.1 | General | 30 |
| B.2 | Mass method | 30 |
| B.3 | Area method | 31 |
| B.4 | Default values | 31 |
| Annex C (informative) Inclusion of empty trips into a VOS | | 32 |
| C.1 | General | 32 |
| C.2 | Example for a simple case | 32 |
| C.3 | Example of a VOS for a distribution or collection round trip | 33 |
| Annex D (informative) Template for declaration of categories of values used | | 34 |
| Annex E (informative) Example for passengers: transport service by bus | | 35 |
| E.1 | Description of the example | 35 |
| E.2 | Example with use of specific measured values | 36 |
| E.3 | Example with use of transport operator fleet values | 37 |
| E.4 | Example with use of default values | 38 |
| E.5 | Example with use of transport operator specific values | 38 |
| E.6 | Overview of the results | 39 |
| Annex F (informative) Examples for freight | | 40 |
| F.1 | Transport service of freight transport by train | 40 |
| F.1.1 | Description of the example | 40 |
| F.1.2 | Example with use of specific measured values | 41 |
| F.1.3 | Example with use of transport operator specific values | 42 |
| F.1.4 | Examples with use of default values | 43 |
| F.1.5 | Overview of the results | 45 |
| F.2 | Transport service of freight transport by container ship | 45 |
| F.2.1 | Description of the example | 45 |
| F.2.2 | Example with use of specific measured values | 46 |
| F.2.3 | Example with use of default values | 47 |
| F.2.4 | Overview of the results | 48 |
| Annex G (informative) Example for combined passenger and freight transport: ferry lines | | 49 |

| | | |
|---|---|-----------|
| G.1 | Description of the example | 49 |
| G.2 | Results and comparison of the two allocation methods | 49 |
| Annex H (informative) Detailed sources used and calculations done for establishment of Table A.1 . | | 51 |
| Annex I (informative) Example of available sources of default values | | 65 |
| Bibliography | | 66 |