

DIN EN 14534:2016-11 (E)

Postal services - Quality of service - Measurement of the transit time of end-to-end services for bulk mail

| Contents | | Page |
|----------------------------------------------------------------|-------------------------------------------------------|-------------|
| European foreword | | 5 |
| Introduction | | 6 |
| 1 | Scope | 8 |
| 2 | Normative references | 9 |
| 3 | Terms and definitions | 9 |
| 4 | Symbols and abbreviations | 18 |
| 5 | Transit time as a Quality-of-Service indicator | 19 |
| 5.1 | General | 19 |
| 5.2 | Transit time calculation | 19 |
| 6 | Methodology | 22 |
| 6.1 | Representative sample design | 22 |
| 6.2 | Minimum Sample Size (MSS) | 22 |
| 6.3 | The design basis | 22 |
| 6.4 | Discriminant Mail Characteristics (DMC) | 23 |
| 6.5 | Geographical distribution of the receiver panel | 25 |
| 6.6 | Creation of test mail | 26 |
| 6.7 | Documentation of date and time of posting | 29 |
| 6.8 | Integrity of the measurement | 29 |
| 7 | Report | 31 |
| 7.1 | Measurement results | 31 |
| 7.2 | Service Performance Indicators | 31 |
| 7.3 | Weighting of the results | 32 |
| 7.4 | Content | 33 |
| 8 | Quality control | 34 |
| 9 | The Annexes | 35 |
| Annex A (normative) Accuracy calculation | | 36 |
| A.1 | Scope | 36 |
| A.2 | Symbols | 37 |
| A.3 | Variance calculation for one stratum | 38 |
| A.4 | Variance calculation for a stratified sample | 40 |
| A.5 | Calculation of the confidence interval | 42 |
| Annex B (normative) Transit Time Calculation | | 46 |
| B.1 | Basic Principles | 46 |
| B.2 | The date of induction | 46 |
| B.3 | The transit-time calculation rules | 47 |
| Annex C (normative) Comparability of Measurement Results | | 50 |

| | | |
|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------|
| C.1 | General | 50 |
| C.2 | Same service provider - Different measurement periods | 52 |
| C.3 | Different service providers - Same measurement period | 53 |
| C.4 | Cases of limited comparability | 54 |
| Annex D (normative) Design of aggregated Fields of Study | | 56 |
| D.1 | General | 56 |
| D.2 | Possible types of aggregation | 56 |
| D.3 | Design requirements | 58 |
| D.4 | Reporting | 59 |
| Annex E (normative) Additional Requirements for continuous Fields of Study [CMS/SCMS] | | 60 |
| E.1 | Scope | 60 |
| E.2 | Methodology | 60 |
| E.3 | Report | 65 |
| E.4 | Quality Control | 66 |
| E.5 | Audit | 67 |
| Annex F (normative) Quality control | | 68 |
| F.1 | Statistical design | 68 |
| F.2 | Address seeding | 68 |
| F.3 | Test mail production | 68 |
| F.4 | Sending test items | 69 |
| F.5 | Receiving test items | 69 |
| F.6 | Data collection | 69 |
| F.7 | Data analysis and reporting | 69 |
| F.8 | Archiving | 70 |
| F.9 | Quality control and Information Technology (IT) | 70 |
| Annex G (normative) Auditing | | 71 |
| G.1 | General | 71 |
| G.2 | Audit of the design basis | 71 |
| G.3 | Audit of the Quality-of-Service measurement system | 72 |
| Annex H (informative) Purpose of postal Quality of Service standards | | 73 |
| H.1 | General | 73 |
| H.2 | Benefits of QoS standards | 73 |
| H.4 | Detailed analysis | 76 |
| H.5 | Other / broader concepts | 76 |
| I.2 | Design of the measurement system | 78 |
| I.3 | Measurement organization | 82 |
| Annex J (informative) Design basis | | 84 |
| J.1 | Discriminant characteristics | 84 |
| J.2 | Studies for the evaluation of possible candidates | 85 |
| J.3 | Connection between Design Basis and Sample Design | 87 |
| J.4 | Design basis | 88 |
| J.5 | Frequency of update [CMS/SCMS] | 91 |
| K.1 | Stages of the survey | 92 |
| K.2 | Representativeness | 93 |
| K.3 | Risk of panellist identification | 94 |
| K.4 | Induction and delivery | 94 |
| K.5 | Panel turnover | 96 |

| | | |
|----------------------------------------------------------------------------|-----------------------------------------------------------------------|------------|
| K.6 | Validation and transit time calculation | 97 |
| K.7 | Weighting | 101 |
| K.8 | Reporting of results | 108 |
| K.9 | Audit [SCMS] | 109 |
| Annex L (informative) Application of the accuracy calculation | | 112 |
| L.1 | Limitations of the accuracy calculation methods provided | 112 |
| L.2 | Recommendations for the application of the rules | 112 |
| L.3 | The sample size | 114 |
| L.4 | General Example for a national yearly result | 115 |
| L.5 | Simplified scenarios | 121 |
| M.1 | Reasons for the review | 122 |
| M.2 | Increased applicability | 122 |
| M.3 | Updated methodology | 123 |
| Bibliography | | 125 |