

DIN EN 17837:2026-04 (E)

Postal Services - Parcel Delivery Environmental Footprint - Methodology for calculation and declaration of GHG emissions and air pollutants of parcel logistics delivery services

Contents		Page
European foreword		5
Introduction		6
1	Scope	8
2	Normative references	8
3	Terms and definitions	8
3.1	General terms	8
3.2	Specific terms	17
4	Symbols and units	19
5	General principles	19
6	Quantification boundaries	20
6.1	Definition of parcel delivery elements	20
6.1.1	General	20
6.1.2	Modes of transport	21
6.1.3	Location operations	21
6.2	Principles of quantification	22
6.2.1	General	22
6.2.2	Processes included	22
6.2.3	Processes not included	24
6.2.4	Carbon offsetting and emissions trading	25
6.3	Principles of allocation	25
6.3.1	General	25
6.3.2	Allocation parameter	25
6.3.3	Allocation	26
7	Activities regarding the quantification and reporting of environmental impacts from parcel delivery service	26
7.1	Steps in the quantification of emissions within a parcel transport chain	26
7.2	Identification of the different elements within a parcel transport chain	27
7.3	Sub steps for the calculation of emissions	29
7.3.1	Transport operation	29
7.3.2	Location operation	30
7.4	Operational data inputs used for the calculation	30
7.4.1	Transport operation	30
7.4.2	Location operation	32
7.4.3	Use of default values	33
8	Quantification of emissions	33
8.1	At the transport operation category level	33
8.1.1	General	33
8.1.2	Sub step 3.1-T: Establishing a transport operation category (TOC)	33
8.1.3	Sub step 3.2-T: Quantification of the emission activity data for the TOC	34
8.1.4	Sub step 3.3-T: Calculation of emissions for the TOC	34

8.2	At the Hub Operation Category level	36
8.2.1	General	36
8.2.2	Sub step 3.1-L: Establishing a Hub Operation Category (HOC)	36
8.2.3	Sub step 3.2-L: Quantification of activity data for the HOC	36
8.2.4	Sub step 3.3-L: Calculation of emissions for the HOC	37
9	Allocation of emissions to parcel level	38
9.1	Transport operation	38
9.1.1	General	38
9.1.2	Allocation parameters and units	39
9.1.3	Allocation by transport operator	42
9.1.4	Allocation by the transport service organizer	43
9.2	Location operation	43
9.2.1	General	43
9.2.2	Allocation parameter	44
9.2.3	Allocation by transport operator	44
9.2.4	Allocation by parcel transport service organizer	45
10	Approach to summing the results for each parcel transport chain element	45
11	Reporting	46
Annex A (informative) GHG emission factors		47
A.1	General	47
Annex B (normative) Allocation methods for combined parcel and passengers		50
B.1	General	50
B.2	Mass method	50
B.3	Area method	50
B.4	Default values	51
Annex C (informative) Inclusion of empty trips into a TOC		52
C.1	General	52
C.2	Example for a simple case	52
C.3	Example of a parcel collection and delivery round trip	53
Annex D (informative) Template for declaration of categories of values used		54
Annex E (informative) Example of available sources of default values		56
Annex F (informative) Sample calculation example		58
F.1	Calculation of air pollutant emissions	58
F.1.1	Road transport-related air pollutant emission calculations	58
F.1.2	Electricity-related air pollutant emission calculations	61
F.1.3	Calculation of a parcel specific air pollutant emission values	62
F.2	Calculation of 4 parcel specific GHG emission values	66
F.2.1	General	66
F.2.2	Identify HOCs and TOCs	69
F.2.3	Quantify GHG emissions	69
F.2.4	Allocate GHG emissions	72
F.2.5	Final Results to be reported	75
F.3	Calculation of parcel specific emission values for packaging materials	76
F.3.1	General	76
F.3.2	Identify HOCs and TOCs	76
F.3.3	Quantify GHG emissions	77
F.3.4	Allocate GHG emissions	77
F.4	Calculation of parcel specific emission values for cloud computing	78
F.4.1	General	78

F.4.2	Identify HOCs and TOCs	78
F.4.3	Quantify GHG emissions	78
F.4.4	Allocate GHG emissions	78
F.5	Calculation of parcel specific emission values for waste	79
F.5.1	General	79
F.5.2	Identify HOCs and TOCs	79
F.5.3	Quantify GHG emissions	79
F.5.4	Allocate GHG emissions	80
Bibliography		81