ISO 9241-307:2008-11 (E)

Ergonomics of human-system interaction - Part 307: Analysis and compliance test methods for electronic visual displays

Contents

Page

Foreword x

Introduction xii

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Guiding principles 2

5 Compliance routes 2
5.1 CRT displays for indoor use -- Display laboratory method 2
5.1.1 Intended context of use 2

Table 1 -- Intended context of use -- CRT displays 3
5.1.2 Information about the technology 6

Table 2 -- Basic physical attributes of CRT visual displays 6
5.1.3 Compliance assessment method 6

Table 3 -- Viewing conditions 7

Table 4 -- Assessment and reporting for design viewing direction 8

Table 5 -- Viewing conditions 9

Table 6 -- Display luminance 10

Table 7 -- Assessment and reporting for display luminance -- Artificial information 10

Table 8 -- Assessment and reporting for display luminance -- Reality information 10

Table 9 -- Luminance 11

Table 10 -- Assessment and reporting for luminance and contrast adjustment 13

Table 11 -- Special physical environments 13

Table 12 -- Visual artefacts 14

Table 13 -- Assessment and reporting for luminance non-uniformity 15

Table 14 -- Visual artefacts 15

Table 15 -- Assessment and reporting for colour non-uniformity 16

Table 16 -- Visual artefacts 16

Table 17 -- Visual artefacts 17

Table 18 -- Assessment and reporting for unwanted reflections -- Artificial information 19

Table 19 -- Assessment and reporting for unwanted reflections -- Reality information 19

Table 20 -- Visual artefacts 20

Table 21 -- Legibility and readability 20

Table 22 -- Assessment and reporting for luminance contrast -- Artificial information 21

Table 23 -- Assessment and reporting for luminance contrast -- Reality information 22

Table 24 -- Legibility and readability 22

Table 25 -- Legibility of information coding 26

Table 26 -- Assessment and reporting for luminance coding -- Artificial information 26

Table 27 -- Legibility of information coding 27

Table 28 -- Assessment and reporting for colour coding -- Artificial information 27

Table 29 -- Legibility of information coding 28

Table 30 -- Legibility of graphics 28

Table 31 -- Fidelity 30

Table 32 -- Assessment and reporting for colour gamut and reference white -- Artificial information 32

Table 33 -- Assessment and reporting for colour gamut and reference white -- Reality information . 33

Table 34 -- Fidelity 34

Table 35 -- Assessment and reporting for electro-optical transfer functions and grey scale -- Artificial information 35

Table 36 -- Assessment and reporting for electro-optical transfer functions and grey scale -- Reality information 35

Table 37 -- Fidelity 36

5.2 Emissive flat-panel LCD for indoor use -- Display laboratory method 38

5.2.1 Intended context of use 38

Table 38 -- Intended context of use -- Emissive flat-panel LCD 39

Table 39 -- Design viewing direction range 41

5.2.2 Information about the technology 46

Table 40 -- Basic physical attributes of emissive flat-panel LCD 46

5.2.3 Compliance assessment 46

Table 41 -- Viewing conditions 47

Table 42 -- Assessment and reporting for design viewing direction 48

Table 43 -- Viewing conditions 52

Table 44 -- Luminance 52

Table 45 -- Assessment and reporting for display luminance -- Artificial information and isotropic visual displays 53

Table 46 -- Assessment and reporting for display luminance -- Artificial information and anisotropic visual displays 53

Table 47 -- Assessment and reporting for display luminance -- Reality information and isotropic visual displays 53

Table 48 -- Assessment and reporting for display luminance -- Reality information and anisotropic visual displays 54

Table 49 -- Luminance 54

Table 50 -- Assessment and reporting for luminance and contrast adjustment 55

Table 51 -- Special physical environments 56

Table 52 -- Visual artefacts 57

Table 53 -- Assessment and reporting for luminance non-uniformity -- Artificial information -- Isotropic visual displays 58

Table 54 -- Assessment and reporting for luminance non-uniformity -- Artificial information -- Anisotropic visual displays 58

Table 55 -- Assessment and reporting for luminance non-uniformity -- Reality information -- Isotropic visual displays 59

Table 56 -- Assessment and reporting for luminance non-uniformity -- Reality information -- Anisotropic visual displays 59

Table 57 -- Visual artefacts 60

Table 58 -- Assessment and reporting for colour non-uniformity -- Artificial information -- Isotropic visual displays 60

Table 59 -- Assessment and reporting for colour non-uniformity -- Artificial information -- Anisotropic visual displays 61

Table 60 -- Assessment and reporting for colour non-uniformity -- Reality information -- Isotropic visual displays 62

Table 61 -- Assessment and reporting for colour non-uniformity -- Reality information -- Anisotropic visual displays 62

Table 62 -- Visual artefacts 63

Table 63 -- Pixel fault classification 64

Table 64 -- Visual artefacts 65

Table 65 -- Assessment and reporting for unwanted reflections -- Artificial information -- Isotropic visual displays 67

Table 66 -- Assessment and reporting for unwanted reflections -- Artificial information -- Anisotropic visual displays 67

Table 67 -- Assessment and reporting for unwanted reflections -- Reality information-- Isotropic visual displays 68

Table 68 -- Assessment and reporting for unwanted reflections -- Reality information -- Anisotropic visual displays 68

Table 69 -- Visual artefacts 69

Table 70 -- Legibility and readability 70

Table 71 -- Assessment and reporting for luminance contrast -- Artificial information -- Isotropic visual displays 71

Table 72 -- Assessment and reporting for luminance contrast -- Artificial information -- Anisotropic visual displays 71

Table 73 -- Assessment and reporting for luminance contrast -- Reality information -- Isotropic visual displays 72

Table 74 -- Assessment and reporting for luminance contrast -- Reality information -- Anisotropic visual displays 72

Table 75 -- Legibility and readability 73

Table 76 -- Legibility of information coding 75

Table 77 -- Assessment and reporting for luminance coding -- Artificial information -- Isotropic visual displays 76

Table 78 -- Assessment and reporting for luminance coding -- Artificial information -- Anisotropic visual displays 76

Table 79 -- Legibility of information coding 77

Table 80 -- Assessment and reporting for colour coding -- Artificial information 77

Table 81 -- Legibility of information coding 78

Table 82 -- Legibility of graphics 78

Table 83 -- Fidelity 80

Table 84 -- Assessment and reporting for colour gamut and reference white -- Artificial information 82

Table 85 -- Assessment and reporting for colour gamut and reference white -- Reality information . 83

Table 86 -- Fidelity 84

Table 87 -- Assessment and reporting for electro-optical transfer functions and grey scale -- Artificial information -- Isotropic visual displays 85

Table 88 -- Assessment and reporting for electro-optical transfer functions and grey scale -- Artificial information -- Anisotropic visual displays 86

Table 89 -- Assessment and reporting for electro-optical transfer functions and grey scale -- Reality information -- Isotropic visual displays 86

Table 90 -- Assessment and reporting for electro-optical transfer functions and grey scale -- Reality information -- Anisotropic visual displays 87

Table 91 -- Fidelity 87

5.3 PDP for indoor use -- Display laboratory method 89

5.3.1 Intended context of use 89

Table 92 -- Intended context of use -- PDP 90
5.3.2 Information about the technology 92

Table 93 -- Basic physical attributes of PDP 92
5.3.3 Compliance assessment method 93

Table 94 -- Viewing conditions 93

Table 95 -- Assessment and reporting for design viewing direction 94

Table 96 -- Viewing conditions 94

Table 97 -- Luminance 95

Table 98 -- Assessment and reporting for display luminance -- Artificial information 95

Table 99 -- Assessment and reporting for display luminance -- Reality information 96

Table 100 -- Luminance 96

Table 101 -- Assessment and reporting for luminance and contrast adjustment 98

Table 102 -- Special physical environments 99

Table 103 -- Visual artefacts 99

Table 104 -- Assessment and reporting for luminance non-uniformity 100

Table 105 -- Visual artefacts 101

Table 106 -- Assessment and reporting for colour non-uniformity 101

Table 107 -- Visual artefacts 102

Table 108 -- Pixel fault classification 103

Table 109 -- Visual artefacts 104

Table 110 -- Assessment and reporting for unwanted reflections -- Artificial information 106

Table 111 -- Assessment and reporting for unwanted reflections -- Reality information 106

Table 112 -- Visual artefacts 107

Table 113 -- Legibility and readability 108

Table 114 -- Assessment and reporting for luminance contrast -- Artificial information 109

Table 115 -- Assessment and reporting for luminance contrast -- Reality information 109

Table 116 -- Legibility and readability 110

Table 117 -- Legibility of information coding 112

Table 118 -- Assessment and reporting for luminance coding -- Artificial information 113

Table 119 -- Legibility of information coding 113

Table 120 -- Assessment and reporting for colour coding -- Artificial information 114

Table 121 -- Legibility of information coding 114

Table 122 -- Legibility of graphics 115

Table 123 -- Fidelity 117

Table 124 -- Assessment and reporting for colour gamut and reference white -- Artificial information 119

Table 125 -- Assessment and reporting for colour gamut and reference white -- Reality information 120

Table 126 -- Fidelity 121

Table 127 -- Assessment and reporting for electro-optical transfer functions and grey scale -- Artificial information 122

Table 128 -- Assessment and reporting for electro-optical transfer functions and grey scale -- Reality information 123

Table 129 -- Fidelity 123

5.4 Front-screen projection visual displays with fixed resolution for indoor use -- Display laboratory method 125

5.4.1 Intended context of use 125

Table 130 -- Intended context of use -- Front-screen projection visual displays with fixed resolution 126

5.4.2 Information about the technology 129

Table 131 -- Basic physical attributes of front-screen projection visual displays with fixed resolution 129

5.4.3 Compliance assessment 129

Table 132 -- Viewing conditions 130

Table 133 -- Assessment and reporting for design viewing direction 130

Table 134 -- Viewing conditions 131

Table 135 -- Luminance 131

Table 136 -- Assessment and reporting for display luminance -- Artificial information 131

Table 137 -- Assessment and reporting for display luminance -- Reality information 132

Table 138 -- Luminance 132

Table 139 -- Assessment and reporting for luminance and contrast adjustment 134

Table 140 -- Special physical environments 135

Table 141 -- Visual artefacts 135

Table 142 -- Assessment and reporting for luminance non-uniformity 136

Table 143 -- Visual artefacts 136

Table 144 -- Assessment and reporting for colour non-uniformity 137

Table 145 -- Visual artefacts 138

Table 146 -- Pixel fault classification 139

Table 147 -- Visual artefacts 140

Table 148 -- Assessment and reporting for unwanted reflections -- Artificial information 142

Table 149 -- Assessment and reporting for unwanted reflections -- Reality information 143

Table 150 -- Visual artefacts 143

Table 151 -- Legibility and readability 144

Table 152 -- Assessment and reporting for luminance contrast 145

Table 153 -- Legibility and readability 145

Table 154 -- Legibility of information coding 149

Table 155 -- Assessment and reporting for luminance coding -- Artificial information 149

Table 156 -- Legibility of information coding 150

Table 157 -- Assessment and reporting for colour coding -- Artificial information 150

Table 158 -- Legibility of information coding 151

Table 159 -- Legibility of graphics 151

Table 160 -- Fidelity 153

Table 161 -- Assessment and reporting for colour gamut and reference white -- Artificial information 155

Table 162 -- Assessment and reporting for colour gamut and reference white -- Reality information 156

Table 163 -- Fidelity 157

Table 164 -- Assessment and reporting for electro-optical transfer functions and grey scale -- Artificial information 158

Table 165 -- Assessment and reporting for electro-optical transfer functions and grey scale -- Reality information 159

Table 166 -- Fidelity 159

5.5 Emissive, reflective or transflective LCD for handheld devices for indoor use -- Display laboratory method 161

5.5.1 Intended context of use 161

Table 167 -- Intended context of use -- Emissive, reflective or transflective LCD for handheld devices 162

5.5.2 Information about the technology 166

Table 168 -- Basic physical attributes of emissive, reflective or transflective handheld device LCD 166

5.5.3 Compliance assessment 166

Table 169 -- Sample compliance overview table 167

Table 170 -- Viewing conditions 168

Table 171 -- Assessment and reporting for design viewing direction 169

Table 172 -- Viewing conditions 171

Table 173 -- Luminance 171

Table 174 -- Assessment and reporting for display luminance 173

Table 175 -- Luminance 174
Table 176 -- Special physical environments 175
Table 177 -- Visual artefacts 176
Table 178 -- Assessment and reporting for luminance non-uniformity 177
Table 179 -- Visual artefacts 177
Table 180 -- Assessment and reporting for colour non-uniformity 178
Table 181 -- Visual artefacts 179
Table 182 -- Pixel fault classification 180
Table 183 -- Visual artefacts 181
Table 184 -- Legibility and readability 183
Table 185 -- Assessment and reporting for luminance contrast 184
Table 186 -- Legibility and readability 184
Table 187 -- Legibility of information coding 189
Table 188 -- Assessment and reporting for luminance coding 189
Table 189 -- Legibility of information coding 190
Table 190 -- Assessment and reporting for colour coding -- Artificial information 190
Table 191 -- Legibility of information coding 191
Table 192 -- Legibility of graphics 191
Table 193 -- Fidelity 193
Table 194 -- Assessment and reporting for colour gamut and reference white 195
Table 195 -- Fidelity 196
Table 196 -- Assessment and reporting for electro-optical transfer functions and grey scale 198
Table 197 -- Fidelity 199
6 Conformance 202
Annex A (informative) Overview of the ISO 9241 series 203
Annex B (normative) Boundaries for reproduction of natural colours 207
Annex C (normative) Compliance routes 211
Bibliography 215