

# ISO 24501:2010-12 (E)

## Ergonomics - Accessible design - Sound pressure levels of auditory signals for consumer products

---

| <b>Contents</b>   |  | <b>Page</b> |
|---|--|-------------|
| Foreword .....  |  | iv          |
| Introduction .....  |  | v           |
| 1   | Scope .....  | 1           |
| 2   | Normative references .....   | 1           |
| 3   | Terms and definitions .....  | 1           |
| 4   | Symbols .....  | 2           |
| 5   | Range of sound pressure levels of auditory signals .....                     | 2           |
| 5.1   | General .....  | 2           |
| 5.2   | When not considering the masking effect of an interfering sound .....        | 3           |
| 5.2.1   | General .....  | 3           |
| 5.2.2   | Method using octave-band analysis or one-third-octave-band analysis .....    | 3           |
| 5.3   | When taking the masking effect of interfering sound into consideration ..... | 4           |
| 5.3.1   | Method using A-weighted sound pressure level measurement .....               | 4           |
| 5.3.2   | Method using octave-band analysis .....                                      | 5           |
| 5.3.3   | Method using one-third-octave-band analysis .....                            | 5           |
| Annex A (normative) Method for measuring the sound pressure level of an auditory signal .....                         |  | 7           |
| Annex B (normative) Method for measuring the sound pressure level of interfering sound .....                          |  | 11          |
| Annex C (informative) Example of the record of measurement conditions and results .....                               |  | 14          |
| Annex D (informative) Examples of measurement and range setting of the sound pressure level of auditory signals ..... |  | 16          |
| Bibliography .....  |  | 21          |