

# ISO/IEC 17549-3:2023-05 (E)

## Information technology - User interface requirements and recommendations on menu navigation - Part 3: Navigation with one-direction devices

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Conformance .....</b>	<b>3</b>
<b>5</b>	<b>General description .....</b>	<b>3</b>
5.1	Purpose of single-switch device and double-switch device .....	3
5.2	Working principles .....	3
<b>6</b>	<b>Requirements and recommendations for designing menus .....</b>	<b>3</b>
6.1	General .....	3
6.2	Ladder menu .....	3
6.3	Designing for one-direction device in the context of a tile menu .....	4
6.4	Indicators .....	4
6.5	Rules for loops and sub-loops .....	4
6.6	Rules applicable to menu navigation with a double-switch device .....	5
6.7	Rules applicable to menu navigation with a single-switch device .....	5
6.7.1	Simple automatic scrolling .....	5
6.7.2	Other types of automatic scrolling .....	5
6.7.3	Scanning speed .....	6
6.7.4	Scanning start and pause delays .....	6
6.7.5	Post-activation delay .....	6
6.7.6	Re-scan and skip scan .....	7
6.7.7	Scanning indicators .....	7
<b>Annex A (informative)</b>	<b>Examples of devices with one-direction navigation .....</b>	<b>8</b>
<b>Bibliography .....</b>		<b>9</b>