

# DIN EN ISO 7731:2005-12 (E)

## Ergonomics - Danger signals for public and work areas - Auditory danger signals (ISO 7731:2003)

---

<b>Contents</b>	<b>Page</b>
Foreword .....	2
Introduction .....	4
1 Scope.....	5
2 Normative references .....	5
3 Terms, definitions and symbols .....	5
4 Safety requirements.....	7
4.1 General .....	7
4.2 Recognition .....	7
4.2.1 Introduction .....	7
4.2.2 Audibility .....	7
4.2.3 Distinctiveness .....	7
4.2.4 Unambiguity .....	7
4.2.5 Moving sources .....	7
4.3 Review of the signal.....	8
4.4 Recommended maximum level of the danger signal .....	8
5 Test methods.....	8
5.1 Measurement equipment.....	8
5.2 Objective acoustic measurements.....	8
5.2.1 General .....	8
5.2.2 Weighted measurements.....	8
5.2.3 Measurements made in the frequency domain.....	8
5.2.4 Measurement of the auditory signal with ambient noise present.....	9
5.3 Subjective test method.....	9
6 Design criteria for auditory danger signals.....	9
6.1 General .....	9
6.2 Sound-pressure level.....	9
6.3 Spectral characteristics.....	10
6.4 Temporal characteristics.....	10
6.4.1 Temporal distribution of the danger signal .....	10
6.4.2 Temporal distribution of the frequencies .....	10
6.4.3 Duration of the danger signals .....	11
6.5 Information required from suppliers.....	11
Annex A (normative) Definitions of symbols.....	11
Annex B (normative) Calculation of effective masked threshold.....	12
Annex C (normative) Listening test.....	13
Annex D (informative) Examples of danger signals.....	14
Bibliography .....	20