

# ISO 10993-7:2008-10 (E)

## Biological evaluation of medical devices - Part 7: Ethylene oxide sterilization residuals

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Requirements .....</b>	<b>2</b>
<b>4.1</b>	<b>General .....</b>	<b>2</b>
<b>4.2</b>	<b>Categorization of devices .....</b>	<b>2</b>
<b>4.3</b>	<b>Allowable limits .....</b>	<b>3</b>
<b>4.4</b>	<b>Determination of EO and ECH residuals .....</b>	<b>5</b>
<b>5</b>	<b>Product release .....</b>	<b>10</b>
<b>5.1</b>	<b>General .....</b>	<b>10</b>
<b>5.2</b>	<b>Release of products without dissipation curve data .....</b>	<b>10</b>
<b>5.3</b>	<b>Procedure for product release using residue dissipation curves .....</b>	<b>10</b>
	<b>Annex A (normative) Evaluation of gas chromatograms .....</b>	<b>12</b>
	<b>Annex B (informative) Gas chromatographic determination for EO and ECH .....</b>	<b>15</b>
	<b>Annex C (informative) Flowchart and guidance for the application of this part of ISO 10993 series of standards to the determination of EO and ECH residuals in medical devices .....</b>	<b>19</b>
	<b>Annex D (informative) Factors influencing product residual .....</b>	<b>26</b>
	<b>Annex E (informative) Extraction conditions for determination of residual EO .....</b>	<b>28</b>
	<b>Annex F (informative) Rationale for the provisions of this part of ISO 10993 .....</b>	<b>29</b>
	<b>Annex G (informative) Establishment of allowable limits for EO .....</b>	<b>33</b>
	<b>Annex H (informative) Establishment of allowable limits for ECH .....</b>	<b>50</b>
	<b>Annex I (informative) Establishment of allowable limits for EG .....</b>	<b>59</b>
	<b>Annex J (informative) Preparation of EO and ECH standards .....</b>	<b>63</b>
	<b>Annex K (informative) Ethylene oxide residue measuring methods .....</b>	<b>67</b>
	<b>Bibliography .....</b>	<b>74</b>