

# DIN 58175-1:2013-07 (D/E)

Laser und Laseranlagen - Bestimmung der Eigenschaften von ultrakurzen Laserpulsen - Teil 1: Grundlagen; Text Deutsch und Englisch

Lasers and laser-related equipment - Determination of the properties of ultra-short laser pulses - Part 1: Principles; Text in German and English

---

| Inhalt  | Seite |
|---|-------|
| Vorwort .....   | 4     |
| Einleitung .....  | 6     |
| 1 Anwendungsbereich .....   | 8     |
| 2 Normative Verweisungen .....  | 8     |
| 3 Formelzeichen und Einheiten .....                                     | 8     |
| 4 Grundlagen .....  | 14    |
| 4.1 Allgemeines .....   | 14    |
| 4.2 Kreisfrequenz.....  | 14    |
| 4.3 elektrische Feldamplitude .....                                     | 14    |
| 4.4 Leistungsdichteverteilung im Puls.....                              | 14    |
| 4.5 optische Leistung.....  | 14    |
| 4.6 Pulsfolgezeit .....   | 16    |
| 4.7 Pulsenergie .....   | 16    |
| 4.8 Halbwertsdauer bezogen auf die optische Leistung (Pulsdauer) .....  | 16    |
| 4.9 effektive Pulsdauer.....  | 16    |
| 4.10 Pulsvolumen .....  | 18    |
| 4.11 Pulskontrast.....  | 18    |
| 4.12 räumlicher Chirp.....  | 18    |
| 4.13 Tastverhältnis .....   | 18    |
| 4.14 zeitliche Phasenfunktion .....                                     | 20    |
| 4.15 zeitlicher Chirp.....  | 20    |
| 4.16 linearer zeitlicher Chirp.....                                     | 20    |
| 4.17 spektrale Leistungsdichte .....                                    | 20    |
| 4.18 spektrale Halbwertsbreite.....                                     | 22    |
| 4.19 effektive Spektralbreite .....                                     | 22    |
| 4.20 Zeit-Bandbreiten-Produkt (TBP) .....                               | 22    |
| 4.21 spektrale Phase .....  | 22    |
| 4.22 spektrale Gruppenlaufzeitdispersion (GDD) eines Pulses.....        | 24    |
| 4.23 Gruppengeschwindigkeitsdispersion (GVD) optischer Materialien..... | 24    |
| 4.24 Autokorrelationssignal .....                                       | 24    |
| 4.25 FROG-Spektrogramm (en: Frequency-resolved optical gating).....     | 26    |

# Content

page

|   |    |
|---|----|
| Foreword.....   | 5  |
| Introduction .....  | 7  |
| 1 Scope .....   | 9  |
| 2 Normative references .....  | 9  |
| 3 Symbols and units of measurement .....  | 9  |
| 4 Principles .....  | 15 |
| 4.1 General.....  | 15 |
| 4.2 Angular frequency .....   | 15 |
| 4.3 Electric field amplitude .....  | 15 |
| 4.4 Power density within the pulse .....  | 15 |
| 4.5 Optical power .....   | 15 |
| 4.6 Pulse repetition time .....   | 17 |
| 4.7 Pulse energy.....   | 17 |
| 4.8 Full width at half maximum defined via the optical power (pulse duration) ..... | 17 |
| 4.9 Effective pulse duration .....  | 17 |
| 4.10 Pulse volume .....   | 19 |
| 4.11 Pulse contrast .....   | 19 |
| 4.12 Spatial chirp .....  | 19 |
| 4.13 Duty cycle .....   | 19 |
| 4.14 Temporal phase .....   | 21 |
| 4.15 Temporal chirp .....   | 21 |
| 4.16 Linear temporal chirp .....  | 21 |
| 4.17 Spectral power density .....   | 21 |
| 4.18 Spectral full width at half maximum .....                                      | 23 |
| 4.19 Effective spectral width.....  | 23 |
| 4.20 Time-bandwidth-product (TBP) .....   | 23 |
| 4.21 Spectral phase .....   | 23 |
| 4.22 Spectral group delay dispersion (GDD) of a pulse.....                          | 25 |
| 4.23 Group velocity dispersion (GVD) of optical materials .....                     | 25 |
| 4.24 Autocorrelation signal.....  | 25 |
| 4.25 FROG spectrogram (frequency-resolved optical gating) .....                     | 27 |