

DIN EN 14594:2018-07 (E)

Respiratory protective devices - Continuous flow compressed air line breathing devices - Requirements, testing and marking

| Contents | | Page |
|-------------------------|---|-------------|
| European foreword | | 5 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms, description and symbols | 7 |
| 3.1 | Terms | 7 |
| 3.2 | Description | 8 |
| 3.3 | Symbols | 8 |
| 4 | Classification | 9 |
| 5 | Requirements | 9 |
| 5.1 | General | 9 |
| 5.2 | Nominal values and tolerances | 9 |
| 5.3 | Ergonomics | 9 |
| 5.4 | Design | 10 |
| 5.5 | Materials | 10 |
| 5.6 | Practical performance | 10 |
| 5.7 | Connections | 10 |
| 5.7.1 | General | 10 |
| 5.7.2 | Couplings | 11 |
| 5.7.3 | Strength of breathing hose connections | 11 |
| 5.7.4 | Connection between RPD and mask | 11 |
| 5.7.5 | Connection between RPD and hood, helmet or suit | 11 |
| 5.7.6 | Unacceptable connections | 11 |
| 5.8 | Body harness or belt | 11 |
| 5.9 | Pre-conditioning | 11 |
| 5.10 | Flammability | 12 |
| 5.11 | Mobile compressed air supply systems, if applicable | 12 |
| 5.11.1 | General | 12 |
| 5.11.2 | Pressure reducer | 12 |
| 5.11.3 | Pressure reducer relief valve | 12 |
| 5.12 | Warning devices for compressed air supply systems | 13 |
| 5.12.1 | General | 13 |
| 5.12.2 | Audible warning device | 13 |
| 5.13 | Compressed air supply tube | 13 |
| 5.13.1 | Resistance to kinking | 13 |
| 5.13.2 | Resistance to collapse | 14 |
| 5.13.3 | Strength | 14 |
| 5.13.4 | Flexibility | 14 |
| 5.13.5 | Heat resistance | 14 |
| 5.13.6 | Electrostatic properties | 14 |
| 5.13.7 | Couplings | 14 |
| 5.13.8 | Resistance to pressure | 14 |
| 5.13.9 | Flammability | 14 |
| 5.13.10 | Working length | 15 |
| 5.14 | Breathing hose | 15 |
| 5.14.1 | Resistance to kinking | 15 |

| | | |
|--------|--|----|
| 5.14.2 | Resistance to collapse | 15 |
| 5.15 | Air flow rates | 15 |
| 5.16 | Adjustable parts | 15 |
| 5.17 | Facepieces | 15 |
| 5.17.1 | Full face mask or half masks | 15 |
| 5.17.2 | Hood, helmet or suit | 16 |
| 5.18 | Inward leakage | 17 |
| 5.19 | Breathing resistance | 18 |
| 5.19.1 | RPD with full face mask/half mask | 18 |
| 5.19.2 | RPD incorporating a hood/helmet/suit | 18 |
| 5.20 | Carbon dioxide content of inhalation air | 18 |
| 5.20.1 | Air supply on | 18 |
| 5.20.2 | Air supply off | 18 |
| 5.21 | Leaktightness | 18 |
| 5.22 | Checking and warning facilities | 19 |
| 5.23 | Resistance to abrasion | 19 |
| 6 | Testing | 19 |
| 6.1 | General | 19 |
| 6.2 | Inspection | 20 |
| 6.3 | Practical performance test | 21 |
| 6.3.1 | General | 21 |
| 6.3.2 | Preparation of RPD to be tested | 21 |
| 6.3.3 | Test conditions | 21 |
| 6.3.4 | Work simulation test | 21 |
| 6.3.5 | Information to be recorded | 22 |
| 6.3.6 | Practical performance tests at low temperature | 22 |
| 6.4 | Strength of breathing hose connections | 23 |
| 6.5 | Resistance to collapse of breathing hose | 23 |
| 6.5.1 | Principle | 23 |
| 6.5.2 | Apparatus | 23 |
| 6.5.3 | Procedure | 24 |
| 6.6 | Strength of compressed air supply tube, body harness and couplings | 24 |
| 6.7 | Pre-conditioning | 25 |
| 6.7.1 | Procedure | 25 |
| 6.7.2 | Laboratory test at - 15 °C | 25 |
| 6.8 | Flammability | 25 |
| 6.9 | Pressure reducer relief valve | 26 |
| 6.10 | Resistance to kinking of compressed air supply tube | 26 |
| 6.10.1 | Corner kinking for Class A RPD | 26 |
| 6.10.2 | Coil kinking for Class B RPD | 27 |
| 6.11 | Resistance to collapse of compressed air supply tube (Class A and Class B) | 30 |
| 6.11.1 | Principle | 30 |
| 6.11.2 | Apparatus | 30 |
| 6.11.3 | Procedure | 30 |
| 6.12 | Heat resistance of compressed air supply tube | 30 |
| 6.13 | Carbon dioxide content of the inhalation air | 31 |
| 6.14 | Inward leakage | 31 |
| 6.14.1 | Inward leakage test method | 31 |
| 6.14.2 | Prerequisites for inward leakage determination | 31 |
| 6.15 | Warning device | 33 |
| 6.15.1 | Apparatus | 33 |
| 6.15.2 | Procedure | 33 |
| 6.15.3 | Report | 33 |
| 6.16 | Mechanical resistance of lens(es) or visor(s) (hood/helmet/suit) | 36 |
| 6.17 | Breathing resistance | 36 |
| 6.17.1 | General | 36 |
| 6.17.2 | Inhalation resistance | 36 |
| 6.17.3 | Exhalation resistance | 36 |
| 6.18 | Sound level measurement inside the hood/helmet/suit | 37 |
| 6.19 | Strength of attachment of exhalation valve (hood/helmet/suit) | 37 |

| | | |
|--|--|-----------|
| 6.20 | Air supply flow rate | 38 |
| 6.20.1 | Principle | 38 |
| 6.20.2 | Apparatus | 38 |
| 6.20.3 | Procedure | 38 |
| 6.21 | Resistance to abrasion of protective clothing | 39 |
| 6.22 | Effective mass supported by the facepiece | 39 |
| 6.23 | Leaktightness | 40 |
| 7 | Marking | 40 |
| 8 | Information supplied by the manufacturer | 41 |
| Annex ZA (informative) Relationship between this European Standard and the essential health and safety requirements of Regulation 2016/425/EU [2016 OJ L81] aimed to be covered | | 43 |
| Bibliography | | 45 |