

# ISO 14607:2018 (E)

## Non-active surgical implants — Mammary implants — Particular requirements

---

### Contents

|           |  |
|-----------|--|
|           | Foreword   |
|           | Introduction                                       |
| 1         | Scope  |
| 2         | Normative references                               |
| 3         | Terms and definitions                              |
| 4         | Intended performance                               |
| 5         | Design attributes                                  |
| 6         | Materials  |
| 6.1       | General  |
| 6.2       | Cytotoxicity                                       |
| 6.3       | Residual low molecular weight oligomers            |
| 6.4       | Trace elements                                     |
| 6.5       | Physico-mechanical properties and characterization |
| 6.6       | Documentation of materials                         |
| 7         | Design evaluation                                  |
| 7.1       | General  |
| 7.2       | Pre-clinical evaluation                            |
| 7.2.1     | General  |
| 7.2.2     | Mechanical tests                                   |
| 7.2.2.1   | Shell integrity                                    |
| 7.2.2.1.1 | General  |
| 7.2.2.1.2 | Elongation   |
| 7.2.2.1.3 | Tensile set  |
| 7.2.2.1.4 | Strength of joints, seams or seals                 |
| 7.2.2.2   | Implant resistance                                 |
| 7.2.2.2.1 | Fatigue resistance test                            |
| 7.2.2.2.2 | Impact resistance test                             |
| 7.2.3     | Physical evaluation                                |
| 7.2.3.1   | Design of shell                                    |
| 7.2.3.2   | Valve or injection site competence                 |
| 7.2.3.3   | Filling material                                   |
| 7.2.3.3.1 | General  |
| 7.2.3.3.2 | Silicone gel cohesion                              |
| 7.2.3.3.3 | Silicone gel penetration                           |
| 7.2.3.4   | Diffusion test                                     |
| 7.2.3.5   | Volume   |
| 7.2.3.6   | Dimensions   |
| 7.2.3.7   | Surface  |
| 7.2.3.8   | Surface contamination                              |
| 7.2.4     | Chemical evaluation                                |
| 7.2.5     | Biological evaluation                              |
| 7.3       | Clinical evaluation                                |
| 7.4       | Post-market surveillance                           |
| 8         | Manufacturing                                      |

- 9 Sterilization
- 10 Packaging
- 11 Information supplied by the manufacturer
  - 11.1 General
  - 11.2 Product labelling
  - 11.3 Information for the user
    - 11.3.1 General
    - 11.3.2 Resterilization
    - 11.3.3 Effects on diagnostic techniques
  - 11.4 Marking on implants
  - 11.5 Filling materials
  - 11.6 Information on expected lifetime
  - 11.7 Information for the patient
    - 11.7.1 General
    - 11.7.2 Patient record label
    - 11.7.3 Patient card

**Annex A (normative) Determination of octamethylcyclotetrasiloxane (D4) and decamethylcyclopentasiloxane (D5) in silicone gels**

- A.1 Objective
- A.2 Principle
- A.3 Test specimen preparation
- A.4 Reagents
- A.5 Apparatus
- A.6 Experimental precautions
- A.7 Procedure
  - A.7.1 Number of experiments
  - A.7.2 Preparation of calibration standards and construction of calibration curves
  - A.7.3 Test specimen analysis
- A.8 Calculation
- A.9 Specification
- A.10 Analytical validation
- A.11 Test report

**Annex B (normative) Tests for shell integrity**

- B.1 Shell material
  - B.1.1 Test specimen preparation
  - B.1.2 Elongation
  - B.1.3 Tensile set
- B.2 Strength of seams
  - B.2.1 General
  - B.2.2 Critical seams
  - B.2.3 Non-critical seams
- B.3 Test report

**Annex C (normative) Mechanical tests on a mammary implant in its implantable state**

- C.1 Fatigue test
  - C.1.1 Principle
  - C.1.2 Materials
  - C.1.3 Apparatus
  - C.1.4 Procedure
  - C.1.5 Requirements
  - C.1.6 Test report
- C.2 Impact resistance test
  - C.2.1 Principle
  - C.2.2 Apparatus
  - C.2.3 Procedure
  - C.2.4 Requirement
  - C.2.5 Test report

**Annex D (normative) Test method for valve competence and injection site competence**

- D.1 Valve competence
- D.1.1 Principle
- D.1.2 Materials
- D.1.3 Procedure
- D.1.4 Requirement
- D.2 Injection site competence
- D.2.1 Principle
- D.2.2 Materials
- D.2.3 Procedure
- D.2.4 Requirements
- D.3 Test report

**Annex E (normative) Test for silicone gel cohesion (silicone filling materials only)**

- E.1 Principle
- E.2 Materials
- E.3 Apparatus
- E.4 Procedure
- E.5 Requirements
- E.6 Test report

**Annex F (normative) Test for silicone gel penetration (silicone filling materials only)**

- F.1 General
- F.2 Apparatus
- F.3 Procedure
- F.3.1 Test specimen preparation
- F.3.2 Penetrometer procedure
- F.3.3 Procedure for texture analyser
- F.4 Remarks
- F.5 Test report

**Annex G (informative) Assessment of silicone diffusion from mammary implants using an in vitro method**

- G.1 Principle
- G.2 Material and apparatus
- G.2.1 General
- G.2.2 Sampling preparation
- G.2.3 Simulated body fluid (SBF)
- G.2.4 SBF preparation
- G.2.5 Material preparation
- G.3 Procedure
- G.3.1 General
- G.3.2 Condition of release determination and Si measurements
- G.3.3 Expression of the results

**Annex H (informative) Test for surface characteristics**

- H.1 Principle
- H.2 Materials
- H.3 Apparatus
- H.3.1 General
- H.3.2 Surface metrology
- H.3.3 Surface topography imaging
- H.4 Test specimen preparation
- H.5 Data to be recorded
- H.6 Expression of results
- H.7 Test report

**Annex I (normative) Information for the user**

**Annex J (normative) Information for the patient**