

DIN EN 12405-1:2018-12 (E)

Gas meters - Conversion devices - Part 1: Volume conversion

Contents		Page
European foreword		10
1	Scope	11
2	Normative references	11
3	Terms, definitions, symbols and classification	13
3.1	Terms and definitions	13
3.2	Symbols	17
3.3	Classification	18
3.3.1	Mechanical classes	18
3.3.2	Electromagnetic environmental classes	18
4	Principle of measurement	19
4.1	Conversion as a function of temperature	19
4.2	Conversion as a function of pressure and temperature	19
4.3	Conversion as a function of pressure, temperature and deviation from the ideal gas law	20
4.4	Correction of the volume at measurement conditions	20
5	Rated operating conditions	21
5.1	Specified field of measurement	21
5.1.1	General	21
5.1.2	Specified measurement range for gas pressure	21
5.1.3	Specified measurement range for gas temperature	21
5.1.4	Gas characteristics	21
5.1.5	Base conditions	21
5.2	Environmental conditions	21
5.2.1	Ambient temperature range	21
5.2.2	Humidity range	21
5.2.3	Mechanical environment	22
5.2.4	Electromagnetic environment	22
5.3	Power supply	22
6	Construction requirements	22
6.1	General	22
6.2	Casings	23
6.3	Indications	23
6.3.1	General	23
6.3.2	Electronic indicating device	25
6.4	Inputs for volume conversion	25
6.5	Battery powered conversion device	25
6.6	Security devices and alarms	26
7	Installation requirements	27
7.1	General	27
7.2	Temperature transducer	27
7.3	Pressure transducer	27
8	Performance	28
8.1	Reference conditions	28
8.2	Rated operating conditions	28
8.3	Maximum permissible errors	28

8.3.1	Conversion devices type 1	28
8.3.2	Conversion devices type 2	29
8.3.3	Error of conversion	29
8.3.4	Specific errors for a gas-volume conversion device, type 2	29
8.4	Conditions of matching the constituent elements of a conversion device type 2	30
8.5	Influence factors	30
8.6	Disturbances	31
8.7	Durability	31
8.8	Repeatability	31
8.9	Reliability	31
9	Tests of conformity	31
9.1	Verification of the construction requirements	31
9.2	Verification of the performance requirements	31
9.2.1	Test conditions	31
9.2.2	Samples of gas volume conversion device type 1 required for testing	32
9.2.3	Samples of gas volume conversion devices type 2 required for testing	35
9.3	Test report	36
10	Marking	36
11	Installation and operating instructions	37
Annex A (normative) Type test		38
A.1	General conditions	38
A.1.1	General	38
A.1.2	Additional conditions specific to gas volume conversion devices type 1	38
A.1.3	Additional conditions specific to gas-volume conversion devices type 2	38
A.1.4	Test procedures	39
A.1.5	Verification of the construction requirements	40
A.2	Accuracy tests under reference conditions	40
A.2.1	Objective	40
A.2.2	Reference to documents	41
A.2.3	Procedure	41
A.2.4	Acceptance criteria	41
A.3	Effect of ambient temperature	41
A.3.1	Objective	41
A.3.2	Reference to documents	41
A.3.3	Procedure	41
A.3.4	Acceptance criteria	41
A.4	Effect of damp heat, steady-state test	41
A.4.1	Objective	41
A.4.2	Reference to documents	41
A.4.3	Procedure	42
A.4.4	Acceptance criteria	42
A.5	Effect of damp heat, cyclic test	42
A.5.1	Objective	42
A.5.2	Reference to documents	42
A.5.3	Procedure	42
A.5.4	Acceptance criteria	42
A.6	Electrical power variation	43
A.6.1	Objective	43
A.6.2	Reference to documents	43
A.6.3	Procedure	43
A.6.4	Acceptance criteria	43
A.7	Short time power reductions	43
A.7.1	Objective	43
A.7.2	Reference to documents	43
A.7.3	Procedure	43
A.7.4	Acceptance criteria	44
A.8	Electrical bursts	44

A.8.1	Objective	44
A.8.2	Reference to documents	44
A.8.3	Procedure	44
A.8.4	Acceptance criteria	44
A.9	Electromagnetic susceptibility	44
A.9.1	Objective	44
A.9.2	Reference to documents	44
A.9.3	Procedure	44
A.9.4	Acceptance criteria	45
A.10	Electrostatic discharges	45
A.10.1	Objective	45
A.10.2	Reference to documents	45
A.10.3	Procedure	45
A.10.4	Acceptance criteria	45
A.11	Overload of pressure (only for type 1 and pressure transducers)	45
A.11.1	Objective	45
A.11.2	Reference to documents	45
A.11.3	Procedure	45
A.11.4	Acceptance criteria	46
A.12	Effect of vibrations	46
A.12.1	Objective	46
A.12.2	Reference to documents	46
A.12.3	Procedure	46
A.12.4	Acceptance criteria	46
A.13	Effect of shocks	46
A.13.1	Objective	46
A.13.2	Reference to documents	46
A.13.3	Procedure	46
A.13.4	Acceptance criteria	47
A.14	Overload of pressure (mechanical)	47
A.14.1	Objective	47
A.14.2	Reference to documents	47
A.14.3	Procedure	47
A.14.4	Acceptance criteria	47
A.15	Durability	47
A.15.1	Objective	47
A.15.2	Reference to documents	47
A.15.3	Procedure	48
A.15.4	Acceptance criteria	48
A.16	Alarms operation	48
A.16.1	Objective	48
A.16.2	Reference to documents	48
A.16.3	Procedure	48
A.16.4	Acceptance criteria	48
A.17	Repeatability	49
A.17.1	Objective	49
A.17.2	Reference to standards	49
A.17.3	Procedure	49
A.17.4	Acceptance criteria	49
A.18	Short time DC power variations	49
A.18.1	Objective	49
A.18.2	Reference to standards	49
A.18.3	Procedure	49
A.18.4	Acceptance criteria	49
A.19	Surges on supply lines and/or signal lines	50
A.19.1	Objective	50
A.19.2	Reference to standards	50
A.19.3	Procedure	50
A.19.4	Acceptance criteria	50
A.20	Power frequency magnetic field	50
A.20.1	Objective	50
A.20.2	Reference to standards	50

A.20.3	Procedure	50
A.20.4	Acceptance criteria	50
Annex B (normative) Pressure transducers		51
B.1	Scope	51
B.2	Rated operating conditions	51
B.2.1	Specified measurement range for pressure	51
B.2.2	Environmental class	51
B.2.3	Power supply	51
B.3	Construction requirements	51
B.3.1	General	51
B.3.2	Casings	51
B.3.3	Indications	51
B.4	Performances	52
B.4.1	Reference conditions	52
B.4.2	Rated operating conditions	52
B.4.3	Maximum permissible errors	52
B.4.4	Influence factors	52
B.4.5	Disturbances	52
B.4.6	Durability	52
B.5	Tests of conformity	53
B.5.1	Test conditions	53
B.5.2	Tests	53
B.5.3	Sample of pressure transducers required for testing	53
B.6	Marking	53
Annex C (normative) Platinum resistance thermometer sensors		54
C.1	Scope	54
C.2	Operating rated conditions	54
C.2.1	Specified measurement range for temperature	54
C.2.2	Environmental class	54
C.3	Construction requirements	54
C.4	Performances	54
C.5	Marking	55
C.5.1	Required markings	55
C.5.2	Verification mark	55
C.6	Metrological verifications	55
C.6.1	Type approval	55
C.6.2	Initial verification	56
C.7	Verification procedure	56
C.7.1	Visual inspection	56
C.7.2	Type testing (type approval)	56
C.7.3	Samples of PRT required for testing	56
C.7.4	Initial verification	56
Annex D (normative) Temperature transducers		58
D.1	Scope	58
D.2	Rated operating conditions	58
D.2.1	Specified measurement range for temperature	58
D.2.2	Environmental class	58
D.2.3	Power supply	58
D.3	Construction requirements	58
D.3.1	General	58
D.3.2	Casings	58
D.3.3	Indications	58
D.4	Performances	59
D.4.1	Reference conditions	59
D.4.2	Rated operating conditions	59
D.4.3	Maximum permissible errors	59

D.4.4	Influence factors	59
D.4.5	Disturbances	59
D.4.6	Durability	59
D.5	Tests of conformity	60
D.5.1	Test conditions	60
D.5.2	Tests	60
D.5.3	Sample of temperature transducers required for testing	60
D.6	Marking	60
Annex E (informative) Model type test report for conversion devices		61
E.1	General	61
E.1.1	General remarks	61
E.1.2	Number of pages	61
E.1.3	Laboratory's identification	61
E.1.4	Applicant	61
E.1.5	Identification of device(s) submitted for testing	61
E.2	Accuracy tests under reference conditions	61
E.2.1	Ambient temperature during the test	61
E.2.2	Test equipment used	62
E.2.3	Test results	62
E.3	Ambient temperature	63
E.3.1	Effect of dry heat	63
E.3.2	Effect of cold	64
E.4	Effect of damp heat, steady-state test	65
E.4.1	Ambient temperature during the test	65
E.4.2	Test equipment used	65
E.4.3	Test results	66
E.5	Effect of damp heat, cyclic test	67
E.5.1	Ambient temperature during the test	67
E.5.2	Test equipment used	67
E.5.3	Test results	68
E.6	Electrical power variation	68
E.6.1	AC power supply	68
E.6.2	DC power supply or battery supply	70
E.7	Short time power reductions	71
E.7.1	Test equipment used	71
E.7.2	Test results	72
E.8	Electrical bursts	72
E.8.1	Test equipment used	72
E.8.2	Test results	72
E.9	Electromagnetic immunity	73
E.9.1	Test equipment used	73
E.9.2	Test results	74
E.10	Electrostatic discharges	74
E.10.1	Test equipment used	74
E.10.2	Test results	75
E.11	Effect of an overload of static pressure	75
E.11.1	Ambient temperature during the test	75
E.11.2	Test equipment used	75
E.11.3	Test results	76
E.12	Effect of vibrations	76
E.12.1	Ambient temperature during the test	76
E.12.2	Test equipment used	77
E.12.3	Test results	77
E.13	Effect of shocks	78
E.13.1	Ambient temperature during the test	78
E.13.2	Test equipment used	78
E.13.3	Test results	78
E.14	Mechanical resistance to overload of static pressure	78
E.14.1	Ambient temperature during the test	78
E.14.2	Test equipment used	78

E.14.3	Test results	79
E.15	Durability	79
E.15.1	Ambient temperature during the test	79
E.15.2	Test equipment used	79
E.15.3	Test equipment used	79
E.16	Alarms operation	82
E.16.1	Ambient temperature during the test	82
E.16.2	Test equipment used	82
E.16.3	Test results	82
E.17	Repeatability	82
E.18	Short time DC power variations	83
E.18.1	Test equipment used	83
E.18.2	Test results	83
E.19	Surges on supply lines and/or signal lines	83
E.19.1	Test equipment used	83
E.19.2	Test results	84
E.20	Power frequency magnetic field	84
E.20.1	Test equipment used	84
E.20.2	Test results	84
Annex F (informative) Model type test report for associated transducers		86
F.1	General	86
F.1.1	General remarks	86
F.1.2	Number of pages	86
F.1.3	Laboratory's identification	86
F.1.4	Applicant	86
F.1.5	Identification of device(s) submitted for testing	86
F.2	Accuracy tests under reference conditions	86
F.2.1	Ambient temperature during the test	86
F.2.2	Test equipment used	87
F.2.3	Test results	87
F.3	Ambient temperature	87
F.3.1	Effect of dry heat	87
F.3.2	Effect of cold	88
F.4	Effect of damp heat, steady-state test	89
F.4.1	Ambient temperature during the test	89
F.4.2	Test equipment used	89
F.4.3	Test results	89
F.5	Effect of damp heat, cyclic test	90
F.5.1	Ambient temperature during the test	90
F.5.2	Test equipment used	90
F.5.3	Test results	90
F.6	Electrical power variation	91
F.6.1	AC power supply	91
F.6.2	DC power supply or battery supply	92
F.7	Short time power reductions	92
F.7.1	Ambient temperature during the test	92
F.7.2	Test equipment used	93
F.7.3	Test results	93
F.8	Electrical bursts	93
F.8.1	Ambient temperature during the test	93
F.8.2	Test equipment used	93
F.8.3	Test results	93
F.9	Electromagnetic immunity	94
F.9.1	Ambient temperature during the test	94
F.9.2	Test equipment used	94
F.9.3	Test results	95
F.10	Electrostatic discharges	95
F.10.1	Ambient temperature during the test	95
F.10.2	Test equipment used	95
F.10.3	Test results	95

F.11	Effect of an overload of static pressure	96
F.11.1	General	96
F.11.2	Ambient temperature during the test	96
F.11.3	Test equipment used	96
F.11.4	Test results	96
F.12	Effect of vibrations	97
F.12.1	Ambient temperature during the test	97
F.12.2	Test equipment used	97
F.12.3	Test results	97
F.13	Effect of shocks	98
F.13.1	Ambient temperature during the test	98
F.13.2	Test equipment used	98
F.13.3	Test results	98
F.14	Mechanical resistance to overload of static pressure	98
F.14.1	General	98
F.14.2	Ambient temperature during the test	98
F.14.3	Test equipment used	98
F.14.4	Test results	99
F.15	Durability	99
F.15.1	Ambient temperature during the test	99
F.15.2	Test equipment used	99
F.15.3	Test results	99
F.16	Repeatability	100
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/32/EU Measuring Instruments Directive		101
Bibliography		106