

DIN EN 12405-1:2011-04 (E)

Gas meters - Conversion devices - Part 1: Volume conversion (includes Amendment A2:2010)

Contents		Page
Foreword		9
1 Scope		10
2 Normative references		10
3 Terms, definitions and symbols		12
3.1 Terms and definitions		12
3.2 Symbols		15
3.3 "Classification"		17
3.3.1 Mechanical classes		17
3.3.2 Electromagnetic environmental classes		17
4 Principle of measurement		17
4.1 Conversion as a function of temperature		17
4.2 Conversion as a function of pressure and temperature		17
4.3 Conversion as a function of pressure, temperature and deviation from the ideal gas law		18
4.4 Correction of the volume at measurement conditions		19
5 Rated operating conditions		19
5.1 Specified field of measurement		19
5.1.1 Specified measurement range for gas pressure		19
5.1.2 Specified measurement range for gas temperature		19
5.1.3 Gas characteristics		20
5.1.4 "Base conditions"		20
5.2 "Environmental conditions"		20
5.2.1 Ambient temperature range		20
5.2.2 Humidity range		20
5.2.3 "Mechanical environment"		20
5.2.4 Electromagnetic environment		20
5.3 Power supply		20
6 Construction requirements		20
6.1 General		20
6.2 Casings		21
6.3 Indications		22
6.3.1 General		22
6.3.2 Electronic indicating device		23
6.4 Inputs for volume conversion		24
6.5 Battery powered conversion device		24
6.6 Security devices and alarms		25
7 Installation requirements		25
7.1 General		25
7.2 Temperature transducer		26
7.3 Pressure transducer		26
8 Performance		26
8.1 Reference conditions		26
8.2 Rated operating conditions		27
8.3 Maximum permissible errors		27

8.3.1	General	27
8.3.2	Error of conversion	28
8.3.3	Specific errors for a gas-volume conversion device, type 2	28
8.4	Conditions of matching the constituent elements of a conversion device type 2	28
8.5	Influence factors	29
8.6	Disturbances	29
8.7	Durability	29
8.8	!Repeatability"	29
8.9	!Reliability"	30
9	Tests of conformity	30
9.1	Verification of the construction requirements	30
9.2	Verification of the performance requirements	30
9.2.1	Test conditions	30
9.2.2	Samples of gas volume conversion device type 1 required for testing	31
9.2.3	Samples of gas volume conversion devices type 2 required for testing	34
9.3	Test report	34
10	Marking	34
11	!Installation and operating instructions"	35
	Annex A (normative) Type test	37
A.1	General conditions	37
A.1.1	General	37
A.1.2	Additional conditions specific to gas volume conversion devices type 1	37
A.1.3	Additional conditions specific to gas-volume conversion devices type 2	37
A.1.4	Test procedures	38
A.1.5	Verification of the construction requirements	39
A.2	Accuracy tests under reference conditions	39
A.2.1	Objective	39
A.2.2	Reference to documents	40
A.2.3	Procedure	40
A.2.4	Acceptance criteria	40
A.3	Effect of ambient temperature	40
A.3.1	Objective	40
A.3.2	Reference to documents	40
A.3.3	Procedure	40
A.3.4	Acceptance criteria	40
A.4	Effect of damp heat, steady state test	40
A.4.1	Objective	40
A.4.2	Reference to documents	40
A.4.3	Procedure	41
A.4.4	Acceptance criteria	41
A.5	Effect of damp heat, cyclic test	41
A.5.1	Objective	41
A.5.2	Reference to documents	41
A.5.3	Procedure	41
A.5.4	Acceptance criteria	42
A.6	Electrical power variation	42
A.6.1	Objective	42
A.6.2	Reference to documents	42
A.6.3	Procedure	42
A.6.4	Acceptance criteria	42
A.7	Short time power reductions	43
A.7.1	Objective	43
A.7.2	Reference to documents	43
A.7.3	Procedure	43
A.7.4	Acceptance criteria	43
A.8	Electrical bursts	43
A.8.1	Objective	43

A.8.2	Reference to documents	43
A.8.3	Procedure	43
A.8.4	Acceptance criteria	43
A.9	Electromagnetic susceptibility	44
A.9.1	Objective	44
A.9.2	Reference to documents	44
A.9.3	Procedure	44
A.9.4	Acceptance criteria	44
A.10	Electrostatic discharges	44
A.10.1	Objective	44
A.10.2	Reference to documents	44
A.10.3	Procedure	44
A.10.4	Acceptance criteria	45
A.11	Overload of pressure (only for type 1 and pressure transducers)	45
A.11.1	Objective	45
A.11.2	Reference to documents	45
A.11.3	Procedure	45
A.11.4	Acceptance criteria	45
A.12	Effect of vibrations	45
A.12.1	Objective	45
A.12.2	Reference to documents	45
A.12.3	Procedure	46
A.12.4	Acceptance criteria	46
A.13	Effect of shocks	46
A.13.1	Objective	46
A.13.2	Reference to documents	46
A.13.3	Procedure	46
A.13.4	Acceptance criteria	46
A.14	Overload of pressure (mechanical)	46
A.14.1	Objective	46
A.14.2	Reference to documents	47
A.14.3	Procedure	47
A.14.4	Acceptance criteria	47
A.15	Durability	47
A.15.1	Objective	47
A.15.2	Reference to documents	47
A.15.3	Procedure	47
A.15.4	Acceptance criteria	48
A.16	Alarms operation	48
A.16.1	Objective	48
A.16.2	Reference to documents	48
A.16.3	Procedure	48
A.16.4	Acceptance criteria	48
A.17	!Repeatability	48
A.17.1	Objective	48
A.17.2	Reference to standards	48
A.17.3	Procedure	49
A.17.4	Acceptance criteria"	49
A.18	#Short time DC power variations	49
A.18.1	Objective	49
A.18.2	Reference to standards	49
A.18.3	Procedure	49
A.18.4	Acceptance criteria\$	49
A.19	#Surges on supply lines and/or signal lines	49
A.19.1	Objective	49
A.19.2	Reference to standards	50
A.19.3	Procedure	50
A.19.4	Acceptance criteria\$	50
A.20	#Power frequency magnetic field	50
A.20.1	Objective	50
A.20.2	Reference to standards	50
A.20.3	Procedure	50

A.20.4	Acceptance criteria\$	50
Annex B (normative) Pressure transducers		51
B.1	Scope	51
B.2	Rated operating conditions	51
B.2.1	Specified measurement range for pressure	51
B.2.2	Environmental class	51
B.2.3	Power supply	51
B.3	Construction requirements	51
B.3.1	General	51
B.3.2	Casings	51
B.3.3	Indications	51
B.4	Performances	52
B.4.1	Reference conditions	52
B.4.2	Rated operating conditions	52
B.4.3	Maximum permissible errors	52
B.4.4	Influence factors	52
B.4.5	Disturbances	52
B.4.6	Durability	52
B.5	Tests of conformity	53
B.5.1	Test conditions	53
B.5.2	Tests	53
B.5.3	Sample of pressure transducers required for testing	53
B.6	Marking	53
Annex C (normative) Platinum resistance thermometer sensors		54
C.1	Scope	54
C.2	Operating rated conditions	54
C.2.1	Specified measurement range for temperature	54
C.2.2	Environmental class	54
C.3	Construction requirements	54
C.4	Performances	54
C.5	Marking	55
C.5.1	Required markings	55
C.5.2	Verification mark	55
C.6	Metrological verifications	55
C.6.1	Type approval	55
C.6.2	Initial verification	56
C.7	Verification procedure	56
C.7.1	Visual inspection	56
C.7.2	Type testing (type approval)	56
C.7.3	Samples of PRT required for testing	56
C.7.4	Initial verification	56
Annex D (normative) Temperature transducers		58
D.1	Scope	58
D.2	Rated operating conditions	58
D.2.1	Specified measurement range for temperature	58
D.2.2	Environmental class	58
D.2.3	Power supply	58
D.3	Construction requirements	58
D.3.1	General	58
D.3.2	Casings	58
D.3.3	Indications	58
D.4	Performances	59
D.4.1	Reference conditions	59
D.4.2	Rated operating conditions	59
D.4.3	Maximum permissible errors	59
D.4.4	Influence factors	59

D.4.5	Disturbances	59
D.4.6	Durability	59
D.5	Tests of conformity	60
D.5.1	Test conditions	60
D.5.2	Tests	60
D.5.3	Sample of temperature transducers required for testing	60
D.6	Marking	60
	Annex E (informative) Model type test report for conversion devices	61
E.1	General	61
E.1.1	General remarks	61
E.1.2	Number of pages	61
E.1.3	Laboratory's identification	61
E.1.4	Applicant	61
E.1.5	Identification of device(s) submitted for testing	61
E.2	Accuracy tests under reference conditions	62
E.2.1	Ambient temperature during the test	62
E.2.2	Test equipment used	62
E.2.3	Test results	62
E.3	Ambient temperature	63
E.3.1	Effect of dry heat	63
E.3.2	Effect of cold	64
E.4	Effect of damp heat, steady state test	66
E.4.1	Ambient temperature during the test	66
E.4.2	Test equipment used	66
E.4.3	Test results	66
E.5	Effect of damp heat, cyclic test	67
E.5.1	Ambient temperature during the test	67
E.5.2	Test equipment used	67
E.5.3	Test results	68
E.6	Electrical power variation	69
E.6.1	AC power supply	69
E.6.2	DC power supply or battery supply	71
E.7	Short time power reductions	72
E.7.1	Test equipment used	72
E.7.2	Test results	72
E.8	Electrical bursts	73
E.8.1	Test equipment used	73
E.8.2	Test results	73
E.9	Electromagnetic immunity	75
E.9.1	Test equipment used	75
E.9.2	Test results	75
E.10	Electrostatic discharges	75
E.10.1	Test equipment used	75
E.10.2	Test results	76
E.11	Effect of an overload of static pressure	76
E.11.1	Ambient temperature during the test	76
E.11.2	Test equipment used	76
E.11.3	Test results	77
E.12	Effect of vibrations	78
E.12.1	Ambient temperature during the test	78
E.12.2	Test equipment used	78
E.12.3	Test results	78
E.13	Effect of shocks	79
E.13.1	Ambient temperature during the test	79
E.13.2	Test equipment used	79
E.13.3	Test results	79
E.14	Mechanical resistance to overload of static pressure	80
E.14.1	Ambient temperature during the test	80
E.14.2	Test equipment used	80
E.14.3	Test results	80

E.15	Durability	80
E.15.1	Ambient temperature during the test	80
E.15.2	Test equipment used	80
E.15.3	Test equipment used	81
E.16	!Alarms operation	84
E.16.1	Ambient temperature during the test	84
E.16.2	Test equipment used	84
E.16.3	Test results	84
E.17	Repeatability"	84
E.18	#Short time DC power variations	84
E.18.1	Test equipment used	84
E.18.2	Test results\$	84
E.19	#Surges on supply lines and/or signal lines	85
E.19.1	Test equipment used	85
E.19.2	Test results\$	85
E.20	#Power frequency magnetic field	86
E.20.1	Test equipment used	86
E.20.2	Test results\$	86

Annex F (informative) Model type test report for associated transducers	88
---	----

F.1	General	88
F.1.1	General remarks	88
F.1.2	Number of pages	88
F.1.3	Laboratory's identification	88
F.1.4	Applicant	88
F.1.5	Identification of device(s) submitted for testing	88
F.2	Accuracy tests under reference conditions	89
F.2.1	Ambient temperature during the test	89
F.2.2	Test equipment used	89
F.2.3	Test results	89
F.3	Ambient temperature	89
F.3.1	Effect of dry heat	89
F.3.2	Effect of cold	90
F.4	Effect of damp heat, steady state test	91
F.4.1	Ambient temperature during the test	91
F.4.2	Test equipment used	91
F.4.3	Test results	91
F.5	Effect of damp heat, cyclic test	92
F.5.1	Ambient temperature during the test	92
F.5.2	Test equipment used	92
F.5.3	Test results	93
F.6	Electrical power variation	93
F.6.1	AC power supply	93
F.6.2	DC power supply or battery supply	95
F.7	Short time power reductions	95
F.7.1	Ambient temperature during the test	95
F.7.2	Test equipment used	95
F.7.3	Test results	96
F.8	Electrical bursts	96
F.8.1	Ambient temperature during the test	96
F.8.2	Test equipment used	96
F.8.3	Test results	96
F.9	Electromagnetic immunity	97
F.9.1	Ambient temperature during the test	97
F.9.2	Test equipment used	97
F.9.3	Test results	98
F.10	Electrostatic discharges	98
F.10.1	Ambient temperature during the test	98
F.10.2	Test equipment used	98
F.10.3	Test results	99
F.11	Effect of an overload of static pressure	99

F.11.1	Ambient temperature during the test	99
F.11.2	Test equipment used	99
F.11.3	Test results	100
F.12	Effect of vibrations	101
F.12.1	Ambient temperature during the test	101
F.12.2	Test equipment used	101
F.12.3	Test results	101
F.13	Effect of shocks	101
F.13.1	Ambient temperature during the test	101
F.13.2	Test equipment used	101
F.13.3	Test results	102
F.14	Mechanical resistance to overload of static pressure	102
F.14.1	Ambient temperature during the test	102
F.14.2	Test equipment used	102
F.14.3	Test results	102
F.15	Durability	103
F.15.1	Ambient temperature during the test	103
F.15.2	Test equipment used	103
F.15.3	Test results	103
F.16	"!Repeatability"	105
Annex ZA (informative) !Relationship between this European Standard and the Essential Requirements of EU Directive 2004/22 Measuring Instruments Directive"		106
Bibliography		111